Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



MAR 30 1935 *

WM. FLEMER'S SONS, INC.


62.57

PRINCETON NURSERIES

PRINCETON, N. J.



RETAIL
PRICE LIST
1935





DRUMTHWACKET LODGE

From the front porch of this cottage, on what is now Stockton Street, Washington reviewed his troops on their march to Trenton in December 1776

Table of Contents

	PAGE
Highway Map showing location of Nurseries	cover
Foreword	2
How to reach Princeton Nurseries by auto or train	6
Terms of Sale, Prices, Liability, and Claims	3
Truck Delivery Service and Charges	5
Notes in explanation of Catalogue	4
Alphabetical listing of nursery stock, by botanical names	7
Alphabetical index of Common Plant Names	127
Planting notes on native plant materials	122
Planting lists and other useful information	124

PRINCETON
1776-7

Foreword

6

AINSTAKING care has been used in the compilation and preparation of this new 1935 edition of the Princeton Hand Book. This catalogue completely covers the material now available also terms, discounts, delivery charges, etc.

The stock is well grown and carefully handled with a minimum of exposure so as to insure the best planting results. All orders are freshly dug and the plants consequently are not injured by storage.

We wish to emphasize the fact that the material offered is Princeton grown in our own nursery consisting of over 1,000 acres. We mention this because very few firms can offer such a large assortment of their own grown material or stock which has been so carefully maintained in good condition.

Also, we call your attention to our ability to quote on large complete lists because of the comprehensiveness of our inventory. We specialize in furnishing materials for large parks and similar projects.

WM. FLEMER, JR. President

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice. Increases may be made to include any Federal or State taxes levied on sales or any increase in the cost of labor or material caused by Federal or State legislation or regulation.

TERMS AND DISCOUNTS

TERMS: 2 per cent discount for payment in 10 days from date of invoice. Accounts due first of second month following date of invoice. These terms are offered to those with established credit; otherwise cash or satisfactory references are required.

Quantity Discounts from prices listed herein.

\$ 50.00 to \$100.00...2% \$300.00 to \$500.00...5% 500.00 to \$00.00...7% 200.00 to 300.00...4% \$00.00 and up10%

These discounts will not apply on invoices not paid when due. Interest at 6 per cent per annum will be charged on all delinquent accounts.

C.O.D. Shipments: In order to insure acceptance, orders for C.O.D. shipment should be accompanied by one-third of the amount of the order.

PRICES ARE F.O.B. KINGSTON, N.J.

We reserve the right to reject orders which call for unusual items only. We expect that a reasonable quantity of the commoner items will be included in your order. This compensates in part for the high cost of producing varieties that others do not grow because they are too difficult or unprofitable.

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges.

2-3', 15c 3-4', 20c 4-5', 30c 5-6', 40c 6-8', 60c 8-10', 75c

Larger sizes would be charged in proportion. In all instances where varieties are marked B. & B. after the item, these charges are included in the printed price.

Reservations of specimen plants. For an additional 25% of the cost of each item, customers will be permitted to select and reserve specimen plants in the nursery rows.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

യ

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

Quantities of 5, 25, and 250 will be sold at the ten, hundred, and thousand rates respectively.


Boxing	Charges
2022112	CIIMI SOO

Length	12x15"	15×16"	17x20"	19x24"	23x28"	27x32"	31 x 36"
4'	·75	1.00	1.25	1.50	1.75	2.00	2.50
6'	1.00	1.25	1.50	1.75	2.00	2.50	2.75
8′	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10'	1.75	2.50	2.75	3.25	3.50	4.00	4.50
12'	2.25	3.00	3.25	3.50	4.00	5.00	5.50
14'	2.75	3.50	3.75	4.00	4.25	5.50	6.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

Princeton Truck Delivery



SCHEDUL	E OF	TRUC	CK D	ELIVE	CRY C	HARG	ES
VALUE OF ORDER	ZONE 1 1 to 25 mi.	25 to	ZONE 3 50 to 75 mi.	75 to	ZONE 5 100 to 125 mi.	125 to	150 to
\$500 to \$1000 \$200 to \$ 500 \$100 to \$ 200	FREE FREE FREE 3%	FREE FREE 4% 5% \$8.00 \$	FREE 5% 6% 9% 513.00	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

Trucking charges can be computed in advance by using the zone map and schedule. For example: delivering a \$500.00 order to Philadelphia, in zone 2 would cost 2½% of order or \$12.50. Further data for deliveries not covered by chart furnished on request.

How to Reach Princeton Nurseries by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.


The office of Princeton Nurseries is located on Lake Road, in the town of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.



THE PALMER MEMORIAL STADIUM

When in Princeton for a football game or track meet in the Stadium, why not run out and take a look at the Princeton Nurseries?

	Each	Per 10	Per 100
ABELIA grandiflora, 3'-4'		Glossy	
Evergreen. Choice small shrub flowers, produced throughout the			
18 to 24 in., B. & B	.65	5.50	45.00
2 to 3 ft., B. & B	.90 1.10	7.50 9.50	60.00 75.00
	1110	9.50	73.00
longituba (schumanni), 5'			
Semi-evergreen with rose pink to during the summer months.	ibular f	lowers pr	roduced
4 to 6 in., 3 in. pots	.65	5.25	
ABIES balsamea, 60'-70'		Bals	am Fir
Good variety with lustrous, dark	green 1	eaves.	
18 to 24 in., B. & B	1.50	12.50	
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	3.7 <i>5</i> 5.00	31.00 40.00	
	J	·	ite Fir
concolor, 70'-80'	4:C1		
Evergreen. Perhaps the most be thriving in most locations and			
tree which is maintained even		-	
gray-green needles.			
18 to 24 in., B. & B	1.10		75.00
2 to 2½ ft., B. & B	2.25	19.00	_
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	6.00 9.00	50.00 75.00	
5 to 6 ft., B. & B	11.25	93.50	
7 to 8 ft., B. & B	13.50	93.50	
8 to 9 ft., B. & B	16.00		
firma, 60'-75'		Мо	m i Fir
Native fir of Japan. Has large i	igid de	en green	leaves.
Fine accent and specimen tree.	g	-r 8	2000 / 000
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50 6.00	37.50 50.00	300.00
	0.00		
fraseri, 50'-60'			ser Fir
This variety is also known as the It is hardy north and a very sati			am Fir.
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00	
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	
6 to 7 ft., B. & B	9.75	81.00	
7 to 8 ft., B. & B	12.00	100.00	
8 to 10 ft., B. & B	15.00 18.00	120.00	
10 to 14 Iti, b. & b	10.00	150.00	

ABIES—continued	Each	Per 10	Per 100
lasiocarpa, 60'-75'		_	ne Fir
Forms a tall narrow pyramid. A this fir one of the most handson	ie.	e foliage	makes
3 to 4 ft., B. & B	6.7 <i>5</i>		
4 to 5 ft., B. & B	13.50		
6 to 7 ft., B. & B	19.00		
nordmanniana, 80'-100'		Nordma	
Handsome, desirable species form densely-branched tree with dark	ning nam	rrow pyra foliage.	amidal,
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.7 <i>5</i> 5.00	30.00	
2½ to 3 ft., B. & B	6.00	50.00	
3 to 4 ft., B. & B	7.50		
4 to 5 ft., B. & B	12.00		
	13.00	C:1-	er Fir
pectinata, 60'-80' Habit narrow pyramidal shape;	undersi		
silvery.	unders	de of re	4 (5 15
12 to 15 in., B. & B	2.25	19.00	
15 to 18 in., B. & B	3.00		
pinsapo, 70'-80'		_	ish Fir
Makes a broad pyramidal tree of	striking		ice.
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	
veitchi, 60'-80'		Veit	ch Fir
A broad pyramidal tree, hardy, some while young.	and pa		
6 to 7 ft., B. & B	18.00		
7 to 8 ft., B. & B	21.00		
douglasi (See PSEUDOTSUGA	·	ısi)	
Spruce (See PICEA)			
ACANTHOPANAX pentaphyllur	n. 7'-8'		
		Fiveleaf	Aralia
Graceful, arching habit; splendid			adapt-
able; good foliage for smoky ex			
18 to 24 in	.22	1.90 2.50	15.00 20.00
3 to 4 ft	.30 .3 <i>5</i>	2.80	22.50
4 to 5 ft	•45	3.75	30.00
ricinifolium, 40'-50'		Castor	Aralia
Large spreading tree of tropical a	appearai	nce. Quick	grow-
ing. Likes moist soil. 18 to 24 in	.80	6.50	
· ·	.00		261-
ACER campestre, 25'-30'		Hedge	•
Useful for dry locations in underg			
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.2 <i>5</i> 3.00	19.00 25.00	150.00
8 to 10 ft	3.75	30.00	250.00

ACER—continued	Each	Per 10	Per 100
dasycarpum, 60'-80'			Maple
Quick-growing, graceful shade tr	ee; leave		
neath.	,	· ,	41141
6 to 8 ft	.65	5.50	45.00
8 to 10 ft	1.10	9.50	75.00
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	1.50	12.50	100.00
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in	1.75	15.00	120.00
12 to 13 ft.—2 to 2½ in	2.00 2.75	17.50 22.50	135.00
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.50	28.00	225.00
13 to 14 ft.— $2\frac{1}{2}$ to $2\frac{3}{4}$ in	4.00	35.00	275.00
2¾ to 3 in	4.75	37.50	300.00
3 to 3½ in	5.50	47.50	375.00
3½ to 4 in	6.50	55.00	
4 to $4\frac{1}{2}$ in	7.50	65.00	
	9.00	75.00	
	'yramida		Maple
A very desirable subject for scr	reen plan	ting.	
6 to 8 ft	1.10	9.50	75.00
8 to 10 ft	1.35	11.25	90.00
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in 10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in	1.90	14.50	125.00
10 to 12 ft.—13/4 to 2 in	2.25 3.00	19.00 25.00	150.00
2 to 2 ¹ / ₄ in	3.50	27.50	225.00
2½ to 2½ in	3.75	30.00	250.00
2½ to 3 in	5.25	45.00	
3 to 3½ in	6.75	55.00	
—wieri, 60'-80'	Wier	Cutleaf	Maple
Graceful, drooping form; very			•
6 to 8 ft	.90	7.50	60.00
8 to 10 ft	1.35	11.00	90.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.90	14.50	125.00
10 to 12 ft.—1½ to 1¾ in	2.25	19.00	150.00
11 to 12 ft.—13/4 to 2 in	2.75	22.50	175.00
12 to 13 ft.—2 to $2\frac{1}{4}$ in $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.2 <i>5</i> 3.50	26.00 30.00	210.00
$2^{1/2} \text{ to 3 in}$	4.50	37.50	300.00
3 to 3½ in	5.50	47.50	
3½ to 4 in	6.75	55.00	
ginnala, 10'-12'		Amur	Maple
Graceful and valuable for brigh	nt red aus		_
twiggy habit of growth.			,
18 to 24 in	·4 <i>5</i>	3.75	30.00
2 to 3 ft	·55	4.70	
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.50 2.25	12.50 19.00	100.00
8 to 10 ft	3.00	25.00	
negundo, 60'			xelder
Will grow where other trees fail;	especiall	y good f	or dry,
barren places and seashore.	60	4.00	40.00
6 to 8 ft	.60	5.00 7.50	40.00 60.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	.90 1.10	7.50 9.50	75.00
10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in	1.50	12.50	100.00
10 to 12 ft.—13/4 to 2 in	1.90	14.50	
12 to 13 ft.—2 to 2 ¹ / ₄ in	2.25	19.00	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.00	25.00	
13 to 14 ft.—2½ to 3 in	3.75	30.00	
14 to 16 ft.—3 to $3\frac{1}{2}$ in	4.50	37.50	

ACER—continued	Each	Per 10	Per 100
palmatum (polymorphum), 12'-1	5′		
		apanese	Maple
Develops into a splendid specimen	for lav	_	ing.
5 to 6 ft., B. & B	7.00	55.00	
6 to 7 ft., B. & B	9.00 12.50	75.00 112.50	
Specimens on application.	12.50	112.50	
-aconitifolia, 4'-6' Aconite le	aved I	ananese	Maple
Its leaves resemble in character t	=		
Compact growing form of gracefu			
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00	
2 to $2\frac{1}{2}$ ft., B. & B	5.25 8.00	44.00 65.00	
	0.00	03.00	
palmatum atropurpureum, 6'-8'	eleaf I	apanese	Maple
A good, dwarf tree with rich pur	*	•	_
mer. Best in sun. These plants are	grafted	from th	he finest
strain imported, being carefully	selected	d for rie	ch, con-
stant color.	70		4 # 00
10 to 12 in., 3-in. pots	.70 .90	5.50 7.50	45.00 60.00
15 to 18 in., B. & B	1.35	11.25	90.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.75	22.50	175.00
2½ to 3 ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	6.25	50.00	425.00
——dissectum, 4'-6' Purple Cu			
More dwarf than the above with			
leaves, giving the plant a very gra	ceful a	ppearanc	e. Good
12 to 15 in., B. & B	1.90	14.50	125.00
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.75	31.00	250.00
——nigrum, 6'-8'			
A selected strain of the purple	Japane	se Map	le with
darker leaves.			
12 to 15 in., B. & B	1.35	11.25	90.00
15 to 18 in., B. & B	1.90 3.00	14.50 25.00	125.00 200.00
2 to 2½ ft., B. & B	3.75	30.00	250.00
2½ to 3 ft., B. & B	5.25	45.00	350.00
3 to 4 ft., B. & B	6.00	50.00	
— —novum, 6'-8'			
Similar to the above.			
10 to 12 in., 3 in. pot gr	.70	5.50	45.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35	11.25	90.00
18 to 24 in., B. & B	1.90 2.75	14.50 22.50	125.00 175.00
2½ to 3 ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	5.50	47.50	375.00
— — crispum			
Small leaves. Distinct upright gro	wth. A	fine acce	nt tree.
12 to 15 in., B. & B	1.35	11.25	90.00
15 to 18 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.40 4.50	28.00 37.50	
3 to 3½ ft., B. & B	5.50	47.00	
0 0/,			

ACER—continued	Each	Per 10	Per 100
—dissectum, 4'-6' Green Cu	tleaf J	Tapanese	Maple
A good, dwarf tree with finely cut, attractive throughout the summe fall when frost tints the leaves in	r and	beautiful	is very in the
12 to 15 in., B. & B	1.90	14.50	***************************************
15 to 18 in., B. & B	2.25 3.40	19.00 28.00	
2 to 2½ ft., B. & B	4.50		
2½ to 3 ft., B. & B.	6.75		
pennsylvanicum (striatum), 20'-3 Green bark, striped with white; th		_	
3 to 4 ft	1.10	9.50	* 5
4 to 5 ft	1.35	_	90.00
5 to 6 ft	2.25	_	150.00
6 to 7 ft	2.75	22.50	
platanoides, 50'-75'	otaina	Norway	_
The most popular street tree; r until late autumn.	etains	its green	ieaves
NOTE—These trees are Princeton heads, heavier caliper and well-far superior to western, irrigated	develo	ped roots	s, being
what we ask for them.			
6 to 8 ft	1.65	12.50	110.00
8 to 10 ft	2.00	17.00	135.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.75	22.50	175.00
10 to 11 ft., 1½ to 1¾ in	3.25	27.50	225.00
10 to 12 ft., 13/4 to 2 in	4.00	35.00	275.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	5.00	40.00	325.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.50	47.50	375.00
2½ to 3 in	7.75	62.50	525.00
$3 \text{ to } 3^{\frac{1}{2}} \text{ in}$	11.00	85.00	
$3\frac{1}{2}$ to 4 in 4 to $4\frac{1}{2}$ in	15.00	125.00	
		3.7	26 1
—globosa, 10'		Norway	
Dwarf form of the above. Forms		e snaped	nead.
4 year heads, 6 ft. stem 5 year heads, 6 ft. stem	5.00 6.00		
-schwedleri, 40'-60'		chwedler	Maple
Probably the best, large-growing as lawn specimen.			. Useful
6 to 8 ft	2.25	19.00	165.00
8 to 10 ft	3.25	27.50	225.00
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	4.00	35.00	275.00
10 to 11 ft.—1½ to 1¾ in	5.50	45.00	375.00
10 to 12 ft.—13/4 to 2 in	6.25	52.50	425.00
12 to 14 ft.—2 to 2 ¹ / ₄ in	7.00	60.00	475.00 600.00
2½ to 2½ in	9.00	75.00	000.00
$2\frac{1}{2} \text{ to } 3 \text{ in}$ $3 \text{ to } 3\frac{1}{2} \text{ in}$	11.25	93.50 122.00	
pseudoplatanus, 50'-75'		Sycamore	Manle
Vigorous-growing tree of spread for exposed locations and seash	ding h	•	suitable
6 to 8 ft	1.65	13.50	110.00
8 to 10 ft	2.00	17.00	135.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	200.00
10 to 11 ft.—1½ to 1¾ in	3.50	28.00	
10 to 12 ft.—13/4 to 2 in	4.50	37.50	
2 to 2 ¹ / ₄ in	5.50	47.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.50	55.00	

ACER—continued	Each	Per 10	Per 100
rubrum, 50'-75'		Scarlet	
Best in moist locations; also thri			
red autumn coloring.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , ,
6 to 8 ft	1.90	14.50	125.00
8 to 10 ft	2.25	19.00	150.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	22.50	175.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	225.00
10 to 12 ft., 13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft., 2 to 2½ in	6.00	50.00	400.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in $2\frac{1}{2}$ to 3 in	7.50 9.00	60.00 75.00	500.00 600.00
3 to 3 ¹ / ₂ in	12.50	85.00	
	· .		3.6 1
saccharum, 50'-75'	. h . a k . a 1 .		Maple
Most popular in northern states; has rich yellow autumn coloring		anted in	spring;
6 to 8 ft	1.65	12.50	110.00
8 to 10 ft	2.00	12.50 15.00	110.00
10 to 11 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	27.50	225.00
11 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00	250.00
12 to 14 ft.—13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft.—2 to 2¼ in	6.00	50.00	400.00
2½ to 2½ in	7.50	62.50	500.00
$2\frac{1}{2}$ to $2\frac{3}{4}$ in	9.00	75.00	600.00
23/4 to 3 in	11.25	93.00	750.00
3 to 3½ in	13.50	110.00	
spicatum, 20'-30'		lountain	
Small tree with nice yellow and	scarlet a	utumn c	oloring.
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.50	12.50	100.00
5 to 6 ft	2.25 3.25	19.00 25.00	~
		Bower A	
ACTINIDIA arguta, 20'-30'			
Greenish-white, July. Rich, darl berries.	k green	foliage.	Yellow
2 yr., 2 to 3 ft	.36	3.00	25.00
3 yr., 3 to 4 ft	.50	4.00	35.00
3 yr. extra, 4 to 6 ft	.60	5.00	40.00
AESCULUS glabra, 25'		Ohio B	uckeye
Makes a small tree of handsome flowers in May. Foliage turns ye			
4 to 5 ft	1.50		
5 to 6 ft	2.25		
hippocastanum, 60'-80'		Horsecl	hestnut
A beautiful, symmetrical shade to panicles of white flowers against			
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.35	11.25	90.00
6 to 8 ft	2.25	19.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	
8 to 10 ft.— $1\frac{1}{2}$ to 2 in	3.75 5.25	31.00 44.00	
—parviflora, 6'-10'	Dwarf	Horsecl	nestnut
12 to 15 in., 4 in. pot gr	1.35	11.00	
15 to 18 in., 5 in. pot gr	1.90	15.00	-
18 to 24 in., 7 in. pot gr	2.25	19.00	Control Control on

	Fach	Per 10	Der 100
AILANTHUS glandulosa, 50'-60'			
Succeeds under most adverse city leaves and grows rapidly.	y cond	itions. Ha	s large
5 to 6 ft	1.10	9.50	
6 to 8 ft	1.65	•	110.00
10 to 12 ft	2.25 2.75	19.00 22.50	150.00
AKEBIA quinata, 15'-20'		Fiveleaf	Akehia
Dainty, beautiful vine, purple flo leaves persisting till winter.			
2 yr	·45	3.75	
	·5 <i>5</i>	4.70	**11
ALBIZZIA julibrissin rosea, 20'	v beiæb		Silktree
Tree with bipinnate leaves; showy July. Hardy below Philadelphia. 2 to 3 ft., 10 in. tubs	2.25		
3 to 4 ft., 10 in. tubs	3.25		
ALNUS glutinosa, 70'-80'	I	European	Alder
A rapid-growing tree with dark g moist situations.	reen fo	oliage ada	pted to
5 to 6 ft	1.10	9.50	75.00
6 to 8 ft	1.90 2.25	14.50 19.00	125.00
10 to 12 ft	3.00	25.00	200.00
rugosa, 20'-25'	•	Hazel	Alder
Familiar Hazel Alder of swampy por peaty soils. Catkins open in late and green.			
6 to 8 ft	3.00	_	
8 to 10 ft	3.75 5.25	31.00 44.00	
		• • •	,
AMELANCHIER canadensis (bott		m), 20'-3 0 own y Sha	
White flowers in early spring berelished by birds. Also called June	fore le	aves; fru	
18 to 24 in	.70 1.00	5.50 8.00	45.00
laevis, 20'-30'	Alleg	heny Sha	dblow
Unfolding leaves are smooth and Large drooping flowers with purp	d have	a reddis	
3 to 4 ft	1.35	11.25	
4 to 5 ft		14.50	
5 to 6 ft	2.25 3.40	19.00 28.00	
AMORPHA canescens, 2'-3'		Tea	dplant
Long spikes of blue flowers in July	. A cho		_
15 to 18 in	•55	4.70	
18 to 24 in	.80	6.50	
fruticosa, 8'-10'	adina '		obush
Deep purple flowers in June; spre 2 to 3 ft			18.00
3 to 4 ft	.27 ⋅35	2.80	25.00
4 to 5 ft	45	3.75	30.00
5 to 6 ft	.65	5.50	45.00
6 to 8 ft	.90	7.50	00.00

	Each	Per 10	Per 100
AMPELOPSIS aconitifolia, 15'-20'			
Attractive foliage; bright blue October.	berries	in Sept	ember-
2 yr	·5 <i>5</i>	4.70	
heterophylla, 25'-30'	Porcela	in Ampe	elopsis
A good, sturdy vine with good fitive, turquoise-colored fruit.	foliage a	nd very	attrac-
2 year	•3 <i>5</i>	2.80	
humulifolia, 25'-30'	Н	op Amp	elopsis
Similar to above, not quite so rob	ust. Goo	d green f	foliage.
2 year	-45	3.75	
quinquefolia, 30'-50'	Vii	ginia C	reeper
Valuable for rich, fiery autumn	coloring	. Quick g	grower.
1 year	.22	2.00	15.00
2 year	·3 <i>5</i>	2.75	22.50
3 year	.45	3.75	30.00
quinquefolia engelmanni, 30'-40'	Enge	lmann C	reeper
A good, self-clinging woodbine; coloring.	very ha	ırdy. Go	od fall
1 year	·3 <i>5</i>	2.70	22.50
2 year	.45	3.75	30.00
3 year	.60	5.00	40.00
tricuspidata (veitchi), 40'-50'		Boste	on Ivy
tricuspidata (veitchi), 40'-50' Brilliant autumn coloring, blue closely self-clinging. Also called		turning	black;
Brilliant autumn coloring, blue	Japanes	turning e Creepe	black; r.
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class	Japanes -37	turning e Creepe	black; r. 25.00
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class	Japanes -37 rf Cutle	turning e Creepe 3.00 af Bosto	black; r. 25.00
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutle smaller,	turning e Creepe 3.00 af Bosto deeply-co	black; r. 25.00 on Ivy ut foli- 37.50
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' A good variety of the type, with a age. Very graceful and distinct.	Japanes -37 rf Cutle smaller,	turning e Creepe 3.00 af Bosto deeply-co	black; r. 25.00 on Ivy ut foli- 37.50
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutlesmaller, -55 .65	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50	black; r. 25.00 on Ivy ut foli- 37.50
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50	black; r. 25.00 on Ivy ut foli- 37.50 45.00
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh	turning e Creepe 3.00 af Boste deeply-cr 4.70 5.50 losa) ite Flg.	black; r. 25.00 on Ivy ut foli- 37.50 45.00
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form;	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50 losa) ite Flg. blooms	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65 glandu Wh form; -35 -45	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50 losa) ite Flg. blooms	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50 losa) ite Flg. blooms 2.70 3.75	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with a age. Very graceful and distinct. 2 in. pots	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45 Pi	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50 losa) ite Flg. blooms 2.70 3.75 nk Flg.	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with a age. Very graceful and distinct. 2 in. pots 3 in. pots 3 in. pots Wery decorative, doubleflowering leaves. 2 to 3 ft. 3 to 4 ft. —rubra	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45 Pi .90	turning e Creepe 3.00 af Boste deeply-cr 4.70 5.50 losa) ite Flg. blooms 2.70 3.75 nk Flg. 7.50 ed Flg.	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with a age. Very graceful and distinct. 2 in. pots 3 in. pots 3 in. pots 4 MYGDALUS nana (See Prunus persica alba (Prunus), 8'-10' Very decorative, doubleflowering leaves. 2 to 3 ft. 3 to 4 ft. —rosea 3 to 4 ft. —rubra 18 to 24 in. 2 to 3 ft.	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45 Pi .90 R -45	turning e Creepe 3.00 af Bosto deeply-cr 4.70 5.50 losa) ite Flg. blooms 2.70 3.75 nk Flg. 7.50	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' A good variety of the type, with age. Very graceful and distinct. 2 in. pots 3 in. pots 3 in. pots AMYGDALUS nana (See Prunus persica alba (Prunus), 8'-10' Very decorative, doubleflowering leaves. 2 to 3 ft. 3 to 4 ft. —rosea 3 to 4 ft. —rubra 18 to 24 in.	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45 Pi .90 R -45	turning e Creepe 3.00 af Bosto deeply-co 4.70 5.50 losa) ite Flg. blooms 2.70 3.75 nk Flg. 7.50 ed Flg. 3.75 5.50	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach
Brilliant autumn coloring, blue closely self-clinging. Also called 2 year 1st class —lowi, 6'-8' Dwa A good variety of the type, with a age. Very graceful and distinct. 2 in. pots 3 in. pots 3 in. pots 4 MYGDALUS nana (See Prunus persica alba (Prunus), 8'-10' Very decorative, doubleflowering leaves. 2 to 3 ft. 3 to 4 ft. —rosea 3 to 4 ft. —rubra 18 to 24 in. 2 to 3 ft.	Japanes -37 rf Cutles smaller, -55 .65 glandul Wh form; -35 -45 Pi .90 R .45 .65 .90	turning e Creepe 3.00 af Bosto deeply-cr 4.70 5.50 losa) ite Flg. blooms 2.70 3.75 nk Flg. 7.50 ed Flg. 3.75 5.50 7.50	black; r. 25.00 on Ivy ut foli- 37.50 45.00 Peach before 22.50 —— Peach ——

japonica (See PIERIS)

	Each	Per 10	Per 100
ARALIA pentaphyllum (See ACA			
spinosa, 18'-20'			es-club
Useful for tropical effects and s July. Also called Devils-walkings		•	flowers,
2 to 3 ft	-3 <i>5</i>	2.80	22.50 30.00
4 to 5 ft	•45 •55	3.7 <i>5</i> 4.70	37.50
5 to 6 ft	.80	6.50	52.50
6 to 8 ft	1.10	9.50	75.00
8 to 10 ft	2.25	19.00	150.00
10 to 12 ft	3.40	28.00	
ARCTOSTAPHYLOS uva-ursi A most excellent ground cover,	thriving		arberry
Forms a low, dense growth. Pink, scarlet berries.			
2½ in. pots	.40	3.50	27.50
ARISTOLOCHIA sipho		utchma	
A vigorous and rapid-growing cli- light green leaves which retain (entire season. Has curious, br	their col	lor throu	igh the
resembling a pipe in shape.	O W 111511-	cororca	nowcis
18 to 24 in., grafted, true	.80	6.50	
2 to 3 ft., grafted, true	1.10	9.00	
ARONIA arbutifolia, 6'-8'	\mathbb{R}^{d}	ed Chok	ceberry
Valuable because of its red bern fall.	ries; ve	ry hands	some in
12 to 18 in	·4 <i>5</i>	3.75	30.00
18 to 24 in	.55 .80	4.7 <i>5</i> 6.50	37.50
-brilliantissima, 6'-8' Bri		~	eberry
Improved form of the Red Choke			
fruits.			
fruits. 12 to 18 in		4.75	37.50
fruits. 12 to 18 in	.65	5.50	37.50 45.00
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft.	.65 .90	5.50 7.50	45.00
fruits. 12 to 18 in	.65 .90	5.50	45.00
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronic melanocarpa with black fruits. Th	.65 .90 Purp a arbutif rives un	5.50 7.50 le Chok folia and der negl	45.00 ceberry Aronia
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronic melanocarpa with black fruits. The 2 to 3 ft.	.65 .90 Purp a arbutif rives un .80	5.50 7.50 de Chok folia and der negl 6.50	45.00 ceberry Aronia
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronic melanocarpa with black fruits. Th 2 to 3 ft. 3 to 4 ft.	.65 .90 Purp a arbutif rives un .80 1.00	5.50 7.50 de Chok folia and der negl 6.50 8.00	45.00 ceberry Aronia ect.
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. Th 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10'	.65 .90 Purp a arbutif rives un .80 1.00	5.50 7.50 de Chok folia and der negl 6.50 8.00 ck Chok	45.00 ceberry Aronia ect. ceberry
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; bilate.	.65 .90 Purp a arbutif rives un .80 1.00 Bla	5.50 7.50 de Chok folia and der negl 6.50 8.00 ck Chok ries persi	45.00 ceberry Aronia ect. ceberry st until
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. Th 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in.	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack ber	5.50 7.50 ole Chok folia and der negl 6.50 8.00 ck Chok ries persi	45.00 ceberry Aronia ect. ceberry st until
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft.	.65 .90 Purp a arbutif rives un .80 1.00 Bla	5.50 7.50 ole Chok folia and der negl 6.50 8.00 ck Chok ries persi 3.75 5.50	45.00 ceberry Aronia ect. ceberry st until
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack berr	5.50 7.50 ole Chok folia and der negl 6.50 8.00 ck Chok ries persi	45.00 ceberry Aronia ect. ceberry st until
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack berr .45 .65	5.50 7.50 ole Chok folia and 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50	45.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus	.65 .90 Purp a arbutif .80 1.00 Bla lack berr .65 1.00	5.50 7.50 ole Chok folia and 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50	45.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS	.65 .90 Purp a arbutif irives un .80 1.00 Bla lack berr .65 1.00	5.50 7.50 ole Chok folia and 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50	45.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; blate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus plants, not thin, poorly-rooted of AZALEA amoena, 3'-4' Evergreen. Conspicuous, purple-Leaves turn a rich, bronze-green in	.65 .90 Purp a arbutif .80 1.00 Bla lack ber .65 1.00 shy, NU	5.50 7.50 7.50 The Choke folia and der negle 6.50 8.00 The Choke folia and f	d5.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN Azalea cil-May.
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; bilate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus plants, not thin, poorly-rooted of AZALEA amoena, 3'-4' Evergreen. Conspicuous, purple-teaves turn a rich, bronze-green in 10 to 12 in., B. & B.	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack berr .45 .65 1.00 shy, NUI	5.50 7.50 7.50 The Chok folia and der negl 6.50 8.00 The Chok ries persion 3.75 5.50 8.50 RSERY Control of the	d5.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN Azalea cil-May. 75.00
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; bilate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus plants, not thin, poorly-rooted of AZALEA amoena, 3'-4' Evergreen. Conspicuous, purple-teaves turn a rich, bronze-green in 10 to 12 in., B. & B 12 to 15 in., B. & B	.65 .90 Purp a arbutif .80 1.00 Bla lack berr .45 .65 1.00 shy, NU	5.50 7.50 7.50 le Chok folia and der negl 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50 RSERY C stock. moena vers. Apr	d5.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN Azalea cil-May. 75.00 97.50
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; bilate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus plants, not thin, poorly-rooted of AZALEA amoena, 3'-4' Evergreen. Conspicuous, purplenteaves turn a rich, bronze-green in 10 to 12 in., B. & B. 12 to 15 in., B. & B.	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack berr .65 1.00 shy, NUI collected Ared flow winter 1.10 1.45 1.90	5.50 7.50 7.50 le Chok folia and der negl 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50 RSERY C stock. moena vers. Apr 9.50 12.00 14.50	45.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN Azalea cil-May. 75.00 97.50 125.00
fruits. 12 to 18 in. 18 to 24 in. 2 to 3 ft. atropurpurea, 6'-8' Intermediate form between Aronis melanocarpa with black fruits. The 2 to 3 ft. 3 to 4 ft. melanocarpa (nigra), 8'-10' Delicate, white flowers in May; bilate. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AZALEAS Note: All Azaleas offered are bus plants, not thin, poorly-rooted of AZALEA amoena, 3'-4' Evergreen. Conspicuous, purple-teaves turn a rich, bronze-green in 10 to 12 in., B. & B 12 to 15 in., B. & B	.65 .90 Purp a arbutif rives un .80 1.00 Bla lack berr .65 1.00 shy, NUI collected Ared flow winter 1.10 1.45 1.90	5.50 7.50 7.50 le Chok folia and der negl 6.50 8.00 ck Chok ries persi 3.75 5.50 8.50 RSERY C stock. moena vers. Apr	45.00 ceberry Aronia ect. ceberry st until 30.00 45.00 67.50 GROWN Azalea cil-May. 75.00 97.50 125.00 200.00

AZALEA—continued	Each	Per 10	Per 100
—coccinea, 3' Evergreen. An improvement over A red flowers.	moena,	having l	brilliant
8 to 10 in., B. & B	1.50 2.25	12.50 20.00	100.00
arborescens, 10'-12'		Sweet	Azalea
Fragrant, white flowers in June.			
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	2.70 3.75	22.50 31.00	175.00
2½ to 3 ft., B. & B	5.00	40.00	
3 to 4 ft., B. & B	6.00	50.00	
calendulacea, 4'-5'		Flame	Azalea
The great Flame Azalea of Caro	olina N	Iountain	s; very
showy, burnt orange flowers.			
15 to 18 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.00 3.75	25.00 30.00	200.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B	5.50	47.50	375.00
davies, 4'-5'			
A cross between Azalea mollis and large white flowers.	d Azale	ea viscos	a. With
18 to 24 in., B. & B	4.50		
2 to 2½ ft., B. & B	6.75	56.00	
2½ to 3 ft., B. & B	9.00 11.25	75.00 95.00	
	J		A -1
hexe, 3'-4'			Azalea
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u			ot relia-
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.50	27.00	225.00
hinodegiri, 3'-4'	Hin	odegiri	Azalea
Evergreen. Larger leaves and loose			
flowers very bright carmine-pink; with Rhododendron.	enecti	ve in m	asses or
6 to 8 in	.90	7.50	60.00
8 to 10 in	1.10	9.25	75.00
10 to 12 in., B. & B	1.65	13.50	110.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.50 5.00	27.50 40.00	225.00
	J	·	A = 0100
kaempferi, 4'-5'	11		Azalea
Warm brick-red flowers, May. Ver		_	
12 to 15 in., B. & B	1.65 2.25	13.50 19.00	
18 to 24 in., B. & B	3.00	25.00	_
2 to 2½ ft., B. & B	3.75	31.00	
cleopatra, 4'-5'			
Hardy. Evergreen. Lilac rose flowe	rs.		
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	2 00	75 00	
<u> </u>	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
—fedora, 4'-5'			
Hardy. Evergreen. Salmon rose fi	lowers.		
9 to 12 in., B. & B	1.50	12.50	
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00		
—louise, 4'-5'			
Hardy. Evergreen. Light rose flow			
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25 3.00	19.00 25.00	150.00
—othello, 4'-5'	0.00		
Hardy. Evergreen. Brick-red flower	ers.		
10 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	
Kurume Benigiri, 3'			
Evergreen. Flowers bright red, con		rowth.	
8 to 10 in., B. & B	1.50		
10 to 12 in., B. & B	2.25 3.00	19.00 25.00	
	,3.00	23.00	
—Flame, 3'	ian (1		
Brilliant red flowers in profus foliage.	ion. Gi	oss y, e v	ergreen
15 to 18 in., B. & B	3.75	31.00	250.00
18 to 24 in., B. & B	5.00	40.00	325.00
2 to 2½ ft., B. & B.	6.00	50.00	400.00
2½ to 3 ft., B. & B	7.50	62.50	
—hatsugiri, 3'			
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25 3.00	19.00	
	3.00		
—hinomayo, 3'-4' Flowers clear pink in great profu	ision		
8 to 10 in., B. & B	2.00	15.00	125.00
10 to 12 in., B. & B	2.25	20.00	150.00
12 to 15 in., B. & B	3.00	25.00	200.00
—kirishima, 3'			
Red, white stamens.			
12 to 15 in., B. & B	1.50	12.50	
15 to 18 in., B. & B	2.25	19.00	
—Pink Beauty, 3'			
Single soft-pink flowers.	2.25	19.00	
12 to 15 in., B. & B	3.00	25.00	
-Pink Pearl, 3'			
Evergreen. Salmon-rose flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	
-Salmon Beauty, 3'			
Very large salmon-pink flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25 3.00	19.00 25.00	
—Snow, 3'	3.55	27.00	
Evergreen. Large pure white flow	/ers		
10 to 12 in., B. & B		19.00	
12 to 15 in., B. & B	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
—yayegiri, 3'			
Salmon-red flowers. Of exceptional			
9 to 12 in., B. & B	1.50 2.25	12.50	
	2.23		, -
ledifolia alba, 4'-6'			Azalea
Evergreen. Large, single, white flo Makes a striking background f blooming at the same time.	or Aza	alea hin	
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.7 <i>5</i> 4.00	31.00	250.00
	4.00	33.00	
—Fujimoyo, 4'-6'			
Large double pale pink-lilac flowers of to 12 in., B. & B	2.25	19.00	150.00
12 to 15 in., B. & B	3.00	25.00	
ledifolia Lilacina, 4'-6'	0.20		
· ·			
Single lilac flowers. 12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00	35.00	
2 to 2½ ft	6.75		
3 to 4 ft	9.00	75.00	
macrantha, 2½'-3'	Red	Salmon	Azalea
Evergreen. A beautiful plant, with			
pear at intervals, and not at one			
Single and double varieties.			
12 to 15 in., B. & B	2.25	19.00	
15 to 18 in., B. & B	3.50	28.00	225.00
	4.50	37.50	
mollis, 4'-6'			Azalea
Large, showy flowers in shades of June. Large, hairy leaves. Likes s		ge and re	d. May-
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3 .7 5	31.00	
—altaclarense, 4'			
A hardy Azalea producing large yellow flowers in May.	trusses	of deep	orange-
18 to 24 in., B. & B	3.75	32.50	
_I ouica Hunnewell 4'			
-Louisa Hunnewell, 4'	ing to	olmon -	olon
Large orange-yellow flowers shad	ing to s	30.00	
mucronulatum (See RHODODE mucronulatum)	ENDR	ON	
nudiflora, 6'-8'		Pinxte	erbloom
Flowers pale rose or pink before	or with	leaves.	Inhabits
rocky woodlands and swamps.			
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.00	25.00 31.00	200.00
$2^{1/2}$ to 3 ft., B. & B	3.75 5.00	40.00	250.00
3 to 3½ ft., B. & B	6.00	50.00	
phoenicea var. omurasaki, 2'-3'			
Purple to magenta flowers. Early, 9 to 12 in., B. & B	1.50	12.50	
12 to 15 in., B. & B	2.25	19.00	
15 to 18 in., B. & B	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
pontica, 4'-5'		Pontic	Azalea
Handsome shrub with fragrant ye	llow fl	owers in	May.
12 to 15 in., B. & B		19.00	
15 to 18 in., B. & B		25.00	
poukhanensis, 1'-3'		Korean	Azalea
Single, purple-lilac flowers are pr very hardy.	ofusely	borne i	in May;
		19.00	•
15 to 18 in., B. & B	3.00	25.00	200.00
rosea, 6'-8'	Downy	r Pinxte	rbloom
Rose-pink flowers in late May. Quand useful native variety.	uite fra	grant. B	eautiful
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50	37.50	
schlippenbachi, 3'-5'		Royal	Azalea
Blooms pale rose color, May-June;	decidu	ious, ver	y hardy.
9 to 12 in., B. & B	2.25	20.00	150.00
vaseyi, 5'-6'	P	inkshel <mark>l</mark>	Azalea
Delicate pink, April and May. Ver	y attra	ctive, on	e of the
best hardy azaleas.			
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3.75	31.00	250.00
2 to 2½ ft., B. & B	5.00 6.00	40.00	325.00
2½ to 3 ft., B. & B	7.50	50.00 65.00	400.00
	7.30		
viscosa, 4'-5'		Swamp	Azalea
White, very fragrant, June and Ju	_		
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.00	25.00	
2 to 2½ ft., B. & B	3.75	31.00	
2½ to 3 ft., B. & B	5.00	40.00	
3 to 4 ft., B. & B	6.00		
yodogawa, 3'-4'	Yo	dogawa	Azalea
Double, pinkish-lavender flowers, of exceptional merit.	May.	Very ha	rdy and
12 to 15 in., B. & B	2.50	20.00	175.00
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.75	31.00	250.00



The Washington Street Bridge over Lake Carnegie
The lake, the gift of Andrew Carnegie in 1906, is used by
Princeton crews and is also a favorite resort of canoeists in
the summer

—— → B >>>—

	Each	Per 10	Per 100
BACCHARIS halimifolia, 9'-10'		Grounds	
Conspicuous, fluffy seed pods in S shore planting.	eptemb	er. Good	for sea-
18 to 24 in	.55	4.70	37.50
2 to 3 ft	.70	* -	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	10.00	
BENZOIN aestivale (LINDERA	benzo		cebush
Flowers yellow, April. Scarlet be	erries h	-	
coloring, leaves aromatic.			
18 to 24 in	.27	2.25	18.00
2 to 3 ft	·37	3.00	25.00
3 to 4 ft	.50 .80	4.50 6.50	35.00
4 to 5 ft	1.25	10.00	52.50 82.50
BERBERIS			
NEW HARDY EVERGR	FFN	TVDFC	
			1.1.1
We have a good assortment of the			
are very attractive in both dark a			
and showy flowers. We consider to the most valuable additions to			
greens. As a class nearly all ha			
leaves, and color beautifully in the			
favorable conditions most of the			
of about six feet.	-111 W 111	actain a	neight .
gagnepaini. Has long and very na	arrow, l	olly-like	leaf.
12 to 15 in., 4 in. pots	1.10	9.50	75.00
15 to 18 in., 5 in. pots	1.90	14.50	125.00
ilicifolia, 5'-6'		Holly Ba	
Semi-evergreen. Holly-like leaves foliage appears; flowers yellow.	s, persi	sting unt	til new
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 3½ ft., B. & B	4.50	37.50	
julianae. Fairly rapid growth with	broade .60		
9 to 12 in., 4 in. pots	.80	5.00 6.50	40.00 52.50
15 to 18 in., 6 in. pots	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	75.00
laevis. Similar to julianae.	,-	-4.50	
12 to 15 in., 5 in. pots	.80	6.50	
15 to 18 in., 6 in. pots	1.10	9.50	
sargenti. Leaves very lightly spine julianae in habit.	d, othe	rwise sim	ilar to
10 to 12 in., 4 in. pots	1.10		
12 to 15 in., 4 in. pots	1.90		
triacanthophora. Rapid grower, d lightly-spined leaves.	ense ha	abit and	small,
9 to 12 in., 4 in. pots	1.10	9.50	75.00
12 to 15 in., 5 in. pots	1.90	14.50	125.00

BERBERIS—continued		Each	Per 10]	Per 100
verruculosa		Wa	arty Ba	rberry
Distinctive in character. Of habit. Shiny foliage. Fragrant				
6 to 9 in., 4 in. pots		•75	6.00	50.00
9 to 12 in., 5 in. pots			9.50	
12 to 15 in., 6 in. pots 15 to 18 in., 7 in. pots		1.35	11.25 14.50	
is to io iii, / iii pote ······	••	1.90	14.50	123.00
BERBERIS—DECID BERBERIS dielsiana	υo	US TY	PES	
2 to 2½ ft	• •	2.00	14.50	125.00
thunbergii, 4'-5'		• -	ese Ba	•
A splendid, low hedge plant autumn coloring; scarlet berr	ies.			
		Per 10 Pe		
12 to 15 in	.14	1.10 1.45	•	72.00 100.00
18 to 24 in	.22	• • •		120.00
2 to 2½ ft		3.00	_	
2½ to 3 ft	.50	4.00		
—atropurpurea		ed Japar		•
A very desirable, new, red-le				
Should be planted in sun for unusually deep color and syr				
		Per 10 Pe	_	
		1.90		
15 to 18 in				
18 to 24 in	·3 <i>5</i>	3.00	25.00	200.00
2 to 2½ ft	-45	3.75 4.75	30.00 37.50	250.00 300.00
3 to 4 ft	.55 .90	7.50	60.00	
-minor, 2'-3'			Вох Ва	
A dwarf, compact form of sparingly. Used for edging wh				
sparingly. Obca for caging will				Per 100
9 to 12 in		.22	1.90	15.00
12 to 15 in		-3 5	3.00	
15 to 18 in		-45	4.00	30.00
18 to 24 in		.55 .65	4.70 5.50	37.50
2 10 2/2 111 111111111111111111111111111	••			
vernae			rnae Ba	
Attractive shrub with arching heavily.		iches. Flo	wers and	d fruits
18 to 24 in		.90	7.50	60.00
2 to 2½ ft	••	1.10	9.50	75.00
*BETULA alba, 30'-50' Known by its white bark.	1	Eur o pear	n White	Birch
5 to 6 ft		1.10	9.00	75.00
6 to 8 ft		1.35	11.00	90.00
8 to 10 ft		2.00	15.00	135.00
8 to 10 ft.—1¼ to 1½ in		3.00	25.00	200.00
10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in		3.7 <i>5</i> 4.50	30.00 37.50	250.00 300.00
2 to 2 ¹ / ₂ in		5.50	47.50	375.00
2½ to 3 in		6.75	55.00	
3 to 4 in	• •	9.00	75.00	

BETULA—continued	Each	Per 10	Per 100
*—fastigiata, 25'-40'	Pyramid	al White	Rinch
Columnar form of the Europea			
heavy formal effects are desired		CACCIICIII	where
5 to 6 ft		25.00	200.00
6 to 8 ft		37.50	300.00
8 to 10 ft		50.00	
10 to 12 ft	7.50		
*—laciniata, 30'-40'	Cutleaf	Weeping	Birch
Excellent tree for lawn plantin			
5 to 6 ft	. 1.50	12.50	
5 to 8 ft	2.25	19.00	150.00
8 to 10 ft		22.50	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		27.50	225.00
10 to 12 ft., 1½ to 1¾ in		33.00	275.00
13/4 to 2 in		40.00	325.00
2 to $2\frac{1}{2}$ in		50.00 60.00	
2½ to 3 in			
	urple Lea	ıf White	Birch
Graceful lawn specimen and ac			
6 to 8 ft	3.7	37.50	
8 to 10 ft		55.00	
	. 9.00	<u> </u>	. D: 1
*lenta, 40'-50'			t Birch
Has attractive, smooth, reddi	sh bark a	and cons	picuous
catkins in spring.			
5 to 6 ft	. 1.35	11.00	90.00
6 to 8 ft	_	14.50	125.00
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in		25.00 28.00	200.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	. 3.40 . 4.50	37.50	225.00
13/4 to 2 in		47.00	
*lutea, 50'-70'			Birch
Makes fine windbreak.		1 CHOW	DICI
5 to 6 ft	. 1.35	11.00	90.00
6 to 8 ft		14.50	125.00
8 to 10 ft		25.00	200.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in		28.00	
	•	D:	
*nigra, 50'-60'	·		r Birch
Thrives in moist places; its t unique.	om, ragge	ed bark .	is quite
6 to 8 ft	. 1.90	14.50	
8 to 10 ft		19.00	150.00
8 to 10 ft.—1¼ to 1½ in	. 3.00	25.00	200.00
10 to 12 ft.—1½ to 1¾ in	. 3.75	31.00	250.00
$1\frac{3}{4}$ to 2 in		44.00	350.00
2 to 2½ in		50.00	400.00
2½ to 3 in		65.00	
3 to $3\frac{1}{2}$ in	. 10.00	85.00	
*papyrifera, 40'-50'	Paper	or Cano	e Birch
Picturesque paper bark, very w	hite when	older.	
5 to 6 ft		11.00	
6 to 8 ft	. 2.25	20.00	
8 to 10 ft	. 2.75	22.50	
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in		35.00	275.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in		45.00	350.00
13/4 to 2 in	. 6.75	55.00	450.00
2 to 2½ in		65.00	
$2\frac{1}{2}$ to 3 in	. 9.00	75.00	M

BETULA—continued	Each	Per 10	Per 100
*populifolia, 30'-40'		Gray	Birch
Will grow in poor soil and dry p native in New Jersey.	laces. C	ommonly	found
5 to 6 ft	1.50 2.25 3.00 3.50 3.75	12.00 19.00 25.00 28.00 31.00	150.00
13/4 to 2 in	4.50	37.50	
2 to 2½ in	5.50	47.50	
BIGNONIA grandiflora, 25'-40'	inese T	rumpeto	reeper
One of the handsomest of flow trusses of orange-yellow flowers	ering v	ines wit	h large
2 year, grafts 3 year, grafts	.70 .90	5.50 7.50	
Mad. Gallen, 25'-40'			
An improved variety of a darker of	orange t	han gran	diflora.
2 year, grafts	.70	5.50	45.00
3 year, grafts	.90	7,50	
radicans, 25'-40'	T	rumpeto	reeper
Showy, trumpet-shaped flowers, s Roots as it climbs.	carlet a	nd orang	e, July.
2 year, heavy	.20	1.50	12.50
3 year, heavy	.30 .3 <i>5</i>	2.50 2.80	20.00 22.50
BUDDLEIA alternifolia, 10'-12' Alternate	· leaved	Butterf	lybush
Hardiest member of this genus. I summer and continuing into the f		heavil y i	n mid-
2 to 3 ft	·55	4.70	
3 to 4 ft	.60 •75	5.00 6.00	40.00
4 10 5 11	•/3	0.00	30.00
Ile de France, 4' Dark purple flowers—fragrant.	F	Butterfly	Shrub
1 year, 3½ in. pots	·55	4.50	
veitchiana, 5'-6'	Veitch	Butterf	lybush
Mauve-colored flowers with brigh bloom early in August.	nt orang	ge e y e. Si	arts to
1½ to 2 ft	.22 ·35	1.90 2.80	15.00 22.50
BUXUS sempervirens (bush form		5 ′ Bo	xwood
Evergreen. Useful for formal hed			10 5 5 5
18 to 21 in., B. & B	1.90 2.25 3.50 5.25	14.50 19.00 28.00	125.00

BUXUS-continued

Each Per 10 Per 100

-handsworthi, 15'-20'

Handsworth Box

Evergreen. An excellent, hardy variety—larger foliage than sempervirens and of very upright habit.


15 to 18 in., B. & B			
18 to 24 in., B. & B	3.00	25.00	

-suffruticosa, 3'-4'

Dwarf Box Edging

Evergreen. Extensively used for edging. We have a fine lot to offer this season. Also called Truedwarf Box.

		er 10 Pe		
4 to 6 in				
6 to 8 in	.45	3.75	30.00	250.00
8 to 10 in	.90	7.50	60.00	



BLAIR HALL

One of the Princeton dormitories. Its tower is a famous landmark

	\mathbf{C}	>
--	--------------	-------------

	Each	Per 10	Per 100
CALLICARPA purpurea, 3'-4'		se Beaut	
Lilac-violet berries, especially Graceful habit.	attracti	ve in	August.
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·35	2.80	22.50
3 to 4 ft	•45	3·7 <i>5</i>	30.00
CALLUNA vulgaris, 1'-2'			eather
Evergreen. These excellent everg masses and may be planted to ad- slopes. Plants offered are first-cla	vantage	on well-	drained
2 year	-37	3.00	_
3 year	·55 .70	4.7 <i>5</i> 5.50	37.50 45.00
—alba, white flowers.			
-alporti, bright green foliage, redo	lish-pur	ple flow	vers.
-aurea, yellow-green foliage, mau	ve-colo	ed flow	ers.
-humilis, bright green foliage, wh	nite flow	vers.	
—pilosa, white flowers.			
-rosea, bright green foliage, rose	e-colore	d flowe	rs.
-rubra, spreading habit, purplish-	red flow	ers.	
CALYCANTHUS floridus, 4'-5'		Swee	tshrub
An old garden favorite, with for brown flowers.	ragrant,	dark r	eddish-
18 to 24 in	.22	1.90	15.00
2 to 3 ft	•3 <i>5</i>	2.80	22.50
3 to 4 ft	45	3.75	30.00
4 to 5 ft	.80 1.10	6.50 9.50	52.50 75.00
Yellow, pea-shaped flowers, May		erian P	e a- tree
18 to 24 in	.22	1.90	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	.45 .70	3.7 <i>5</i> 5.50	30.00
pygmaea, 1'-3'	·)warf P	ea-tree
Dwarf form of Caragana of excep an attractive shrub with long go	tional h	ardiness	makes
18 to 24 in	.75	6.50	52.50 75.00
CARPINUS betulus, 60'-70' Leaves like Caroliniana but stron	•	an Hor wer.	nbeam
2 to 3 ft	.80	6.50	
3 to 4 ft	1.00	8.50	
4 to 5 ft	1.35 2.25	11.00 19.00	
6 to 7 ft	3.50	27.50	
7 to 8 ft	4.50	37.50	

CARPINUS—continued	Each	Per 10	Per 100
caroliniana, 30'-40'	Americ	can Hor	nbeam
Bushy, low and often pendulous green foliage with fine autumn of			bluish-
2 to 3 ft	-55	4.70	
3 to 4 ft	.90 1.35	7.50 11.00	60.00 90.00
5 to 6 ft	1.90	14.50	125.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3.75	31.00	250.00
10 to 12 ft	5.25	45.00	350.00
12 to 14 ft	6.75	55.00	
CARYOPTERIS incana (mastaca	antha),	2'-3' Blue	Spirea
Lavender-blue flowers, September massing. Requires protection. Als	er-Octobe so called	er. Splen Bluebea	did for ard.
12 to 15 in	-3 5	2.80	
15 to 18 in	•45	3.75	30.00
CATALPA bungei, 10'-15'	Um	brella (Catalpa
Useful in formal planting. First Class Heads, 2 yr., 5 to			
6 ft	.70	5.50	45.00
13/4 in	1.00	8.50	67.50
Extra Large Heads, 2 in Extra Large Heads, 2 ¹ / ₄ in	1.50	12.50	100.00
Extra Large Heads, 2½ in	2.25 2.75	19.00 22.50	150.00
5 , , =	• •	J	
speciosa, 30'-35' Makes a very picturesque tree v leaves and long, bean-like seed p	with larg		-shaped
Makes a very picturesque tree	with larg	g <mark>e,</mark> heart r stock is	-shaped
Makes a very picturesque tree very leaves and long, bean-like seed petransplanted and with straight, 6 to 8 ft	with largoods. Our single st	ge, heart r stock is ems. 4.70	shaped sheavy, 37.50
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft	with largoods. Our single st	ge, heart r stock is ems. 4.70 7.50	-shaped s heavy, 37.50 60.00
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft	with largoods. Our single st	ge, heart r stock is ems. 4.70 7.50 11.00	37.50 60.00 90.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in	with larged sods. Our single store s	ge, heart r stock is ems. 4.70 7.50 11.00 14.50	37.50 60.00 90.00
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft	with larged sods. Our single store s	ge, heart r stock is ems. 4.70 7.50 11.00 14.50 25.00	37.50 60.00 90.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4'	with largeds. Our single st .55 .90 1.35 1.90 3.50	ge, heart r stock is ems. 4.70 7.50 11.00 14.50 25.00 28.00	37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native sh	with larged ods. Our single st .55 .90 1.35 1.90 3.50 3.50	ge, heart r stock is 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe	37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4'	with larged ods. Our single st .55 .90 1.35 1.90 3.50 3.50	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe	37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shell 12 to 18 in.	with larged ods. Our single st .55 .90 1.35 1.90 3.50 rub; wh	ge, heart r stock is ems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50	37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 rub; wh .65 .90	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots.	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B.	with large ods. Our single st 1.90 3.00 3.50 rub; wh .65 .90 B1 at leading earance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 tue Atlas g shoots Handson	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 rub; wh .65 .90 B1 at leading arance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots Handson	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native sh 12 to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	with large ods. Our single st 1.90 3.00 3.50 rub; wh .65 .90 B1 at leading earance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 aue Atlas g shoots Handson 85.00 100.00 125.00	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 B1 at leading arance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots. Handson 85.00 100.00 125.00	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. deodara, 35'-50' Tall tree of pyramidal habit needles—more graceful in appear	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 B1 at leading arance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots. Handson 85.00 100.00 125.00	-shaped s heavy, 37.50 60.00 90.00 125.00
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 Tub; wh .65 .90 B1 at leading earance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots Handson 85.00 100.00 125.00	shaped heavy, 37.50 60.00 90.00 125.00 sey-tea rs. 45.00 60.00 Cedar Leaves ne blue 825.00 Deodar h-green hardy.
Makes a very picturesque tree very leaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 6 ft., B. & B. 8 to 5 ft., B. & B. 9 to 6 ft., B. & B. 10 tree of pyramidal habit needles—more graceful in appear to 5 ft., B. & B. 10 to 6 ft., B. & B.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 Tub; wh .65 .90 B1 at leading earance.	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 tue Atlas g shoots Handson 85.00 100.00 125.00	shaped heavy, 37.50 60.00 90.00 125.00 sey-tea rs. 45.00 60.00 Cedar Leaves ne blue 825.00 Deodar h-green o hardy.
Makes a very picturesque tree veleaves and long, bean-like seed per transplanted and with straight, 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. CEANOTHUS americanus, 3'-4' Very attractive, dwarf, native shall to 18 in. 18 to 24 in. CEDRUS atlantica glauca, 35'-50' Large pyramidal tree with upright rigid habit giving unique apper foliage. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	with large ods. Our single st .55 .90 1.35 1.90 3.00 3.50 Tub; wh .65 .90 B1 at leading arance. 10.00 12.50 15.00 with light rance, no 9.75 11.25	ge, heart r stock is tems. 4.70 7.50 11.00 14.50 25.00 28.00 Jer ite flowe 5.50 7.50 ue Atlas g shoots Handson 85.00 100.00 125.00	shaped heavy, 37.50 60.00 90.00 125.00 sey-tea rs. 45.00 60.00 Cedar Leaves ne blue 825.00 Deodar h-green hardy.

CEDRUS—continued	Each	Per 10	Per 100
libani, 35'-50'	Ce	dar of L	ebanon
A large tree with wide spreading forming broad head. Dark or bluis			
3 to 4 ft., B. & B		65.00	
4 to 5 ft., B. & B		85.00	675.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	12.50 15.00	100.00	
CELASTRUS orbiculatus, 15'-20'			
High-climbing shrub with orange son seeds.	-yellow	fruit an	
2 year 18 to 24 in	.27	2.25	18.00
2 year 2 to 3 ft	∙37 •55	3.00 4.50	25.00 35.00
4 year 4 to 5 ft	.65	5.50	45.00
		an Bitte	
Most adaptable vine with orange			
retain color when cut and dried.			
2 year 18 to 24 in	.30	2.50 3.75	20.00
3 year 3 to 4 ft	.45 .60	5.00	40.00
			•
CELTIS occidentalis, 50'-60'	but of		kberry
Similar foliage and habit as Elm,			growth.
2 to 3 ft	.90 1.10	7.50 9.50	
4 to 5 ft	1.35	11.00	
5 to 6 ft	1.90	14.50	
6 to 8 ft	2.25	19.00	
CEPHALANTHUS occidentalis,	_		onbush
Round heads of creamy-white flood foliage; likes moisture.			
18 to 24 in	.22	1.90 2. 80	15.00
2 to 3 ft	•3 <i>5</i> •4 <i>5</i>	2.80 3.75	22.50 30.00
4 to 5 ft	.70	5.50	45.00
5 to 6 ft	1.00	8.50	67.50
CEPHALOTAXUS Harringtonia, dunculata)	var. Sp	fastigiat iral Plur	a (pe- n-Yew
Compact columnar habit. Upright arranged leaves.	branch	nes and s	pirally
18 to 24 in., B. & B	6.75		
2 to 2½ ft., B. & B	9.00		
CERASUS (See Prunus)			
*CERCIDIPHYLLUM japonicum	, 20'-30	o' Katsu	ra-tree
Develops into a nice symmetrical and autumn colors.	tree; l	beautiful	spring
6 to 8 ft	3 . 7 <i>5</i>	31.00	
8 to 10 ft	5.25	45.00	350.00
10 to 12 ft	6.75	55.00	
12 to 14 ft	9.00	75.00	

	Fach	Per 10	Per 100
CERCIS canadensis, 12'-15'	An	nerican F	Redbud
Rosy-pink, April, very effective wi wood; good foliage. Also called J			h Dog-
3 to 4 ft	-45	3.75	30.00
4 to 5 ft	.70	5.50	45.00
5 to 6 ft	1.10	9.50	75.00
6 to 8 ft	1.90	14.50	125.00
	_	• •	_
8 to 10 ft	2.25	19.00	150.00
10 to 12 ft	3.00	25.00	200.00
chinensis, 10'-12'	C	Chinese F	Redbud
Flowers a little larger and darker compact habit of growth.	than	above, bu	it more
12 to 18 in	.30	2.50	20.00
18 to 24 in	.50	4.00	32.50
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	•		60.00
3 to 4 it	.90	7.50	00.00
CHAMAECYPARIS lawsoniana a		20'-25' Scarab C	ypress
Evergreen. Best columnar type;	foliage	with a	bluish.
metallic hue.	0		,
2 to $2\frac{1}{2}$ ft., B. & B	3.50	28.00	
2½ to 3 ft., B. & B	4.50	37.50	
3 to $3\frac{1}{2}$ ft., B. & B	5.50	47.00	
$3\frac{1}{2}$ to 4 ft., B. & B	6.75	55.00	
-Triomphe de Boskoop, 20'-25'			
	amid (read blue	lanuar
Handsome evergreen—narrow pyr Bark reddish-brown.		steer-blue	ieaves.
6 to 7 ft	6.00		
7 to 8 ft	7.50		
obtusa, 25'-35']	Hinoki C	ypress
Evergreen. Broad pyramid with l frond-like foliage.	horizoi	ntal, dark	green,
2½ to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	4.00	35.00	
4 to 5 ft., B. & B	5.00	40.00	325.00
5 to 6 ft., B. & B	6.50	55.00	425.00
6 to 7 ft., B. & B	8.00	65.00	525.00
—compacta, 2½'-4'		ootball (
- ' ' '			-
Evergreen. Almost spherical in			_
throughout winter. Very useful in work.	i toun	dation or	formal
12 to 15 in., B. & B	.80	6.50	
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 3½ ft., B. & B			300.00
3½ to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	5.50 6.50	47.00	
		55.00	
—crippsi, 10'-15' C Evergreen. Slow growing, pale gol		Golden C ne.	ypress
12 to 15 in., B. & B	1.10	9.50	75.00
15 to 18 in., B. & B	1.90		125.00
18 to 24 in., B. & B	2.50	19.00	150.00
2 to 2½ ft., B. & B	3.00	25.00	200.00

CHAMAECYPARIS—continued	Each	Per 10	Per 100
—filicoides, 10'-15'	Feri	nspray (ypress
12 to 15 in., B. & B	2.25	19.00	
15 to 18 in., B. & B	3.50	28.00	
18 to 24 in., B. & B	4.50	37.50	
2 to 2½ ft., B. & B	5.50	47.00	
		• •	
—gracilis, 12'-15'	lender]	Hinoki (Cypress
Narrow, irregular pyramid, rich,	dark or	en folia	ge slow
grower—picturesque.	dair Si	cir Iona	50. 310 W
15 to 18 in., B. & B	1.90	14.50	125.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	3.75	31.00	250.00
2½ to 3 ft., B. & B	5.25	45.00	350.00
3 to 4 ft., B. & B	6.75	55.00	450.00
—lycopodioides, 3'-4'	Jubmo	ss Retir	nospora
Dwarf type. Irregular habit. Spr	eading	branches	s. Thick
dark-green branchlets.			
15 to 18 in., B. & B	3.50	28.00	
18 to 24 in., B. & B	4.50	37.50	
2 to 2½ ft., B. & B	5.50	47.00	
2½ to 3 ft., B. & B	6.75		
—nana, 2½'-4')warf I	Hinoki (TUNTAGE
· · ·			
Evergreen. Low form, of slow gr	rowth, 1	with sho	rt, deep
green foliage.			
6 to 9 in., B. & B	1.90	15.00	125.00
9 to 12 in., B. & B	2.25	19.00	150.00
12 to 15 in., B. & B	3.50	28.00	225.00
15 to 18 in., B. & B	4.50	37.50	300.00
18 to 21 in., B. & B	6.00	50.00	
	·	'aldan C	
—youngi, 15'-20'	oung C	Golden C	ypress
Young foliage golden on pendulo	ous brai	nches.	
18 to 24 in., B. & B	3.00	25.00	
2 to 3 ft., B. & B	3.50	28.00	-
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	7.50	65.00	
	~	TD	
pisifera, 25'-35'		ra Retin	ospora
Evergreen. Quick grower. Loosely	pyram	idal.	
2 to 2½ ft., B. & B	1.90	14.50	125.00
$2\frac{1}{2}$ to 3 ft., B. & B	2,25	19.00	150.00
3 to 4 ft., B. & B	2.75	22.50	175.00
4 to 5 ft., B. & B	3.25	27.50	200.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.00	50.00	400.00
7 to 8 ft., B. & B	7.50	65.00	
-aurea, 25'-35' Golden	Sawa	ra Retin	osnora
			-
Evergreen. Foliage bright yellow,			
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	2.75	22.50	190.00
4 to 5 ft., B. & B	3.50	27.50	225.00 325.00
	<i>E</i> (20)		
5 to 6 ft., B. & B	5.00 6.50	40.00	
	5.00 6.50 8.00	55.00 65.∞	425.00

CHAMAECYPARIS—continued	Each	Per 10	Per 100
filifera, 15'-20'	Threa	ad Retin	ospora
Evergreen. Has long, stringy, d bright green foliage. Graceful and			es and
15 to 18 in., B. & B	.80	6.50	52.50
18 to 24 in., B. & B	1.10	9.50	75.00
2 to $2\frac{1}{2}$ ft., B. & B	1.35	11.00	90.00
3 to 4 ft., B. & B	1.90 3.00	14.50 2 5.00	125.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.50	
—aurea, 10'-12' Golden			
Evergreen. Very bright, conspi Grows more slowly than precedin		golden-	yellow.
12 to 15 in., B. & B	1.10	9.50	75.00
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
			ospora
Evergreen branchlets variegated w	itii yei	iow.	
12 to 15 in., B. & B	1.90	14.50	
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.00	25.00	
plumosa, 25'-35'		ne Retin	_
Evergreen. Forms a dense cone of shearing into formal shapes.	fine tex	kture. Use	eful for
15 to 18 in., B. & B	.70	5.50	45.00
18 to 24 in., B. & B	.90	7.50	60.00
2 to $2\frac{1}{2}$ ft., B. & B	1.10	9.50	75.00
2½ to 3 ft., B. & B	1.75	14.50	110.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.00 7.50	50.00 60.00	400.00
8 to 9 ft., B. & B	9.00	75.00	
—argentea, 25'-35'		ip Retin	ospora
Evergreen. Tips of branchlets whi	tish.		
18 to 24 in., B. & B	2.25		
2 to 2½ ft., B. & B	3.00		
2½ to 3 ft., B. & B	3.50		
3 to 4 ft	3.75	30.00	
4 to 5 ft	5.00	40.00	
		ne Retin	
Evergreen. A very showy plant of	_	-	
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.10	9.50 11.00	75.00 90.00
2½ to 3 ft., B. & B	1.90	14.50	125.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	6.00	50.00	
6 to 7 ft., B. & B	8.25	67.50	

CHAMAECYPARIS—continued	Each	Per 10	Per 100
plumosa lutescens, 2½'-3'	a m 1	ma Datin	
Dwarf Yell	_		_
Evergreen. Forms a low, broad bright yellow-tipped branchlets.	, roun	a-toppea	busn;
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.10	8.50	67.50
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.50 4.50	28.00 37.50	
		ne Retin	ospora
An excellent, hardy, dwarf variety			
pact foliage.	, , , , , , , , , , , , , , , , , , , ,	6	,
8 to 10 in., B. & B	1.10	9.50	75.00
10 to 12 in., B. & B	1.35	11.00	_
12 to 15 in., B. & B	1.90	14.50	125.00
squarrosa nana, 2½'-3'	Dwarf	Moss C	Cypress
Dwarf dense growth. Light blue-g			
9 to 12 in., B. & B	1.65		
12 to 15 in., B. & B	2.25	15.00	
—sieboldi, 8'-10'			
Unusual variety; assumes rich deep			winter.
15 to 18 in., B. & B		9.50	
18 to 24 in., B. & B	1.35		
2 to 2½ ft., B. & B	1.90		
2½ to 3 ft., B. & B		19.00	
—sulphurea, 20'-25' Sulph Has light yellow tips.	ur Mo	ss Retin	ospora
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	
3 to 3½ ft., B. & B	3.50	28.00	
3½ to 4 ft., B. & B	4.00	35.00	
-veitchi, 25'-30'		ss Retin	
Evergreen. Foliage blue-gray, feat soft woolly appearance. Broad p			
young.	yrannu	ar outim	e when
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	70.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90	14.50	125.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00 4.00	25.00 35.00	200.00
5' to 6 ft., B. & B	5.00	40.00	
thyoides ericoides, 6'-8'		ar Retin	ospora
Compact shrub form. Erect dense foliage.			
12 to 15 in., B. & B	1.35	11.00	
15 to 18 in., B. & B	1.65	13.50	
18 to 24 in., B. & B	2.25	19.00	
2 to $2\frac{1}{2}$ ft., B. & B	3.00	25.00	
CHAMAEDAPHNE calyculata, 3'		Leat	herleaf
Compact growing evergreen shru	b cover		
flowers April-May; prefers peaty		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
12 to 15 in., B. & B		15.00	
15 to 18 in., B. & B	2.75	22.50	

CHIONANTHUS virginica, 15'-18	s' W	hite Fri	ngetree
Fragrant, tassel-like, white flow			
black, plum-like fruits follow.	Each		Per 100
18 to 24 in	·55	4.70	37.50
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.25	10.00	84.00
5 to 6 ft	1.75	15.00	125.00
6 to 8 ft	2.25	19.00	150.00
CLADRASTIS lutea (tinctoria),	30'-40'	Yello	wwood
A striking tree with long panicles ers in June.	of frag	rant, whi	te flow-
2 to 3 ft	1.35	11.00	90.00
3 to 4 ft	2.00	17.00	135.00
4 to 5 ft	3.00	25.00	200.00
5 to 6 ft	3.50	27.50	225.00
6 to 7 ft	4.00	35.00	
CLEMATIS jackmani, 10'-15'	Jack	kman Cl	ematis
Large, very showy, rich purple fle	owers.		
2 year No. 1	.80	6.50	52.50
montana rubens	Ane	mone C1	ematis
Strong grower, coiling by tendrils			
when unfolding. Attractive pink of June.			
2 year	. 75	6.50	
paniculata, 20'-25' Sw	eet Au	tumn Cl	ematis
White, fragrant flowers. Septembalso attractive.	ber. Wo	oolly see	d pods
also attractive.			
	.35	2.75 3.50	22.50 27.50
also attractive. 2 year	·3 <i>5</i>	2.75	22.50
also attractive. 2 year 3 year 4 year	·35	2.75 3.50 4.00	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10'	.35 .40 .50	2.75 3.50 4.00 Leather	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and	.35 .40 .50	2.75 3.50 4.00 Leather	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10'	.35 .40 .50	2.75 3.50 4.00 Leather	22.50 27.50 35.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and	.35 .40 .50	2.75 3.50 4.00 Leather	22.50 27.50 35.00 flower
also attractive. 2 year	.35 .40 .50 I leathe	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin	22.50 27.50 35.00 flower
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15'	.35 .40 .50 I leathe	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin	22.50 27.50 35.00 flower
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum,	.35 .40 .50 d leathe .90 July-Sep .37 4'-10'	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin etember. 3.00	22.50 27.50 35.00 eflower liage Bower
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H	.35 .40 .50 d leathe .90 July-Sep .37 4'-10'	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum,	.35 .40 .50 d leathe .90 July-Sep .37 4'-10'	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft.	.35 .40 .50 d leathe .90 July-Sep .37 4'-10'	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50 I leathe .90 July-Ser .37 4'-10' Tarlequi	2.75 3.50 4.00 Leather r-like for 7.50 Virgin otember. 3.00 in Glory sh-brown	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft.	.35 .40 .50 I leathe .90 July-Ser .37 4'-10' [arlequineddis	2.75 3.50 4.00 Leather r-like for 7.50 Virgin otember. 3.00 in Glory sh-brown	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' [arlequineddis	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00 in Glory sh-brown	22.50 27.50 35.00 eflower liage. Bower 25.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5'	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' [arlequineddist 1.65 2.25 3.00	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe	22.50 27.50 35.00 flower liage Bower 25.00 rbower calyx
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. 5 moist, shady places. Also called S	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' arlequi reddis	2.75 3.50 4.00 Leather r-like for 7.50 Virgin otember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe otember.	22.50 27.50 35.00 flower liage. Bower 25.00 rbower calyx. rsweet Prefers
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. J 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. J moist, shady places. Also called S 12 to 18 in.	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' arlequi reddis	2.75 3.50 4.00 Leather r-like for 7.50 Virgin otember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe otember. epperbus. 2.50	22.50 27.50 35.00 flower liage. Bower 25.00 rbower calyx. rsweet Prefers h. 20.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. J moist, shady places. Also called S 12 to 18 in. 18 to 24 in.	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' Earlequi reddis	2.75 3.50 4.00 Leather relike for 7.50 Virgin tember. 3.00 in Glory thebrown 13.50 19.00 25.00 Summe tember. epperbus 2.50 3.00	22.50 27.50 35.00 eflower liage. Bower 25.00 rbower calyx.
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. J moist, shady places. Also called S 12 to 18 in. 18 to 24 in. 2 to 2½ ft.	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' arlequi reddis 1.65 2.25 3.00 July-Sep Sweet P	2.75 3.50 4.00 Leather r-like fol 7.50 Virgin otember. 3.00 in Glory sh-brown 13.50 19.00 25.00 Summe otember. epperbus 2.50 3.00 3.75	22.50 27.50 35.00 eflower liage. Bower 25.00 rbower calyx. rsweet Prefers h. 20.00 25.00 30.00
also attractive. 2 year 3 year 4 year viorna, 8'-10' Reddish purple flowers; thick and 2 year, field grown virginiana, 12'-15' White flowering; medium size. 2 year CLERODENDRON trichotomum, H Flowers white with conspicuous, Bright blue fruit. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers. J moist, shady places. Also called S 12 to 18 in. 18 to 24 in.	.35 .40 .50 I leathe .90 July-Sep .37 4'-10' Earlequi reddis	2.75 3.50 4.00 Leather relike for 7.50 Virgin tember. 3.00 in Glory thebrown 13.50 19.00 25.00 Summe tember. epperbus 2.50 3.00	22.50 27.50 35.00 eflower liage. Bower 25.00 rbower calyx.

	Each	Per 10	Per 100
COLUTEA arborescens, 8'-10'			
Yellow flowers. June-August. Use			
3 to 4 ft	.60	5.00	
4 to 5 ft	. 75	6.50	
5 to 6 ft	.90	7.50	
6 to 8 ft	1.00	8.50	70.00
COMPTONIA asplenifolia, 3'-5'		Swee	t Fern
Leaves are fern-like. Have pung			
Splendid in masses for covering neglect. Stands severe exposures			
18 to 24 in., collected clumps	.55		37.50
2 to 3 ft., collected clumps			
CORNUS alba (sibirica), 8'-10' R	ed Bran	ched Do	owood
Bright red bark, porcelain blu			_
useful for winter effect.		Q	5- - · · - ·
18 to 24 in	.22	1.90	
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	·3 <i>5</i>	3.00	25.00
—elegantissima, 6'-8'		otch Do	gwood
Leaves are edged with creamy w	hite.		
2 to 3 ft	·45	3.70	
3 to 4 ft	.60 .80	5.00 6.50	52.50
5 to 6 ft	1.00	8.50	67.50
alternifolia, 15'-18'		Blue Do	hawood
Branches spread horizontally;			_
black fruit. Also called Pagoda 1			. Bluc-
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.10 1.45	9.50 12.00	75.00 97.50
amomum (sericea), 8'-9'		Silky Do	
Pale blue fruits; young twigs places.	purpre.	. Prefer	moist
2 to 3 ft	. 30	2.50	20.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	·45	3.70	30.00
5 to 6 ft	.60 .80	5.00 6.50	40.00
• • •	iteflowe	•	
Among the best of the spring Nursery grown, well-formed sto		ig, smal.	l trees.
2 to 3 ft	.55	4.75	37.50
3 to 4 ft	·7 <i>5</i>	6.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90 3.00	14.50 25.00	125.00 200.00
8 to 10 ft	4.50	37.50	300.00
10 to 12 ft	6.00	50.00	
*—plena Doub	le-flowe	ring Do	gwood
Double-flowering form of the nat			_
teresting accent tree.			
5 to 6 ft	5.00		
0 10 6 11	7.00		

CORNUS—continued	Each	Per 10	Per 100	
*florida rubra, 15'-20' Redflowering Dogwood				
The pink flowers are more persistent than the white.				
2 to 3 ft		12.50	100.00	
3 to 4 ft		19.00 30.00	150.00 250.00	
5 to 6 ft		45.00	350.00	
6 to 8 ft		62.50	500.00	
8 to 10 ft	_	95.00	750.00	
10 to 12 ft	15.00	125.00		
*kousa, 16'-18'		Kousa Do	_	
White flowers in June. Conspi fruits, attractive to birds.	cuous, ch	erry-like,	scarlet	
18 to 24 in		4.70	37.50	
2 to 3 ft		5.50 8.50	45.00 67.50	
3 to 4 ft		12.50	100.00	
5 to 6 ft		19.00	150.00	
6 to 7 ft	3.00	25.00	200.00	
7 to 8 ft		31.00	250.00	
8 to 9 ft	. 5.50	47.00		
mas, 20'-25'	C	ornelian.	cherry	
Handsome, large shrub. Small, Shining scarlet fruit in fall.	yellow	flowers in	April.	
18 to 24 in		•	35.00	
2 to 3 ft	_	5.50	45.00	
3 to 4 ft	90	7.50	60.00	
4 7		11.00		
•	. 1.35	11.00	90.00	
nuttalli, 25'-40'	Р	acific Do		
nuttalli, 25'-40' Dense growth. Red and orange f	P Fruit.			
nuttalli, 25'-40'	P Fruit.			
nuttalli, 25'-40' Dense growth. Red and orange f	P Fruit.		ogwood ——	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	P Fruit. . 1.50 ers in M	acific Do	ogwood ogwood	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	Pruit 1.50 ers in M35	acific Do Gray Do ay, follo	ogwood ogwood wed by	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	P Fruit. . 1.50 ers in M 35 55	Gray Do ay, follo 3.00 4.75	ogwood ogwood wed by	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	Pruit 1.50 ers in M3555	Gray Do 3.00 4.75 5.00	ogwood ogwood wed by 25.00 37.50	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	Pruit 1.50 ers in M355560 Litt green shi	Gray Do 3.00 4.75 5.00 leleaf Do rub of dis	ogwood ogwood wed by 25.00 37.50 ogwood tinctive	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined shows	Pruit 1.50 ers in M355560 Litt green shr	Gray Do 3.00 4.75 5.00 leleaf Do tub of disher lawn b	ogwood ogwood wed by 25.00 37.50 ogwood tinctive	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	Pruit 1.50 ers in M355560 Litt green shr rub for th	Gray Do 3.00 4.75 5.00 leleaf Do rub of dis ne lawn b 6.00	ogwood ogwood wed by 25.00 37.50 ogwood tinctive	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in	Pruit 1.50 ers in M355560 Litt green shi rub for th75 . 1.00	Gray Do 3.00 4.75 5.00 leleaf Do rub of dis ne lawn b 6.00	ogwood ogwood wed by 25.00 37.50 ogwood tinctive order.	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined shall to 18 in. 18 to 24 in.	Pruit 1.50 ers in M355560 Litt green shi rub for th75 . 1.00 Red-	Gray Do Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 osier Do	ogwood ogwood ogwood ogwood tinctive order. ogwood	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined show that 12 to 18 in. 18 to 24 in. stolonifera, 7'-8' Spreading habit; dark red bardin moist ground. 2 to 3 ft.	Pruit. 1.50 ers in M 35 55 60 Litt green shr rub for th 75 1.00 Red- k, white	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 cosier Do fruits. Do 2.50	ogwood ogwood wed by 25.00 37.50 ogwood tinctive order. ogwood es well 20.00	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined shall to 18 in. 18 to 24 in. stolonifera, 7'-8' Spreading habit; dark red barring moist ground.	Pruit. 1.50 ers in M 35 55 60 Litt green shr rub for th 75 1.00 Red- k, white	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 cosier Do fruits. Do 2.50	ogwood ogwood wed by 25.00 37.50 ogwood tinctive order. ogwood es well 20.00	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined show that it is to 24 in. stolonifera, 7'-8' Spreading habit; dark red bardin moist ground. 2 to 3 ft. 3 to 4 ft. —lutea, 6'-7'	Pruit. 1.50 ers in M 35 555 60 Litt green shi rub for th 75 1.00 Red- k, white 30 45 Golder	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 cosier Do fruits. Do 2.50 3.75 ntwig Do	ogwood ogwood ogwood ogwood tinctive order. ogwood es well 20.00 30.00	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined shall to 18 in. 18 to 24 in. stolonifera, 7'-8' Spreading habit; dark red bardin moist ground. 2 to 3 ft. 3 to 4 ft. —lutea, 6'-7' Has distinct yellow bark; fine	Pruit. 1.50 ers in M 35 55 60 Litt green shr rub for th 75 1.00 Red- k, white 30 45 Golder for winte	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 cosier Do fruits. Do 2.50 3.75 ntwig Do	ogwood ogwood ogwood ogwood tinctive order. ogwood es well 20.00 30.00	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined show that to 18 in. 18 to 24 in. stolonifera, 7'-8' Spreading habit; dark red bardin moist ground. 2 to 3 ft. 3 to 4 ft. —lutea, 6'-7' Has distinct yellow bark; fine 18 to 24 in.	Pruit. 1.50 ers in M 35 555 60 Litt green shr rub for th 75 1.00 Red- k, white 45 Golder for winte	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of dis ne lawn b 6.00 8.50 cosier Do fruits. Do 2.50 3.75 ntwig Do er effects. 2.50	ogwood ogwood ved by 25.00 37.50 ogwood tinctive order. ogwood oes well 20.00 30.00 ogwood	
nuttalli, 25'-40' Dense growth. Red and orange for 12 to 18 in. paniculata, 10'-12' Numerous, small, white flower white fruits on red stems. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. paucinervis, 5'-6' From Central China. Half every character. Handsome refined shall to 18 in. 18 to 24 in. stolonifera, 7'-8' Spreading habit; dark red bardin moist ground. 2 to 3 ft. 3 to 4 ft. —lutea, 6'-7' Has distinct yellow bark; fine	Pruit. 1.50 ers in M 35 555 60 Litt green shr rub for th 775 1.00 Red- k, white 45 Golder for winte 30 35	Gray Do ay, follo 3.00 4.75 5.00 leleaf Do tub of distre lawn b 6.00 8.50 cosier Do fruits. Do 2.50 3.75 ntwig Do er effects. 2.50	ogwood ogwood ved by 25.00 37.50 ogwood tinctive order. ogwood oes well 20.00 30.00 ogwood	

	Each	Per 10	Per 100
CORYLUS americana, 8'-9'	Ame	rican Ha	zelnut
One of our native, nut-bearing attractive addition to natural pla		that ma	kes an
2 to 3 ft	.45		30.00
3 to 4 ft	.60 8 <i>c</i>		•
4 to 5 ft 5 to 6 ft	.90	7.00 7.50	60.00
avellana atropurpurea, 12'-15'	.,,	Purple I	
Purple-leaved form. Useful for o shrub border.	ccasiona	_	
	3.75	30.00	
	5.25	45.00	
COTONEASTER acuminata, 10'-1	[2'		
Erect shrub. Deciduous. Large dee to Cotoneaster simonsi.	ep-scarle	et fruits.	Similar
2 to 3 ft., B. & B	1.50		
3 to 4 ft., B. & B	2.00	17.00	
4 to 5 ft., B. & B	3.00		-
acutifolia, 10'-12'		ng Coton	
Small pink flowers in clusters, fol	lowed b	by black f	ruits.
3 to 4 ft		5.50	6
4 to 5 ft 5 to 6 ft		7.50 9.50	
6 to 7 ft		13.50	
adpressa, 18"-24"		ng Coton	
Most prostrate of the Cotoneas	_		
Flowers and fruit red. Leaves pers	sistent.	20.00	150.00
18 to 24 in., 7 in. pots	2.2 <i>5</i> 2.7 <i>5</i>	22.50	180.00
9 to 12 in., B. & B	1.25	11.00	
12 to 15 in., B. & B	1.50	12.50	
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	2.50 3.00	20.00 25.00	165.00
dielsiana, 6'-8'	· ·	els Coto	1easter
Bright red fruit.	1.71	.013 00101	icastci
12 to 15 in., 4 in. pots	.80	6.50	
15 to 18 in., 5 in. pots	1.10	9.50	
3 to 4 ft., 7 in. pots	3.00		
divaricata, 5'-6'	Spreadi	ng Coto	neaster
Handsome shrub bearing bright	red fr	uits.	
6 to 9 in., 4 in. pots	.45	3 .7 5	30.00
18 to 24 in., 5 in. pots	1.50	12.50	
2 to 2½ ft., 7 in. pots	2.00	***************************************	
foveolata, 6'-10'			
Fruits black; foliage turns brigh			
6 to 9 in., 3 in pots	-45		
	1.00		
		het Coto	•
Evergreen. Upright-growing va			
branches. Leaves dark green, v			
neath. Berries bright orange, free			
6 to 9 in., 3 in. pots		3.75	30.00
12 to 15 in., 4 in. pots	.70		
15 to 18 in., 5 in. pots	.90		

COTONEASTER—continued	Each	Per 10	Per 100
horizontalis (davidiana), 2'-3'	Ro	ck Coto	neaster
Evergreen. Small, box-like leaves effective among rocks.	s; brig	ght red	berries;
6 to 9 in., 3 in. pots	-3 5	3.00	25.00
12 to 15 in., 5 in. pots	1.35	11.00	12500
15 to 18 in., 5 in. pots	1.90 2.25	15.00 20.00	125.00
2 to 2½ft., B. & B	2.75	22.50	
2½ to 3 ft., B. & B	3.00	25.00	
—perpusilla, 2'-3' Smaller leaves and larger fruit tha	n the 1	type.	,
6 to 9 in., 3 in. pots	.45	3.75	30.00
18 to 24 in., B. & B	2.00		
2 to 2½ ft., B. & B	3.00	25.00	
prostrata, 8'-10'			
Evergreen shrub with long arching			g a low
dense mass. Attractive foliage with		_	f0.00
6 to 9 in., 4 in. pots	·75 1.35	6.50	50.00
18 to 24 in., 7 in. pots	1.90		
			_1
microphylla, 1½'-2'	dos		ckspray
Evergreen. Very small leaves, ve more bushy than the Rock Cotones		p green	. Kathei
4 to 6 in., 3 in. pots	.45	3.75	30.00
9 to 12 in., 4 in. pots	.75	6.50	
12 to 15 in., 6 in. pots	1.35	11.00	
15 to 18 in., 6 in. pots	1.90	14.00	125.00
18 to 24 in., 7 in. pots	2.75	22.50 9.50	75.00
15 to 18 in., B. & B	1.50	12.50	*
18 to 24 in., B. & B	2.50	20.00	175.00
-thymifolia			
Evergreen prostrate form; very s for rocks; red fruited.	mall l	.eaves; e	xcellent
6 to 9 in., 4 in. pots	.60	5.00	40.00
racemiflora, 8'			
Hardy, deciduous, white flowering the best.	g; red	fruited.	One of
6 to 9 in., 4 in. pots	. 75	6.50	50.00
rotundifolia (buxifolia), 1½'-2' Re Evergreen. Prostrate-growing. Sem small, round green foliage and bri	i-everg	green shr	ub with
6 to 9 in., 4 in. pots	.45	3.75	30.00
12 to 15 in., 5 in. pots	1.00	8.50	
15 to 18 in., 6 in. pots	1.35	11.00	90.00
18 to 24 in., 7 in. pots 2 to $2\frac{1}{2}$ ft., 6 in. pots	1.90 2.25	14.50 19.00	
9 to 12 in., B. & B	.75	6.50	50.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.65	13.50	110.00
salicifolia, 10'-12' Wi	llowle	af Coto	neaster
Hardy. Partly evergreen. Graceful :	and sp	reading i	n habit.
Beautiful in autumn when covered			
6 to 9 in., 3 in. pots 9 to 12 in., 3 in. pots	45	3.75	30.00
12 to 15 in., 4 in. pots	.60 .75	5.00	
J , , , , , , , , , , , , , , , , , , ,	13		

COTONE ASTER continued	Da al	D	D
cotoneaster—continued salicifolia floccosa, 12'-15'	Each	Per 10	Per 100
Partly evergreen; glossy foliage; red fruits.	white fl	owering;	bright
15 to 18 in., B. & B	.90		
18 to 24 in., B. & B	1.35		
2 to 3 ft., B. & B	2.00	17.00	
simonsi, 5'-6' Almost evergreen. Good grower w		ns Cotor se habit.	neaster
6 to 9 in., 3 in. pots	. 45	3.75	30.00
9 to 12 in., 3½ in. pots	.75	6.50	
12 to 15 in., 4 in. pots	1.35 2.25	11.00	150.00
2 to 3 ft., 6 in. pots	2.50	20.00	
15 to 18 in., B. & B	1.65	14.50	
18 to 24 in., B. & B	2.00	17.00	
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 3½ ft., B. & B	3.00	25.00	
*CRATAEGUS arnoldiana, 20'		rold Hav	
An open-headed tree having whit bright crimson fruit in August.	te flow	ers in M	ay and
2 to 3 ft	.80	6.50	52.50
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	1 <i>5</i> 0.00 200.00
6 to 7 ft	3.00 3.50	25.00 28.00	225.00
8 to 9 ft	4.00	35.00	
	·		
*carrierei, 15'-20'	Carr	iere Hay	wthorn
A variety of Hawthorn very seldo			
large with red disc and followed bright orange or brick red.	i by la	rge, ovar	Truits,
	0-	6	40.40
2 to 3 ft	.80 1.10	6.50 9.50	52.50 75.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	3.00	25.00	200.00
6 to 7 ft	3.40	28.00	
		-14 TT	
*coccinea, 15'-20'		cket Ha	
Shrubby habit with long curved			_
leaves. Has large, white flowers and in autumn.			d fruits
3 to 4 ft	1.10	9.50	
4 to 5 ft	1.50	12.50	100.00
5 to 6 ft	2.2 <i>5</i> 3.00	19.00 25.00	150.00
7 to 8 ft	3.50	28.00	225.00
8 to 9 ft., heavy	4.50	37.50	
9 to 10 ft., heavy	5.50	47.00	
*coccinioides, 15'-20'			
Tree branches spreading, forming			
head; foliage tinged red, turning fall.	g scarle	t and or	ange in
5 to 6 ft	2.25	19.00	
6 to 7 ft	3.00	25.00	200.00
7 to 8 ft	3.50	28.00	
8 to 9 ft., heavy	4.50	37.50	
9 to 10 ft., heavy	5.50	47.50	

CRATAEGUS—continued	Each	Per 10	Per 100
		gton Ha	
Berries are small, brilliant red			
winter. Brilliant autumn foliage			,
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.90	14.50	
6 to 8 ft	3.00	25.00	200.00
*crusgalli, 15'	C	Cockspur	Thorn
Deep green, shiny leaves make the		_	
white flowers are also conspicu			
2 to 3 ft	-55	4.70	37.50
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.70 2.10	14.00 17.50	110.00
7 to 8 ft	3.50	28.00	225.00
8 to 9 ft., heavy	4.50	37.50	
9 to 10 ft., heavy	5.50	47.00	
,			
*mollis, 15'		wny Ha	wthorn
Vigorous, large leaves; red berri	es.		
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft	3.00 3.50	25.00 28.00	200.00
8 to 9 ft	3.75	31.00	
9 to 10 ft	4.50	37.50	
*oxycantha, 12'-15'	Eng	rlish Har	wthorn
*oxycantha, 12'-15' Single, white flowers.	Eng	glish Ha	wthorn
Single, white flowers.			
Single, white flowers. 2 to 3 ft	•55	4.70	37.50
Single, white flowers. 2 to 3 ft			
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.55 .70 .90	4.70 5.50 7.50 11.00	37.50 45.00 60.00 90.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.55 .70 .90 1.35	4.70 5.50 7.50 11.00 14.50	37.50 45.00 60.00 90.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	.55 .70 .90 1.35 1.90 2.25	4.70 5.50 7.50 11.00 14.50 19.00	37.50 45.00 60.00 90.00 125.00 150.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft.	.55 .70 .90 1.35 1.90 2.25 3.00	4.70 5.50 7.50 11.00 14.50 19.00 25.00	37.50 45.00 60.00 90.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	.55 .70 .90 1.35 1.90 2.25	4.70 5.50 7.50 11.00 14.50 19.00	37.50 45.00 60.00 90.00 125.00 150.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50	4.70 5.50 7.50 11.00 14.50 19.00 25.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Pouble, scarlet flowers. 3 to 4 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. *—double white, 12'-15'	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. *—double white, 12'-15'	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' P Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 ——————————————————————————————————	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ——— wthorn
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Double, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. *—double white, 12'-15'	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ————————————————————————————
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Puouble, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 7 to 8 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ————————————————————————————
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Pouble, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double pink, 12'-15'	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ————————————————————————————
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Pububle, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double pink, 12'-15' 3 to 4 ft. *—double pink, 12'-15' 3 to 4 ft.	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ————————————————————————————
Single, white flowers. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 9 to 10 ft., heavy 10 to 12 ft., heavy *—pauli, 12'-15' Pouble, scarlet flowers. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double white, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. *—double pink, 12'-15'	.55 .70 .90 1.35 1.90 2.25 3.00 3.75 5.50 aul Eng 1.90 2.25 3.00 3.40 3.75	4.70 5.50 7.50 11.00 14.50 19.00 25.00 30.00 —— glish Ha 14.50 19.00 25.00 28.00 31.00	37.50 45.00 60.00 90.00 125.00 150.00 200.00 ————————————————————————————

CRATAEGUS—continued *pedicellata, 15'-20'	Each	Per 10	Per 100
Small tree having slender, spr branches, forming a symmetrical l		and aso	ending
2 to 3 ft	1.35	11.00	90.00
3 to 4 ft	1.90	14.50	125.00
4 to 5 ft	2.2 <i>5</i> 3.00	19.00 25.00	150.00
*punctata, 25'-30' Broad-headed, small tree with l		tted Hav	
May; dull red, spotted fruit in O	ctober.		
3 to 4 ft	1.10	9.50 14.50	125.00
5 to 6 ft		19.00	150.00
6 to 7 ft	3.00	25.00	200.00
*succulenta, 15'		lesh Hav	· · · · · · ·
Heavily thorned; oval shape le			
4 to 5 ft 5 to 6 ft	1.75 2.50	15.00 20.00	125.00 175.00
6 to 7 ft	3.00	25.00	200.00
pyracantha lalandi (See PYRAC		(A)	
CRYPTOMERIA japonica lobbi,		b Crypt	omeria
Forms narrow, irregular column			
esque, rich bronze winter color.			
drained location. 2 to 3 ft., B. & B	1.00	14.50	
3 to 4 ft., B. & B	3.50	14.50 28.00	225.00
4 to 5 ft., B. & B	5.50	47.00	375.00
5 to 6 ft., B. & B	8.00	65.00 85.00	525.00
6 to 7 ft., B. & B	13.50	110.00	675.00
8 to 9 ft., B. & B	19.00	145.00	
CYDONIA japonica, 4'-5'	Flo	wering	Quince
Scarlet flowers in April, May.	.22	1.90	15.00
18 to 24 in	.30	2.50	20.00
2 to 3 ft	•35	3.10	25.00
-HYBRIDS, 4'-5'			
alba, whiteflowering.atrococcinea plena, double redflow	za r in o		
Boule de feu, redflowering.	ering.		
cardinalis, redflowering.			
nivalis, large white flowers.			
superba atrosanguinea, redflower	ing.		
vermilion, redflowering.			
18 to 24 in	1.10 1.65	9.50 13.50	
CYTISUS praecox alba			
Of garden origin. Slender uprigh	nt or an	ching br	anches.
Flowers yellowish-white. 12 to 18 in., pot grown	.90		
	.90	C	D
scoparius, 4'-6'	Д	Scotch	Broom
Slender, arching shrub with yello 6 to 9 in., 3 in. pot	w поw€ .30	2.50	20.00

	Each	Per 10	Per 100
DAPHNE cneorum, 1'		Rose I	aphne
Evergreen. Gray-green foliage, pink flowers in April-May. Deligh	low spatful fr	reading.	Pretty,
6 to 9 in., B. & B		8.50 12.00	67.50 100.00
mezereum, 4'	Fel	oruary D)anhne
Deciduous, flowers lilac purple,		-	-
10 to 12 in., B. & B	·55 ·75		37.50 50.00
DAVIDIA involucrata		Dov	e Tree
Rare and choice flowering tree floral bracts. Our strain not reliab York City. Makes a fine accent tree	ly hard		
2 to 3 ft., 5-in. pots	13.50 19.00	110.00 145.00	
DESMODIUM (See LESPEDEZ	A)		
DEUTZIA gracilis, 3'	S	lender I	eutzia
Profuse bloomer, pure white, May	. Useful	"facing"	shrub.
12 to 15 in	.22	1.90	15.00
15 to 18 in	.30 •3 <i>5</i>	2.50 3.00	20.00 25.00
2 to 2½ ft	·33 ·45	3.75	_
2½ to 3 ft	.55	4.75	37.50
-rosea, 3' Similar in growth to above but w	ith nin	Rose I	
12 to 15 in	.22	1.90	15.00
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	•45	3.70	
lemoinei, 4'-5' Large, white flowers, June, grace		moine L)eutzia
18 to 24 in	.25	2.00	18.00
2 to 3 ft	.40	3.50	27.50
3 to 4 ft	.50	4.50	35.00
-mont rose, 4'-5' Very desirable new shrub of for	reign in	etroductio	n Me-
dium grower with attractive pink			ii. Wic-
18 to 24 in	.70	5.50	45.00
2 to 2½ ft	.80	6.50	52.50
$2\frac{1}{2}$ to 3 ft	.90 1.10	7.50 9.00	60.00
scabra candidissima, 9'-10' Graceful habit, double white, Jun		wflake I)eutzia
18 to 24 in	.20	1.70	13.50
2 to 3 ft	.25	2.00	18.00
3 to 4 ft	.40	3.50	27.50
4 to 5 ft	.50	4.00	32.50
5 to 6 ft	.60	5.00	

DEUTZIA—continued	Each	Per 10	Per 100
-crenata fl. pl., 6'-8'	Double	Pink	Deutzia
Pink, slightly fragrant, June.			
18 to 24 in	.20	1.70	13.50
2 to 3 ft	.25	2.00	18.00
3 to 4 ft	.40 .50	3.50	27.50
5 to 6 ft	.60	4.00 5.00	32.50
—magnifica, 9'-10'			
One of the most desirable newer			
and very showy panicles of larg	e, double	white	
2 to 3 ft	.30	2.50	
3 to 4 ft	.40 .50	3.50 4.00	
5 to 6 ft	.60	5.00	
—Pride of Rochester, 9'-10'	Large	Flwd.	Deutzia
Vigorous, large flower tinged pin	k, June.		
18 to 24 in	.20	1.70	13.50
2 to 3 ft	.25	2.00	18.00 27.50
3 to 4 ft	.40 .50	3.50 4.00	32.50
5 to 6 ft	.60	5.00	
DIERVILLA sessilifolia (lutea),	4'-5' ern Bus	h - hone	venckle
Yellow, more vigorous than trific			ysuckie
18 to 24 in	·35	3.00	
2 to 3 ft	·33 ·45	3.70	
3 to 4 ft	.55		
trifida, 3'	arf Bus	h - hone	ysuckle
Yellow, June-July. A good low sh	arub for	shady	places.
12 to 18 in	.45	3.70	30.00
18 to 24 in	•55	4.70	
DIOSPYROS virginiana, 15' Handsome foliage.	Commo	on Per	simmon
2 to 3 ft	·7 <i>5</i>	6.25	
3 to 4 ft	.90	7.50	
4 to 5 ft	1.10	9.50	
5 to 6 ft	1.65 3.00		
	0.42	Looth	arwood
Oblong, glaucous foliage. Will do	well in		erwood
18 to 24 in			
2 to 3 ft		4.75	_



MERCER MANOR

The columns and front of this old house were originally part of the Newkirk Mansion in Philadelphia

	Each	Per 10	Per 100
ELAEAGNUS angustifolia, 15'-18	3′	Russia	n-olive
Silver-gray leaves and branchlet for massing.			
2 to 3 ft	-35	2.80	22.50
3 to 4 ft	.45	3.70	30.00
4 to 5 ft	.55	4.70	37.50
5 to 6 ft	. 80	6.50	52.50
6 to 7 ft	1.00	8.50	67.50
7 to 8 ft	1.25	10.00	82.50
8 to 9 ft	1.50	12.50	100.00
longipes, 6'-8'	Che	rry Ela	eagnus
Silvery leaves, fragrant, yellow f berries ripe in July.	lowers.	May. La	rge, red
18 to 24 in	.45	3.70	30.00
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.50	12.00	
pungens reflexa, 8'		nze Ela	
Evergreen. Foliage somewhat l smaller. Delightful, fragrant blos			bes but
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	4.50	37.00	
4 to 5 ft., B. & B	5.50	47.00	
umbellata, 8'-10' Attractive, silvery foliage and ye		mn Ela white, f	_
flowers in May or June, followed in September.			
in September.	l by ova	ıl, scarle	
in September. 3 to 4 ft	l by ova	1, scarle 4.70	
in September. 3 to 4 ft	.55 .80	4.70 6.50	
in September. 3 to 4 ft	.55 .80	4.70 6.50 8.50	
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.55 .80	4.70 6.50	
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer sho	.55 .80 1.00	4.70 6.50 8.50 11.00	t fruits
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy.	.55 .80 1.00 1.35	4.70 6.50 8.50 11.00	-purple
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer sho	.55 .80 1.00	4.70 6.50 8.50 11.00	t fruits
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20	.55 .80 1.00 1.35 rub, der	4.70 6.50 8.50 11.00	-purple 37.50 52.50
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20	.55 .80 1.00 1.35 rub, der .55 .80	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50	-purple 37.50 52.50 anthus
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shiftowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20	.55 .80 1.00 1.35 rub, der .55 .80 '-25' Red Vernament	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki	-purple 37.50 52.50 anthus Excel-
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a	.55 .80 1.00 1.35 rub, der .55 .80 '-25' Red Vernament gs with	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil.	-purple 37.50 52.50 anthus Excelus and
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00	-purple 37.50 52.50 anthus Excelus and
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00	-purple 37.50 52.50 anthus Excelus and
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B.	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s 2.25 3.00 3.50	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	.55 .80 1.00 1.35 rub, der .55 .80 V-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00 28.00	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. EUONYMUS alatus, 9'-10' Interesting, corky bark, warm cri Makes fine specimen shrub.	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00 28.00	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. EUONYMUS alatus, 9'-10' Interesting, corky bark, warm cri Makes fine specimen shrub. 18 to 24 in.	.55 .80 1.00 1.35 rub, der .55 .80 V-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00 28.00 ged Euo	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus oloring.
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shaftowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great of lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. EUONYMUS alatus, 9'-10' Interesting, corky bark, warm crimakes fine specimen shrub. 18 to 24 in. 2 to 3 ft.	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value. ericaceo oil. 19.00 28.00 ged Euo 1tumn co	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus cloring.
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shr flowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers a 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. EUONYMUS alatus, 9'-10' Interesting, corky bark, warm cri Makes fine specimen shrub. 18 to 24 in.	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing	4.70 6.50 8.50 11.00 ase, lilac 4.70 6.50 in Enki al value, ericaceo oil. 19.00 25.00 28.00 ged Euo itumn co	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus cloring.
in September. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. ELSHOLTZIA stauntoni, 4'-5' Very attractive, late summer shaftowers. Very showy. 18 to 24 in. 2 to 2½ ft. ENKIANTHUS campanulatus, 20 Handsome erect shrub of great or lent when associated in planting broadleaved evergreens. Prefers at 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. EUONYMUS alatus, 9'-10' Interesting, corky bark, warm cri Makes fine specimen shrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.55 .80 1.00 1.35 rub, der .55 .80 8'-25' Red Vernament gs with peaty s 2.25 3.00 3.50 Wing mson au	4.70 6.50 8.50 11.00 11.00 11.00 11.00 11.00 11.00 11.00 25.00 28.00 28.00 28.00 28.00 28.00	-purple 37.50 52.50 anthus Excelus and 150.00 200.00 225.00 nymus bloring. 22.50 30.00 45.00

EUONYMUS—continued	Each	Per 10	Per 100
alatus compacta Dwa	rf Wing	ged Euc	onymus
Dwarf, compact form of the type		_	_
2½ to 3 ft	1.10		
3 to $3^{1/2}$ ft		9.50 11.00	90.00
3½ to 4 ft		13.50	
4 to $4\frac{1}{2}$ ft	2.25		
americanus, 7'-8'	R #/	ook Euc	Summite
		JOK LIUC	mymus
Pink fruits; prefers moist location			
2 to 3 ft	.50 •70	4.00 5.50	35.00 45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.10	9.50	75.00
atropurpureus, 20'-25'	Wal	100 Euc	nymus
Similar to Euonymus europaeus Purple flowers. Crimson fruits wh			
18 to 24 in	.45		
2 to 3 ft		4.70	
3 to 4 ft	.70	5.50	
bungeanus, 12'-14' W	interbe	rry Euc	onymus
Fruits profusely. The orange and	white s	eed pods	persist
on bush for a long time. Good as			•
2 to 3 ft	-	3.50	27.50
3 to 4 ft	•55	4.70	37.50
4 to 5 ft	.75	6.50 8.00	50.00
5 to 6 ft	1.00	9.50	65.00 75.00
7 to 8 ft	1.35	11.00	75.00
8 to 9 ft	1.65	13.50	
europaeus, 12'-14'	Su ro pear	ı Rurni	nohuch
Pink fruits on long stalks, persist	_	_	•
2 to 3 ft	·35	3.00	
3 to 4 ft	•4 <i>5</i> •70	3.70	30.00 45.00
5 to 6 ft	.90	5.50 7.50	60.00
6 to 7 ft	1.10	9.50	75.00
7 to 8 ft	1.35	11.00	
*patens (sieboldianus), 6'-8'	Spread	ing Euc	nymus
Evergreen. Grows vigorously, for			
shrub; leaves persist until late fruits. Effective among denser co	te winte	er. Orna	ımental
free from all insect attacks.			
12 to 15 in	.45	3.70	30.00
15 to 18 in	•55	4.70	37.50
18 to 24 in	.70	5.50 7.50	45.00 60.00
2 to 2/2 it	.90	7.50	00.00
radicans, climbing to 15'		Winter	creeper
Evergreen. Self-clinging vine. C walls, also useful for under plan			
9 to 12 in., 2 year	_	2.80	22.50
12 to 15 in., 3 year	•45	3.75	30.00

EUONYMUS—continued	Each	Per 10	Per 100
radicans acutus, 6'-12'	Sharpleaf	Winter	creeper
Evergreen. A graceful form, white veins, purplish undernea		narrow	leaves,
9 to 12 in., 2 year		1.90	15.00
12 to 15 in., 3 year		2.80 3.70	22.00 30.00
—carrieri, 3'-4'	Glossy	Winter	creeper
Evergreen. Has large, shiny, po		es; bush	y habit.
9 to 12 in., 2 year		1.90	_
12 to 15 in., 2 year		2.50 2.80	
18 to 24 in., 4 year	•45	3.70	_
2 to 3 ft., 5 year	55	4.70	37.00
•	edleaved		_
Evergreen. Long, narrow leatinged purple above. Very effect			erneath,
9 to 12 in., 2 year		2.80	_
12 to 15 in., 3 year		3.75	30.00
—minimus (kewensis), 6"-12"	_		_
Evergreen. Has tiny, evergreen habit. Charming rock subject.			
3 in. pots	• •35	2.80	22.00
-variegatus, 12"-15" Varieg Evergreen. Leaves veined and and pink. Clinging vine.			_
9 to 12 in., 2 year	35	2.80	22.50
12 to 15 in., 3 year		3 . 75	_
-vegetus, 3'-4'	Bigleaf	Winter	creeper
Evergreen. Bushy, interesting dull green; bright scarlet fruit some among evergreens. Also sweet.	ts, freely p	produced	. Hand-
9 to 12 in., 2 year	35	2.80	22.50
12 to 15 in., 3 year		3.70	30.00
15 to 18 in., 3 year		4.70 5.50	37.00 45.00
2 to 2½ ft., 5 year		6.50	52.50
2½ to 3 ft., 6 year	90	7.50	60.00
Wilsoni, 15'-20' Climbing shrub with lance-s		son Euc	_
flowers and fruit. Tender speci	es.		
2 to 3 ft	80	6.50	
yedoensis, 10' Tall upright shrubs; attractive		ddo Euc	-
2 to 3 ft	45	3.75	
3 to 4 ft	70	5.50	45.00
EXOCHORDA grandiflora, 6'-9	o' Com	non Pea	arlbush
Dazzling, white flowers, May. I	s improve	d by pru	ining.
2 to 3 ft		1.90	15.00
3 to 4 ft		2.80 3.70	,
5 to 6 ft	· •45 · •55	4.70	37.50
6 to 7 ft		6.50	52.50


——≼ F >>--

FAGUS americana, 75'-100'	America	n Beech
Beautiful spreading native tree of Clean, smooth, gray bark. Exceller windbreaks.	nt as a hedge	
<u> </u>	1.65 13.50 2.25 19.00	110.00 150.00
	3.00 25.00	_
4 0	3.75 30.00	
	5.25 45.00	
	7.50 65.00	500.00
sylvatica, 75'-100' Slow-growing. Makes a large, hands	Europeas	n Beech
18 to 24 in., B. & B	1.35 11.00	90.00
	1.65 13.50	110.00
	2.25 19.00	150.00
	3.50 28.00	225.00
	4.50 37.50	300.00
—asplenifolia, 20'-30' Graceful. Slow of growth. Makes		f Beech
with finely cut leaves. Desirable fo		
	2.25 19.00	
	3.50 28.00	
3 to 4 ft., B. & B	5.00 40.00	
—pendula, 25'-40' The green-leaved European Weep	Weepin	g Beech
	4.50 37.50	
A 0	6.00 50.00	
	8.25 70.00	
5 to 6 ft., B. & B	1.00 95.00	
6 to 8 ft., B. & B 1	3.50 110.00	
	ple Europea:	
		ts.
18 to 24 in., B. & B	3.50 28.00	
		D 1
—Riversi, 40'-60' River Compact of habit. Darker purple purpurea.	leaves than	the var.
2 to 3 ft., B. & B	3.00 25.00	
	5.00 42.50	
	7.00	
FORSYTHIA intermedia, 6'-8' Bright yellow flowers in April before		
fuse and beautiful.		
18 to 24 in	.22 2.00	15.00
	.35 2.80	22.50
3 to 4 ft	.40 3.50	27.00
4 to 5 ft	·45 3·75 ·55 4·75	30.00
intermedia spectabilis, 6'-8' Show		orsythia
Most profuse of all, with large ric	•	_
ers.	in gorden yer.	tow now-
	22 2 2	1.5.00
18 to 24 in	.22 2.00	
2 to 3 ft	.35 2.80	_
3 to 4 ft	.40 3.50	•
4 to 5 ft	·45 3·75	30.00
5 to 6 ft	.55 4.70	37.50

FORSYTHIA—continued	Each	Per 10	Per 100
ovata, 6'-8'		orean Fo	
An introduction from Northern Ko Forsythias. Flowers pale primrosethan the other varieties.			
18 to 24 in	.70 1.00	5.50 8.00	45.00
3 to 4 ft	1.50	12.50	
suspensa, 4'-6' Graceful, drooping habit; excellen		eping Fo	
18 to 24 in	.22	1.90	
2 to 3 ft	-35	2.80	
3 to 4 ft	•45	3.75	
4 to 5 ft	.55	4.70	
5 to 6 ft	.80	6.50	J J
—fortunei, 7'-8'		rtune Fo	rsythia
Good habit; arching branches; vi	~	_	
18 to 24 in	.22 ·35	2.00 2.80	15.00 22.50
3 to 4 ft	•33 .40		27.00
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	-55	4.70	_
6 to 7 ft	.80	6.50	52.50
viridissima, 7'-8'	Green	stem Fo	rsythia
Most vigorous; has green bark leaves. Last to flower.			
18 to 24 in	.22	2.00	15.00
2 to 3 ft	·35	2.80	22.50
3 to 4 ft	.40 .45	3.50 3.75	27.00 30.00
	•43	3.13	30.00
FOTHERGILLA major	441 a 1-4	sawn and	of con-
Hardy, densely branched shrub, li siderable garden merit. Fragrant autumnal foliage.			
6 to 12 in	1.10	9.00	
FRANKLINIA alatamaha (Gordor	nia)		
Choice ornamental tree. Large whe shining foliage.		owers. Ha	ndsome
3 in. pots	1.10	9.00	
FRAXINUS americana, 70'-80'		Wh	ite Ash
Fairly rapid grower; assumes pleautumn; good in moist soils.	easing	golden t	ones in
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.90	14.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	19.00	150.00
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	190.00
12 to 14 ft., $1\frac{3}{4}$ to 2 in	4.00 5.25	0,5	260.00 340.00
$2^{\frac{1}{2}} \text{ to } 3 \text{ in.} \dots$	6.00	44.00 50.00	340.00
excelsior, 75'-100'			na Ach
Large spreading tree. A desirable prominent black buds.	e law:	Eur o pea n specime	
4 to 5 ft	.70		
5 to 6 ft	.90	7.50	
6 to 8 ft	1.35		
ornus, 35'-50' Valuable small tree with interesting flowers.	esting	Flowering white f	
3 to 4 ft	1.35		
4 to 5 ft	1.90		
5 to 6 ft	2.25		
	,		

——≼ G >>>—

	Each	Per 10	Per 100
GALAX aphylla			Galax
Transplanted collected clumps	.30	2.50	20.00
21anopianica confedera crampo	.50	2.50	20.00
GENISTA scoparia (See CYTISUS	S)		
—tinctoria, 3'-5'		Woad	lwaxen
Excellent low branching shrub a	ıs a gr	ound co	over, to
naturalize in dry locations. Light			
yellow pea-shaped flowers.	. 6		26
18 to 24 in	.45	3.70	30.00
2 to 3 ft	·45 •55	4.70	37.00
2 0 5 10 0000000000000000000000000000000	•55	4.70	37.00
GINKGO biloba (Salisburia), 50'-75	5' M	Iaidenh	air-tree
Picturesque, interesting, quite dist	inct lea	ves shar	ned like
maidenhair fern; immune from in		ives sina	pe u me
6 to 8 ft	3.75	30.00	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25	45.00	350.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	55.00	450.00
13/4 to 2 in	9.00	75.00	600.00
	11.25	95.00	
	13.50	110.00	
, , , , , , , , , , , , , , , , , , ,			
GLEDITSIA triacanthos, 60'-70' C	ommo	n Hone	ylocust
Thorny tree with fragrant, white	flower	s in Ma	y; good
for gravelly soil. Not affected by			
4 to 6 ft	.80	6.50	52.00
6 to 8 ft	1.10	9.50	75.00
8 to 10 ft	1.90	14.50	110.00
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	19.00	
10 to 12 ft., 13/4 to 2 in	3.00	25.00	
12 to 14 ft., 2 to 21/4 in	4.00	35.00	
GYMNOCLADUS dioica, 40'-50'	Kentu	icky Co	ffeetree
Light, blue-green foliage of slov			
outline.	, grow	tii, pic	turesque
2 to 3 ft	-70	5.50	45.00





Peep-o'-Day

Home of the late Laurence Hutton

	Fach	Per 10	Per 100
HALESIA monticola, 60'-80'		ntain Silv	
Large growing tree, covered w			
flowers—May-June.	vicii co	nspicuous	WIIICC
3 to 4 ft	1.10	8.50	
		Great Sil	romboll
tetraptera, 12'-15'			
Snow-white, bell-shaped flowers i			
along the branchlets. Can be grow massed.	vii as sii	igre speci	inen or
2 to 3 ft	.40	3.50	27.00
3 to 4 ft	.40 .55	4.70	37.00
4 to 5 ft	.80	6.50	52.00
5 to 6 ft	1.10	9.00	75.00
6 to 8 ft	1.50	12.00	97.00
8 to 10 ft	2.00	17.00	135.00
10 to 12 ft	3.25		
HAMAMELIS japonica, 20'-30'	Japane	se Witch	ı-hazel
Interesting Japanese form, blosso			
Lemon-yellow flowers often purp			
2 to 3 ft	2.25		
•	3.00	-	
4 to 5 ft	4.00	35.00	
virginiana, 10'-12'	Commo	on Witch	ı-hazel
Yellow, ribbon-like flowers, Octob			
habit, good foliage. Succeeds be			
places.		ĺ	
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.10	9.00	75.00
6 to 8 ft	1.35		90.00
8 to 10 ft	2.25	19.00	
HEDERA colchica dentata, 20'-50'	Gia	int Engli	sh Ivy
Evergreen. Strong growing climbe	er, with	large eve	ergreen
heart-shaped leaves, very decora	tive.		
12 to 18 in., 3 in. pots	. 45	3 . 7 <i>5</i>	30.00
helix, 20'-50'		Englis	sh Ivy
Evergreen. Good ground cover	in shad		_
ideal wall cover.			
12 to 18 in., 3 in. pots	•3 <i>5</i>	2.80	22.00
—baltica, 15'-25'	Har	dy Engli	sh Ivv
Small-leaved form differing little			
in its greater hardiness.		71	-
12 to 18 in., 3 in. pots	.45	3.70	
—gracilis, 8'-10'	Miniatu	re Englis	sh Tvv
Evergreen. Similar to English Ivy			
foliage. A most graceful vine.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	iliali, dall	z green
2 year, 3 in. pots	.45	3.70	
			-14h
HIBISCUS syriacus (Althea), 10	-12	Shrub.	artnea
Our stock all Eastern grown.	ina in	Anguet er	d con
Rather formal in outline, flowers tember. Pink, purple, red, white			
double. Also called Rose-of-Share		rue, sing	ic and
anemonaeflorus, double pink.			
ardens, double rose violet.			
Boule de feu, double bright red.			
coelestis, single blue.			
coereuleus plena, semi-double pa	irple.		
, , , , , , , , , , , , , , , , , , ,	P		

HIBISCUS—continued Comte de Hainault, double pink Duchess de Brabant, double red. elegantissima, single pink. Jeanne d'Arc, semi-double white. puniceus plenus, small double pin purpureus plenus, double purple. rubis, single red. Snowdrift, pure white single. totus albus, single white. W. R. Smith, single white.	, whi	Per 10 l	
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 10 ft.	.35 .45 .65 .80 1.10 1.50 2.50	2.80 3.75 5.50 6.50 9.00 12.50 20.00	22.50 30.00 45.00 52.50 75.00 100.00 175.00
variegated, 6'-8' Variegated Le			Sharon
Leaves striped yellow; compact g 2 to 3 ft	.45 .80 1.10 1.35	3.70 6.50	50.00 75.00
HYDRANGEA arb. grandiflora alb	a (st	erilis), 4'-	5′
		Sn	owhill
Large double white flower panicle		y showy. <i>1</i> 2.25	
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.45	_	
4 to 5 ft	·55	4.70	
paniculata (type), 8'-9'	Pan	icle Hydi	rangea
Bears long, loose panicles of white	flowe	ers. August	: .
18 to 24 in	.27		18.00
2 to 3 ft	·35	_	
3 to 4 ft	•55 .80	4.70 6.50	
		egee Hydi	•
—grandiflora, 8'-9' Very showy, blooming in August.	1 66	gee rryu	angea
18 to 24 in	.22	1.90	15.00
2 to 3 ft	.30		
3 to 4 ft	.40		
4 to 5 ft	•55	4.70	37.50
standard		Tree Hyd	rangea
Useful for formal effects in the gar	.45	3 <i>-</i> 7 <i>5</i>	30.00
3 to 4 ft., first class	.70		45.00
4 to 5 ft., first class	1.00	8.50	67.50
petiolaris, 30'-50'	Climb	oing Hydi	angea
Attractive, rampant-growing vine			
against large brick or stone buildi			ootlets.
3 in. pots, 3 year	1.10	9.00	
quercifolia, 3'-4'		leaf Hydr	
Leaves shaped like an oak leaf. B		ul autumn	color-
ing; succeeds in shade. Very desirate 18 to 24 in	.55	4.70	37.50
2 to 3 ft		6.50	50.00
3 to 4 ft	1.10		75.00

	Each	Per 10	Per 100
HYPERICUM aureum, 3'-4'	Golden	St. Joh	nswort
Yellow. July-August. Blue-green	foliage;	dense h	abit.
18 to 24 in	-35	2.80	22.50
2 to 3 ft	.40	3.50	
3 to 4 ft	.55	4.70	
4 to 5 ft	.80	6.50	52.50
buckleyi, 1'	Iountair	St. Joh	nswort
Low spreading plant from the Likes a sunny, well-drained posi			
Rich yellow flowers about one inc			Ŭ
8 to 10 in	· <u>5</u> 5	4.70	37.50
10 to 12 in	.80	6.50	
densiflorum, 4'-5'			
Yellow, July-Sept. Free flowering	; good f	or sandy	soil.
18 to 24 in	.45	3.75	30.00
2 to 2½ ft	·55	4.70	
$2\frac{1}{2}$ to 3 ft	.70 .75	5.50 6.00	45.00
kalmianum, 3'-5'	Ka		pericum
18 to 24 in	•35	2.80	~
2 to 3 ft 3 to 4 ft	.45	3.70	-
4 to 5 ft	.55 .80	4.70	37.50
moserianum, 2'		Go1	dflower
Hybrid form. Useful in the po	erennial		
yellow flowers over two inches a			
9 to 12 in., $3\frac{1}{2}$ in. pots	· 4 5	3.75	
12 to 15 in., 4 in. pots	.60	_	
15 to 18 in., 5 in. pots	.90 1.35		
	Shrubby		
Strong, vigorous grower. Masses very dry or sandy soils.		· .	
18 to 24 in	.45	3.75	30.00
2 to 3 ft	-55	4.70	37.50
3 to 4 ft	.80	6.50	



THE BARRACKS

Now the residence of Dr. J. D. Spaeth

——— ≼ I ﴾——

	Each	Per 10	Per 100
ILEX crenata, 8'-10'	_	apanese	_
Evergreen. Box-like leaves, rich, o ing, makes a good hedge. Black b		en. Stiff	branch-
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.10 1.90 3.00 3.75 4.50 5.50	9.00 14.50 25.00 30.00 37.50 47.50	75.00 110.00 190.00 250.00 300.00
-convexa (bullata), 4'-5'	Conve	x leaved	Holly
Choice evergreen form of slow foliage. Makes a distinctive specim		. Shiny	convex
6 to 9 in., B. & B	.65 .95 ^ 1.35	5.50 8.00 11.00	45.00 65.00 90.00
crenata microphylla, 6'-8' Lit	tleleaf]	Tapanese	Holly
Evergreen. Smaller leaves and ming.	ore har	dy than	preced-
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.90 2.25 3.00 4.50 6.00	14.50 19.00 25.00 37.50 50.00	110.00 150.00 190.00 300.00 400.00
glabra, 5'-6'		In	kberry
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun.			
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	2.00 3.00 3.50 4.50 5.50	15.00 25.00 28.00 37.00 47.50	125.00 190.00 225.00 300.00
monticola, 20'-25'	Aountai	n Winte	rberry
Deciduous shrub. Light brown Rather large leaves. Fruit scarlet, the Black Alder.			
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	1.65 1.90 3.00 3.40 4.00	25.00 28.00	
opaca, 45'-50'	A	.me ric an	Holly
Evergreen. Does best in moist, Rather difficult to transplant.	partially	y shaded	place.
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B.	2.25 3.50 5.00 7.25 9.00 11.00 15.00 20.00	20.00 28.00 40.00 60.00 75.00 90.00	150.00

ILEX—continued	Each	Per 10	
verticillata (primos), 6'-8'			erberry
Bright red berries persisting to m birds. Prefers moist soil. Also cal			
18 to 24 in	•3 <i>5</i>	2.80	22.50
2 to 3 ft	-55	4.50	35.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	1.00	8.50	67.50
5 to 6 ft	1.35 1.65	11.00	90.00
NDIGOFERA amblyantha, 6'	1.05	13.50 Pink	Indigo
Low growing shrub bearing pea	-like, ro		_
abundantly produced over a long			110 11 010
3 to 4 ft		9.50	
potanini, 6']	Potanin	Indigo
A native of China. Has rosy pury tractive when used in masses.			_
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.65	13.50	
5 to 6 ft	2.25	19.00	
ITEA virginica, 3'-4'			eetspire
Spikes of fragrant, white flower		Good f	or low
places; brilliant autumn coloring			
18 to 24 in	•55	4.75	37.50
2 to 2½ ft	.75	6.50	50.00
2½ to 3 ft	.90	7.50	60.00
3 to 3½ ft	1.10	9.00	75.00
3½ to 4 ft	1.35 1.65	11.00 13.50	
4 10 3 11	1.05	13.30	
		1	
	100		•
四番 が がっこう とうしゅう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう しゅうしゅう しゅう		fl if	
)	. 1
I I.	1	d / ;	1
		- 1	1 / 1
			Tilda!
	4	4 1:7	
		Willy,	KIN
		M. The	#W/I
		SIL	
	3		
	THE STATE OF THE S		2 my
	i Wiese		2 1
	The Was		<i>3</i> ′, (1)
The second secon	多多个	Tex.	
		2 come.	Links the
	W. San	afigur }	2 1
The state of the s	1111120	EL 4 1 11	Jan
	It Mil	1 11 11 15	1
1 / 11: 11: YEAR MINE OF THE WAY	用的机机	1 11/1	
	1//	1	
111/2017	7		

THE GRADUATE COLLEGE

This view shows the western end of Procter Hall, as seen from the garden of Wyman House, the residence of the Dean of the Graduate School

	Each	Per 10	Per 100
JASMINUM nudiflorum, 3'		Winter	Jasmine
Yellow. April-May. Needs protect One of the first to bloom in the spr		norther	n States.
12 to 18 in	·3 <i>5</i>	2.80	22.50
18 to 24 in	. 45	3.75	30.00
2 to 3 ft	•55	4.70	37.50
stephanensis, 3'			
Large fragrant flowers of soft pal	le pink	. Tender	species.
18 to 24 in	.55 .70	4.70 5.50	37.50 45.00
JUGLANS nigra, 80'-100'		Black	Walnut
Tall, erect native tree, with wides compound foliage. Edible fruit.	preadi	ng branc	hes. Has
8 to 10 ft., 2 to 2½ in	4.00		
10 to 12 ft., 2½ to 3 in	5.25 6.75		
12 to 14 ft., 3 to $3\frac{1}{2}$ in	0.75		
JUNIPERUS chinensis, 15'-20'	(Chinese	Juniper
Formal columnar outline, gray-green.	een fol	iage. A s	plendid,
2 to 2½ ft., B. & B	2.00	15.00	
$2\frac{1}{2}$ to 3 ft., B. & B	2.75 3.50	22.50 28.00	175.00 225.00
4 to 5 ft., B. & B	5.25	45.00	350.00
5 to 6 ft., B. & B	6.75	55.00	
—albovariegata, 6' to 7' White	eleaf (Chinese	Juniper
Light bluish foliage intermingl branches making very distinctive idal shape.			
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35	11.00	90.00
2 to $2\frac{1}{2}$ ft., B. & B	2.25		
2½ to 3 ft., B. & B	2.75	22.50	175.00
3 to 4 ft., B. & B	3.50	28.00	
—columnaris (pyramidalis), 15'-20	,		
		Chinese	Juniper
			Ť
Evergreen. Grows rapidly, formit of gray-green foliage. Spire-like			
evergreen planting.	CIRCLE	· very d	isciai in
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.75	22.50	175.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.00 7.50	50.00 60.00	400.00
7 to 8 ft., B. & B	9.50	80.00	
8 to 10 ft., B. & B	12.50	100.00	

JUNIPERUS—continued	Each	Per 10	Per 100
chinensis columnaris viridis, 15'	-20'	himan	Tuniosa
	olumn C		
A light green form of the a growth.	DOVE SITE	silly Si	JWCI III
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	2.75	22.50 28.00	175.00
3 to 4 ft., B. & B	3.50 5.00	40.00	
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B	7.50	65.00	500.00
7 to 8 ft., B. & B	9.00	75.00	
8 to 9 ft., B. & B	12.00	90.00	
9 to 10 ft., B. & B	15.00	125.00	
—femina, 5'-6'		Reeves	
Spreading type. Slender branches female flowers and fruit.	s. Scale-lil	ke foliag	e. Bears
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	4.00	35.00	
3 to 4 ft., B. & B	5.50	47.00	
—neaboriensis, 7'-8'	Conical		_
Evergreen. Very formal, narrow Useful accent plant.	руганна	. Prickly	r leaves.
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	2.00	15.00	125.00
2½ to 3 ft., B. & B	2.50	20.00	
3 to 4 ft., B. & B	3.50	28.00	
5 to 6 ft., B. & B	5.50	47.50	
oblonga, 7'-8'			
Evergreen. Forms a broad, irreg	ular pyra	mid with	h feath-
ery branches. Grayish foliage.	1.10	0.00	
18 to 24 in., B. & B	1.10 1.65	9.00 13.50	110.00
2½ to 3 ft., B. & B	2.50	20.00	175.00
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	6.00	50.00	
6 to 7 ft., B. & B	7.50	65.00	
—pfitzeriana, 5'-6'		T. C.	
			Juniper
Evergreen. Broad, bushy habit.	Gray-gre	en folia	ge, giv-
	Gray-gre	en folia	ge, giv-
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B	Gray-gre	en folia	ge, giv-
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B	Gray-gre st adaptal	en folia ole, hard	ge, giv- ly ever- 75.00 97.50
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B	Gray-gre st adaptal 1.10 1.45 2.00	9.00 12.00	ge, giv- ly ever- 75.00 97.50 125.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B	Gray-gre et adaptal 1.10 1.45 2.00 2.75	9.00 12.00 14.50 22.50	ge, giv- ly ever- 75.00 97.50 125.00 175.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Gray-gre et adaptal 1.10 1.45 2.00 2.75 4.50	9.00 12.00 14.50 22.50 37.50	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00	9.00 12.00 14.50 22.50 37.50 50.00	ge, giv- ly ever- 75.00 97.50 125.00 175.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Gray-gre et adaptal 1.10 1.45 2.00 2.75 4.50	9.00 12.00 14.50 22.50 37.50	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00	9.00 12.00 14.50 22.50 37.50 50.00	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Gray-grest adaptal 1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00	9.00 12.00 14.50 22.50 37.50 50.00 65.00	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Prostrate habit, grass A valuable ground cover and ro	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00	9.00 12.00 14.50 22.50 37.50 50.00 65.00 argent J	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Prostrate habit, grass A valuable ground cover and rout to 15 in., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00 Segreen for the plant.	9.00 12.00 14.50 22.50 37.50 50.00 65.00 argent J	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00 ———————————————————————————
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00 Segreen for ck plant. 1.50 2.00	9.00 12.00 14.50 22.50 37.50 50.00 65.00 argent Joliage.	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00 ———————————————————————————
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½' Evergreen. Prostrate habit, grass A valuable ground cover and ro 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00 Segreen for ck plant. 1.50 2.00 2.75	9.00 12.00 14.50 22.50 37.50 50.00 65.00 argent Joliage. 12.50 17.00 22.50	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.10 1.45 2.00 2.75 4.50 6.00 8.00 11.00 Segreen for ck plant. 1.50 2.00	9.00 12.00 14.50 22.50 37.50 50.00 65.00 argent Joliage.	ge, giv- ly ever- 75.00 97.50 125.00 175.00 300.00 400.00 ———————————————————————————

JUNIPERUS—continued	Each	Per 10	Per 100
communis, 15'-25'	C	ommon	Juniper
Evergreen. Forms a vase-shaped p	lant.		
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.10	9.00	
2 to 2½ ft., B. & B	1.35	11.00	
3 to 4 ft., B. & B	2.25 3.50	28.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	5.50	47.50	-
communis aurea, 6'-10'		Golden	Juniper
Evergreen. Low-spreading habit. (larly bright in spring.	Golden	foliage,	particu-
2 to 2½ ft., B. & B	2.25	_	150.00
2½ to 3 ft., B. & B	3.00	_	190.00
3 to 3½ ft., B. & B	4.00	35.00	
—canadensis, 5'-6'		Canada	· .
Evergreen. Forms a low vase-shar green above, bluish underneath.			res dark
2 to 2½ ft., B. & B	1.65	~ ~	110.00
3 to 4 ft., B. & B	3.50 4.50	28.00 37.50	
	4.30		T
—cracovica, 20'-30'			Juniper
Evergreen. Upright, branching from narrow column.			
2 to 2½ ft., B. & B	1.10	9.00	• •
2½ to 3 ft., B. & B	1.65 3.00	13.50 25.00	110.00
4 to 5 ft., B. & B	3.50	28.00	_
—depressa (prostrata), 2'-3'		ostrate	
Evergreen. Branches spread almost			_
ful ground cover and rock plant.		9	
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	3.00	25.00	190.00
2½ to 3 ft., B. & B	4.00 4.50	35.00 37.50	260.00 300.00
4 to 5 ft., B. & B	5.50	47.50	375.00
	ed Spr	eading	
New, exceedingly hardy, assumes a			_
color in winter. Transplants readil			
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	1.90	15.00	125.00
2 to 2½ ft., B. & B	2.50	20.00 30.00	175.00 250.00
3 to 4 ft., B. & B	3.7 <i>5</i> 4.50	37.50	230.00
4 to 5 ft., B. & B	6.00	50.00	
—hibernica, 20'-30'		Irish [Juniper
Evergreen. A very narrow pyramic like effect.	d. Usef		
18 to 24 in., B. & B	.80	6.50	52.00
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	2.50	20.00	175.00
4 to 5 ft., B. & B	3.75	30.00	250.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	5.25 6.50	45.00 55.00	350.00
0 to / Iti, D. & D	0.50	55.00	

JUNIPERUS—continued	Each	Per 10	Per 100
communis suecica, 20'-30'		wedish J	
Quick growing. Narrow, upright f		wedish j	umper
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	2.00	17.00	135.00
3 to 4 ft., B. & B	2.75	22.50	200.00
4 to 5 ft., B. & B	3.7 <i>5</i>	30.00	250.00
——nana, 5'-6'	warf S	wedish J	uniper
Evergreen. A narrow, compact co		of slow	growth.
Good foundation or rockery plan-		6	
12 to 15 in., B. & B	.80 1.10	6.50 9.00	
18 to 24 in., B. & B	1.50	12.50	100.00
2 to 2½ ft., B. & B	2.25	20.00	150.00
excelsa stricta, 4'-5'	Spiny	Greek]	Tuniner
Evergreen. Compact, well-shaped			
green. Most useful for formal ef		 1 01146	c gruj
9 to 12 in., B. & B	.65	5.50	45.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90 2.50	15.00 20.00	125.00
3 to 3½ ft., B. & B	3.50	28.00	225.00
3½ to 4 ft., B. & B	4.50	37.50	
4 to 4½ ft., B. & B	6.00	50.00	
$4\frac{1}{2}$ to 5 ft., B. & B	7.50	65.00	
5 to 6 ft., B. & B	9.00	75.00	
6 to 7 ft., B. & B	12.00	90.00	
horizontalis (sabina prostrata), i	I'-I ^I /2'		
Evergreen. Branches trail along g	I'-I ^I /2'		
Evergreen. Branches trail along g work and ground covering.	t'-1½' round.	Adapted	to rock-
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B	1'-1½' round	Adapted 8.50	67.50
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B	1.00 1.50	8.50 12.50	67.50 97.50
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1'-1½' round	Adapted 8.50	67.50
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B	1.00 1.50 2.25	8.50 12.50 19.00	67.50 97.50
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.00 1.50 2.25 3.00	8.50 12.50 19.00 25.00	67.50 97.50
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B	1.00 1.50 2.25 3.00 4.50	8.50 12.50 19.00 25.00 28.00	67.50 97.50 150.00
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin	1.00 1.50 2.25 3.00 3.50 4.50 Wa	8.50 12.50 19.00 25.00 28.00 37.50 ukegan	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun	1.00 1.50 2.25 3.00 3.50 4.50 Ward cover	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground.	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple huse	1.00 1.50 2.25 3.00 3.50 4.50 Wang along	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground.	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ; also enter.	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground.	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hud among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Wand cover e in wir 1.65 2.25 3.00	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. r; also enter. 13.50 19.00 25.00	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover e in wir 1.65 2.25 3.00 3.75	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. r; also enter. 13.50 19.00 25.00	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hum among rocks. Distinct purple hum and the second seco	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover e in wir 1.65 2.25 3.00 3.75 5.00	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. r; also enter. 13.50 19.00 25.00 30.00 40.00	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hud among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 3 to 3½ ft., B. & B. —glauca, 1'-1½'	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover e in wir 1.65 2.25 3.00 3.75 5.00 Blue	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground. ; also enter. 13.50 19.00 25.00 30.00	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. -glauca, I'-I½' 2 to 2½ ft., B. & B. —glauca, I'-I½' 2 to 2½ ft., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover e in wir 1.65 2.25 3.00 3.75 5.00	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ; also enter. 13.50 19.00 25.00 30.00 40.00 Creeping	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —glauca, 1'-1½' 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 War g along id cover e in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground. ; also enter. 13.50 19.00 25.00 30.00 40.00 Creeping	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. -glauca, I'-I½' 2 to 2½ ft., B. & B. —glauca, I'-I½' 2 to 2½ ft., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Wa g along d cover e in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. r; also enter. 13.50 19.00 25.00 30.00 40.00 Creeping	67.50 97.50 150.00 ——————————————————————————————————
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hud 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —glauca, 1'-1½' 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Way g along d cover e in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00 6.75	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground. ; also enter. 13.50 19.00 25.00 30.00 40.00 Creeping	67.50 97.50 150.00 Juniper Steely-effective 110.00 150.00 g Savin
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. hudsonica, I'-I½' Excellent, trailing plant useful	1.00 1.50 2.25 3.00 3.50 4.50 Waig along d cover in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00 6.75	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground. ground. ground. c; also 19.00 25.00 30.00 40.00 Creeping 28.00 40.00 fudson Hudson	67.50 97.50 150.00 Juniper Steely- effective 110.00 150.00 g Savin Juniper
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. -glauca, I'-I½' 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. hudsonica, I'-I½' Excellent, trailing plant useful rapid growth.	1.00 1.50 2.25 3.00 3.50 4.50 Waig along d cover in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00 6.75	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. grou	funiper Steely- effective 110.00 150.00 Savin Juniper Steely- effective
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 4 to 5 ft., B. & B. hudsonica, I'-I½' Excellent, trailing plant useful rapid growth. 12 to 15 in., B. & B.	1.00 1.50 2.25 3.00 3.50 4.50 Was along to cover the in wire 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00 6.75 In the cover	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. ground. ground. ground. c; also 19.00 25.00 30.00 40.00 Creeping 28.00 40.00 55.00 Hudson ock work	67.50 97.50 150.00
Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailin blue foliage. A splendid groun among rocks. Distinct purple hue 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. -glauca, I'-I½' 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. hudsonica, I'-I½' Excellent, trailing plant useful rapid growth.	1.00 1.50 2.25 3.00 3.50 4.50 Waig along d cover in wir 1.65 2.25 3.00 3.75 5.00 Blue 2.50 3.50 5.00 6.75	8.50 12.50 19.00 25.00 28.00 37.50 ukegan ground. grou	funiper Steely-effective 110.00 150.00 Savin Juniper Steely-effective 110.00 150.00 Juniper Fairly 75.00 100.00

JUNIPERUS—continued	Each	Per 10	Per 100
japonica, 6'-8'	Ja	ipanese J	uniper
Evergreen. Low grower, spreading leaves. Adapted to rock planting.			green
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.25	20.00	150.00
2 to 2½ ft., B. & B	3.50 4.50	28.00 37.50	225.00 300.00
3 to 3½ ft., B. & B	5.50	47.00	300.00
—aurea variegata, 5'-6'			• . •
Variegated Dw Low growing form. Tips of branc			
18 to 24 in., B. & B	2.50	20.00	
2 to 2½ ft., B. & B	4.00	35.00	
sabina, 6'-7'		Savin J	_
Evergreen. Dense, dark green folia		reading bi	anches,
forming irregular, vase-shaped pla	.80	6.50	
12 to 15 in., B. & B	1.10	6.50 9.50	
18 to 24 in., B. & B	1.90	15.00	
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 3½ ft., B. & B	3.75	31.00	250.00
$3\frac{1}{2}$ to 4 ft., B. & B	4.50	37.50	300.00
	5.50	47.50	
		ix Savin J	_
Evergreen. A prostrate-growing typof soft texture.			
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	3.00	25.00 28.00	
2½ to 3 ft., B. & B	4.50	37.50	
scopolorum, 35'-50'	• •	olorado J	uniner
Native of Colorado. Forms a broad ing branches. Foliage yellowish gr	head v		_
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50		
sphaerica (fortunei), 20'-30' Densely branched upright form.			
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	3 . 75	31.00	
squamata meyeri, 3'-4'		Meyer J	Tuniper -
A beautiful, deep blue evergreen desirable.	of d	warf habi	it, very
12 to 15 in., B. & B	1.65	13.50	90.00
15 to 18 in., B. & B	2.00	17.00	110.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	3.75 5.25	31.00 45.00	250.00 350.00
3 to 3½ ft., B. & B	6.75	55.00	450.00
			•
virginiana, 35'-50' Our native Redcedar, all nursery g			dcedar
Evergreen. Forms a dense colum purplish in winter. Useful in for plantings.	n, dec ormal	ep green work, or	mixed
5 to 6 ft., B. & B	5.00	40.00	325.00
6 to 8 ft., B. & B	7.50	<u>.</u>	500.00
8 to 10 ft., B. & B	9.00	75.00	600.00
10 to 12 ft., B. & B	12.50	110.00	900.00
12 to 14 ft., B. & B	15.00	125.00	

JUNIPERUS—continued	Fach	Per 10	Der 100	
virginiana special selected blue			100	
We offer a selected strain of Cedars remarkable for their				
uniformity of shape and even, bl 5 to 6 ft., B. & B	6.00	50.00	400.00	
6 to 8 ft., B. & B	9.00	75.00		
8 to 10 ft., B. & B	12.00	90.00		
—burki, 10'-12'		Burks	Juniper	
Evergreen. Distinct blue, forming			•	
18 to 24 in., B. & B	1.65	13.50	110.00	
2 to 2½ ft., B. & B	2.00 2.50	15.00 20.00	125.00	
3 to 4 ft., B. & B	3.25	27.50	200.00	
4 to 5 ft., B. & B	4.00	35.00	275.00	
5 to 6 ft., B. & B	5.50	47.50	375.00	
6 to 7 ft., B. & B	7.50	65.00		
7 to 8 ft., B. & B	9.00	75.00		
-cannarti, 12'-15'		nnart Ro		
Evergreen. Very deep, rich blacki growing columnar form. An ari		n romage	. Dense-	
18 to 24 in., B. & B	1.65	13.50	110.00	
2 to 2½ ft., B. & B	2.00	15.00	125.00	
$2\frac{1}{2}$ to 3 ft., B. & B	2.50	20.00	175.00	
3 to 4 ft., B. & B	3.50	28.00		
4 to 5 ft., B. &. B	4.50 5.50	37.50 47.50		
			1 1	
—elegantissima, 12'-15'		oldtip Re		
Evergreen. Bright yellow tips to lin winter. Pyramidal habit.	branches	s, turning	bronze	
2½ to 3 ft., B. & B	2.50	20.00		
3 to 4 ft., B. & B	3.50	28.00	225.00	
4 to 5 ft., B. & B	4.50	37.50		
— glauca, 15'-20'	S	Silver Re	edcedar	
Evergreen. Distinct, blue-gray fol	liage. Ti	ee devel	ops into	
a tall, narrow column.	. 6 -			
18 to 24 in., B. & B	1.65	13.50	110.00	
2 to 2½ ft., B. & B	2.00 2.50	15.00 20.00	125.00	
3 to 4 ft., B. & B	3.25	27.50	200.00	
4 to 5 ft., B. & B	4.50	37.50	300.00	
5 to 6 ft., B. & B	6.00	50.00	400.00	
6 to 7 ft., B. & B	7.50	65.00	500.00	
8 to 10 ft., B. & B., specimen	15.00 20.00	170.00		
12 to 14 ft., B. & B., specimen	25.00	200.00		
-globosa, 3'-4'		Globe Re	dcedar	
Dwarf compact form with bright				
18 to 24 in., B. & B	4.00	35.00		
2 to $2\frac{1}{2}$ ft., B. & B	5.00	40.00		
-keteleeri, 15'-18'	Ket	eleer Re	dcedar	
A splendid evergreen of pyramid				
green, scale-like leaves. Compact		-	-	
18 to 24 in., B. & B	1.65 2.00	13.50 15.00	110.00	
2½ to 3 ft., B. & B	2.50	20.00	175.00	
3 to 4 ft., B. & B	3.25	27.50	200.00	
4 to 5 ft., B. & B	4.00	35.00	275.00	
5 to 6 ft., B. & B	5.50	47.50	375.00	
6 to 7 ft., B. & B	7.50 9.00	65.00 75.00		
7 to 0 Iti, D. & D	9.00	73.00		

JUNIPERUS—continued	Each	Per 10	Per 100
virginiana Kosteriana, 3'-4'	K	oster Re	edcedar
Semi-dwarf type of horizontal grow foliage.	wing ha	bit. Bluis	h - green
18 to 24 in., B. & B	3.75	31.00	
2 to 2½ ft., B. & B	5.00	40.00	
2½ to 3 ft., B. & B	6.75	55.00	
3 to 3½ ft., B. & B	8.00	65.00	
3½ to 4 ft., B. & B	9.00		1 1
—pendula, 25'-30'		ping Re	
A weeping form of the Redcedar branches.			ndulous
3 to 4 ft., B. & B	5.50	47.00	
4 to 5 ft., B. & B	6.75	55.00	
—pyramidalis, 35'-50'	_	nidal Re	dcedar
Columnar in outline with dense co	mpact I	nabit.	
18 to 24 in., B. & B	1.50	_	100.00
2 to 2½ ft., B. & B	2.25		150.00
2½ to 3 ft., B. & B	3.00		200.00
3 to 4 ft., B. & B	4.00	35.00	275.00
—schotti, 12'-15'		chott Re	
Evergreen. Has fresh green foli		ompact,	formal.
columnar habit. Good winter colo	r, quite		•
18 to 24 in., B. & B	1.50	hardy. 12.50	100.00
18 to 24 in., B. & B	1.50 2.25	hardy. 12.50 20.00	100.00
18 to 24 in., B. & B	1.50 2.25 3.00	12.50 20.00 25.00	100.00 150.00 200.00
18 to 24 in., B. & B	1.50 2.25 3.00 3.50	12.50 20.00 25.00 28.00	100.00
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 4.00	12.50 20.00 25.00 28.00 35.00	100.00 150.00 200.00
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50	12.50 20.00 25.00 28.00	100.00 150.00 200.00
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50	12.50 20.00 25.00 28.00 35.00 47.50	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 mith Re	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6'-8' Choice variety. Compact pyramid	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 mith Re	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S —brigh 2.00	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Ret green 17.00	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6'-8' Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S —brigh 2.00 2.50	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Re t green 17.00 20.00	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S —brigh 2.00	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Re t green 17.00 20.00	100.00 150.00 200.00 ————————————————————————————
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S —brigh 2.00 2.50 3.00 3.50	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Ret green 17.00 20.00 25.00	100.00 150.00 200.00 dcedar foliage.
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. —smithi, 6′-8′ Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S—brigh 2.00 2.50 3.00 3.50	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 mith Ret green 17.00 20.00 25.00 28.00	dcedar foliage.
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. tripartita, 4'-5' Evergreen. A bushy, half-upright	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S—brigh 2.00 2.50 3.00 3.50	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 mith Ret green 17.00 20.00 25.00 28.00	dcedar foliage.
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramidals to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. tripartita, 4'-5' Evergreen. A bushy, half-upright branches. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S—brigh 2.00 2.50 3.00 3.50 Four	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Ret green 17.00 20.00 25.00 28.00 ntain Re	dcedar foliage.
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Choice variety. Compact pyramid 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. tripartita, 4'-5' Evergreen. A bushy, half-upright branches. 3 to 4 ft., B. & B.	1.50 2.25 3.00 3.50 4.00 5.50 7.50 S—brigh 2.00 2.50 3.00 3.50 Four	hardy. 12.50 20.00 25.00 28.00 35.00 47.50 ——— mith Ret green 17.00 20.00 25.00 28.00 ntain Ret r with f	dcedar foliage.

——— K >>>——

KALMIA angustifolia, 3'-4'		Sheep	-laurel
Rather an open growing bush the flowers June-July.	with pr Each		
12 to 15 in., B. & B	1.20 1.50	9.00 12.00	
latifolia, 8'-10'	1	Mountair	n-laurel
Evergreen. Most effective in Jun	e when	the clu	sters of
pink flowers open. This stock is foliage; likes shade.			
15 to 18 in., B. & B	1.50	12.00	97.50
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.00	25.00	200.00
2½ to 3 ft., B. & B	3.75	31.00	250.00
3 to 3½ ft., B. & B	5.50	47.00	
KERRIA japonica, 4'-5'			Kerria
Golden-yellow flowers. June-Sept	tember.	Green b	ranches.
18 to 24 in	·55	4.75	37.50
2 to 3 ft	.80	6.50	52.50
—fl. pl., 4'-5'		Double	Kerria
Similar to the preceding variety b	out with	double	flowers.
18 to 24 in	·75	6.50	50.00
KOELREUTERIA paniculata, 25	′-30′	Varn	ishtree
Has bright yellow flowers in Ju	_		
flowering tree. Also called Gold			
3 to 4 ft	.90		60.00
4 to 5 ft	_	11.00	90.00
5 to 6 ft		13.50	110.00
6 to 7 ft		19.00	150.00
7 to 8 ft	3.00	25.00	200.00
8 to 9 ft	3·7 <i>5</i>	31.00	
KOLKWITZIA amabilis, 6'-8'		Beau	tybush
A beautiful shrub somewhat simi			
any of the Weigelas. Covered in o	early M	ay with	mass of
2 to 3 ft	. 45	3.70	30.00
3 to 4 ft	-55	4.70	37.50
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.10	9.00	75.00



MERCER HEIGHTS

In this house General Mercer died, January 12, 1777, from wounds received in the Battle of Princeton

	Each	Per 10	Per 100
LABURNUM vulgare, 30'	24011		nchain
Attractive, small tree with yellowin long racemes.	w, pea	shaped i	Howers,
2 to 3 ft	.90	7.50	
3 to 4 ft	1.15	9.50	
4 to 5 ft	1.65	13.50	
LARIX europaea (decidua), 50'-60		_	Larch
Especially good for spring effects;	-		
3 to 4 ft., B. & B	1.65 2.25	13.50 19.00	
5 to 6 ft., B. & B	3.00	25.00	
6 to 8 ft., B. & B	3.50	28.00	
8 to 10 ft., B. & B	4.25	35.00	*****
10 to 12 ft., B. & B	5.25	45.00	
leptolepis (kaempferi), 50'-60'	•	apanese	Larch
Fast-growing, handsome tree, simi	_		
3 to 4 ft., B. & B	1.65	13.50	
4 to 5 ft., B. & B	2.25	19.00	150.00
5 to 6 ft., B. & B	3.00 3.75	25.00 31.00	200.00
8 to 10 ft., B. & B	5.25	45.00	350.00
10 to 12 ft., B. & B	6.75	55.00	
LEIOPHYLLUM buxifolium, 1'-2'	В		myrtle
Interesting low-spreading shrub	with ev	ergreen	foliage
similar to Boxwood. Flowers are May-June. Prefers peaty soil.			
6 to 8 in., B. & B	.90	7.50	60.00
8 to 10 in., B. & B	1.10	9.50	75.00
LESPEDEZA bicolor, 8'-10'		ub Bush	
Rose and white flower, July-Aug shrub; attractive clover-like folia		lender, g	raceful
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90 1.10	7.50 9.50	60.00
0 to 6 It	1.10	9.30	
formosa (Desmodium penduliflor	um), 8 Pur	8'-10' ple Bush	nclover
Rosy, purple flower conspicuous in tive, herbaceous shrub.	n Sep t e	mber. An	attrac-
2 year	·3 <i>5</i>	2.80	22.50
3 year	. 45	3.70	30.00
4 year	.55	4.70	37.50
4 year, extra heavy	.90	7.50	60.00
LEUCOTHOE catesbaei, 3'-4'			_
Evergreen. Attractive, white flow lustrous leaves, rich autumn colori			
planting in shade.			6
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00 125.00
18 to 24 in., B. & B	1.90 3.00	15.00 25.00	
2 to 2/2 tt, D. C. D	3.00	23.00	


LIDOCEDDIIC 1		Per 10	
LIBOCEDRUS decurrens, 60'-75'			
Handsome tall growing tree for head. Bark reddish. Deep green tree.	foliage.	Splendid	accent
2 to 3 ft., B. & B	5.50 8.00	47.50 65.00	
4 to 5 ft., B. & B	11.00	95.00	
5 to 6 ft., B. & B	15.00	125.00	
6 to 7 ft., B. & B	19.00	145.00	
7 to 8 ft., B. & B	22.50 30.00		
LIGUSTRUM amurense, 14'-15'	30.00	Amur	Privet
Half evergreen; very hardy.			
18 to 24 in		1.50	
2 to 3 ft	.22	1.90	15.00
4 to 5 ft	•35	3.00	25.00
ibolium, 8'-10'		Ibolium	
Upright, vigorous grower, simile but much hardier.	ar to Ca	ilitornia	Privet,
2 to 3 ft	.22	2.00	
3 to 4 ft	.30	2.50	20.00
ibota, 9'-10'		Ibota	Privet
Good dense habit; flowers and f	ruits fre	ely. Dec	orative,
black berries. Very hardy.			
18 to 24 in	.22	2.00 2.50	15.00 20.00
2 to 3 ft	.30 .45	2.30 3.75	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	60.00
-regelianum (cuttings), 5'-6'		Regal	Privet
Makes a splendid, low, dense hed bery or evergreen plantings. Ver			shrub-
15 to 18 in	.22	2.00	15.00
18 to 24 in	.27	2.25	18.00
2 to 2½ ft	•35	3.00	25.00
2½ to 3 ft	.45 .55	3.7 <i>5</i> 4.70	30.00
		• •	
-vicary, 8'-10' Striking foliage of clear, even ye		en Ibota	Privet
18 to 24 in	.45	3.75	30.00
2 to 3 ft	•55	4.70	37.50
3 to 4 ft	.70	5.50	45.00
lodense (nana), 2½' Very compact, dwarf form.		Pygmy	Privet
12 to 15 in	· 35	2.80	22.50
15 to 18 in	-45	3.70	30.00
18 to 24 in	-55	4.70	37.50
lucidum (macrophyllum), 20'-25'		Glossy	Privet
Evergreen. Very attractive privet Hardy in the North in sheltered Waxleaf Privet.	with ricl l locatio	n, glossy ns. Also	leaves. called
9 to 12 in., $3\frac{1}{2}$ in. pots	.60	5.00	40.00
12 to 15 in., 4 in. pots	·75	6.50	50.00
15 to 18 in., 5 in. pots	1.10	8.50	
10 to 24 m., 0 m. pots	1.35	11.00	

LIGUSTRUM—continued ovalifolium, 12'-15'		Per 10	
Most popular hedge plant. We off stock well worth the price.			
Per 12 to 18 in	.55 .65 1.00	Per 100 P 4.75 5.50 8.50 11.00	9er 1000 37.50 45.00 67.50 90.00
4 to 5 ft 5 to 6 ft., hvy. trsp	2.00 7.50	15.00 60.00	
-Globes			
Sheared, compact specimens.	Each		Per 100
15 to 18 in., B. & B	1.10	9.50 12.50	
ovalifolium aureum, 8'-9' Grows rather slowly.		Golden	Privet
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.55 .80	4.70 6.50	37.50 52.50
vulgare, 10'-12'		European	Privet
Creamy-white flowers. June-July.		^	
3 to 4 ft	•3 <i>5</i> •4 <i>5</i>		22.50 30.00
5 to 6 ft	.80		52.50
—atrovirens, 10'-12'			
Strong grower. Small-leaved form.	. Good	hedge pla	ant.
3 to 4 ft	.30 .55	2.50 4.70	
*LIQUIDAMBAR styraciflua, 50'-6	бо'	Swe	eetgum
One of the best trees for autumn moist places; has corky bark; ra			
plant.			
5 to 6 ft	2.7 <i>5</i> 3.7 <i>5</i>	22.50 30.00	175.00 250.00
8 to 10 ft	4.50	37.50	300.00
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	40.00	
$1\frac{3}{4}$ to 2 in	5.75 6.50	47.50 55.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.50	65.00	
*LIRIODENDRON tulipifera, 60			iliptree
A quick grower; the yellow, tuli duced in June.	_		_
6 to 8 ft	1.65 2.25	13.50 19.00	110.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	
12 to 14 ft., 13/4 to 2 in	4.50	37.50	
2 to 2½ in	5.50	47.50	
LONICERA belgica, 12'-15'		Outch Wo	
Thick, dark green leaves, unde creamy flowers, purple outside.	rside	bigisn. F	ragrant,
2 year	•35 •45	2.80 3.70	22.50 30.00
<u>, , , , , , , , , , , , , , , , , , , </u>	•43	3.70	30,00

LONICERA—continued	Each	Per 10	Pe r 100
	nite Belle		
Grows vigorously.	20110	, 1101109	
2 to 3 ft	.25	2.25	18.00
3 to 4 ft	·35	3.00	25.00
4 to 5 ft	.45	3.70	30.00
5 to 6 ft	•55	4.70	37.50
fragrantissima, 6'-8'	Winter	Honey	suckle
Fragrant, white flower, April-M	ay. Half	evergre	en.
18 to 24 in	.30	2.50	20.00
2 to 3 ft	·3 <i>5</i>	3.00	_
3 to 4 ft	·55 ·75	4.7 <i>5</i> 6.50	37.50
· · · · · · · · · · · · · · · · · · ·			
,	olooming	•	
Flowers purple outside, yellow i		-	nber.
2 year	.45	3.75	
3 year	.55 .65	4.7 <i>5</i> 5.50	
4 year	•∪5	5.50	
* -	Japanese	_	
Rapid growing vine, blooming f			
tember. Almost evergreen and valuable for covering steep ban		e found	ı very
2 year	.25	2.25	18.00
3 year	·35	3.00	
4 year	.45	3.70	30.00
-aureoreticulata Yellownet J	[ananece	Honey	renckle
Leaves veined with golden-yello	-	Honey	SUCKIC
2 year	.25	2.25	18.00
3 year	_	_	
-halliana, 15'-25' Hall	Japanese	Honey	cuckle
Grows rampantly. Blooms freely		-	
2 year	.25	2.25	_
3 year	_	_	25.00
landina de la citara de la Dare de	D11	TT	1.1 -
korolkowi floribunda Broad 18 to 24 in		•	
2 to 3 ft	·35		
3 to 4 ft	.80	4.70 6.50	52.50
4 to 5 ft	1.00	8.50	67.50
maacki, 12'-15'	Amur	Honey	suckle
Vigorous grower. Thrives under			
spreading. White flowers in May			
ripening in September. 3 to 4 ft	بر بر م	4.70	
4 to 5 ft	·33 •70	4.70 5.50	
5 to 6 ft	.90	7.50	
nodocarna 8' o'	Tata	Uanar	au al-1 a
—podocarpa, 8'-9' Smaller, pinkish flowers, better		Honey	
maacki and holds leaves longer.			
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.40	•	25.00
3 to 4 ft	.45	3.70	30.00
5 to 6 ft	.55 .80	4.70 6.50	37.50
6 to 7 ft	1.10	9.50	

LONICERA—continued	Each	Per 10	Per 100
minutiflora, 7'-8'	nchberry	Honey	suckle
Attractive bush form, with red f	ruits.		
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.40	3.00 3.70	25.00 30.00
4 to 5 ft	∙4 <i>5</i> ∙55	4.70	37.50
5 to 6 ft	.80	6.50	
morrowi, 7'-8'	Morrow	Honey	suckle
Spreading habit, white, May-Jur	ne; good	foliage.	Either
red or yellow fruited plants.			
18 to 24 in	.22 .30	1.90 2.50	15.00 20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	•45	3.70	30.00
nitida, 3'	Shiny	Honey	suckle
A neat evergreen for the rock ga	arden wit	th small	glossy
leaves. Needs protection.			
6 to 9 in., 3 in. pots 9 to 12 in., 4 in. pots	.4 <i>5</i> .70	3.7 <i>5</i>	30.00
12 to 15 in., 4 in. pots	1.00	5.50 8.50	
15 to 18 in., 5 in. pots	1.35	11.00	
pileata, 1½'-2'	Privet	Honey	suckle
An evergreen prostrate form with	n white f	ragrant	flowers
and purple fruits. Suitable for the location.			
6 to 9 in., 4 in. pots	.60	5.00	40.00
9 to 12 in., 5 in. pots	.90	7.50	60.00
punicea			
Moderate-growing vine. Twining	g by ste	ems. Att	ractive
flower with orange-red corolla. 18 to 24 in	A 5"	3.70	30.00
2 to 3 ft	•4 <i>5</i> •55	4.70	•
3 to 4 ft	.70	5.50	45.00
ruprechtiana, 8'-9' Mar	ichurian	Honey	suckle
Creamy-white flowers, June. I	Berries r	ed, son	netimes
orange.			
18 to 24 in	.22	2.00	15.00 18.00
2 to 3 ft	.25 .35	2.25 2.80	22.50
4 to 5 ft	.45	3.70	_
5 to 6 ft	.55	4.70	37.50
6 to 7 ft	.80	6.50	52.50
, ,	Trumpet	•	
Thrifty, high climbing vine. Shiny	foliage.	Flowers	scarlet
or orange-red. 2 year	-35	2.80	
3 year	•45	3.70	
syringantha, 4'-5'	Lilac	Honey	suckle
Attractive, but little known, slo			
grant, pale, rosy-lilac flowers.			
18 to 24 in	-45	3.70	
2 to 2½ ft	•55	4.70	
—Wolfi, 4′-5′		Honey	
Graceful refined shrub for the lapprostrate branches. Bluish-green	wn borde leaves C	er, with a	lowers.
18 to 24 in		5.00	
2 to 3 ft	·7 <i>5</i>	6.00	

tatarica, Pink and White, 9'-10' Tatarian Honeysuck	
shrub.	
	.00
	.00
	.00
	.00
5 to 6 ft	.50
-pulcherrima, 9'-10' Bright Red Tatarian Honeysuch	cle
Handsome red-flowered form of the type.	
	.50
	.00
3 to 4 ft	.50
—sibirica, 9'-10' Red Tatarian Honeysucl	
	.50
	.00
4 to 5 ft	
thibetica, 3'-4' Tibetan Honeysucl	ε l e
Small, gray-green foliage and fragrant, purple flower Handsome, small shrub for rockery.	ers.
15 to 18 in	
18 to 24 in 1.10 9.50 —	
2 to 3 ft 1.65 13.50 -	
I VCIIIM chinana zo' zo' Chinasa Matrimana vi	
LYCIUM chinense, 10'-12' Chinese Matrimony-vi Violet flowers in June, followed by bright red fruits; v	
ful for holding banks or hanging over retaining wa	lls.
18 to 24 in	.00
	.00
3 to 4 ft	.50
*LYONIA ligustrina, 10'-12' He-Hucklebe	rry
Has attractive white flowers May-July.	
18 to 24 in	
2 to 3 ft	



THE STONY BROOK BRIDGE

This triple-arched bridge on the Lincoln Highway, just west of the town, was erected in 1792 to replace the bridge built in 1738 and destroyed in the Battle of Princeton

——— ⋈ M >>>--

	Each	Per 10	Per 100
MAGNOLIA acuminata, 70'-80'	Lacii	Cucum	
Pyramidal habit, vigorous growth greenish-yellow; pink fruit.	; large		
3 to 4 ft	1.65		
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 7 ft	3.50		
conspicua, 25'-30'			Yulan
Tree with spreading branches; lar	ge, whit	te, sweet.	scented
flowers before leaves in April or			
2 to 3 ft., B. & B	3 . 75	30.00	250.00
3 to 4 ft., B. & B	5.50	47.50	375.00
4 to 5 ft., B. & B	7.50	65.00	500.00
glauca, 15'-20'			eetbay
Delightfully fragrant, creamy flo			laucous
leaves, nearly evergreen. Prefers			
18 to 24 in., B. & B	1.50	12.50	100.00
2 to 3 ft., B. & B	2.00 3.00	17.50 25.00	135.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.00	50.00	400.00
5 to 6 ft., heavy specimens	13.50	110.00	·
6 to 7 ft., heavy specimens	16.50	135.00	
grandiflora, 60'-75'	Sout	hern Ma	agnolia
Handsome evergreen specimen tre	ee of th	ie South.	Large,
shiny, leathery leaves. Flowers cr	eamy-w	hite—qu	ite fra-
grant.			
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B 6 to 8 ft., B. & B	6.7 <i>5</i>	55.00 85.00	
, and the second		_	
—lanceolata, 60'-75' Narrowle Similar to the type, with narrow l			
2 to 3 ft., B. & B		apeu rea	· · · · · · · · · · · · · · · · · · ·
3 to 4 ft., B. & B			
		obus Ma	agnolia
White flowers in April or May be			
hardiest magnolias.	1010 100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
2 to 3 ft., B. & B	2.00	17.50	135.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.7 <i>5</i> 9 . 00	55.00	450.00 600.00
		75.00	
lilliflora nigra, 8'-10' Purple		_	
Large shrub with conspicuous flow	ers. Dai	rk purple	on the
outside and pink on the inside.	225	10.00	
2 to 2½ ft., B. & B	3.00	19.00 25.00	
			o en alia
macrophylla, 25'-40'		gleaf Ma	
Rapid-growing, medium-sized to large, from 1-3' long. Flowers a			
across. 18 to 24 in., B. & B	3.00	25.00	
2 to 3 ft., B. & B	3.75	30.00	
3 to 4 ft., B. &. B	5.25	45.00	
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	


MAGNOLIA—continued	Each	Per 10	Per 100	
parviflora, 25'-30'	0:	yam <mark>a M</mark> a	gnolia	
A native of Japan. Small tree with fragrant white cupshaped flowers produced in June. A fine accent and specimen tree.				
2 to 3 ft., B. & B	5.50 7.50	47.50 65.00		
soulangeana, 15'-18'	Sa	aucer Ma	agnolia	
Large, purplish-pink and white transplanted in early spring.	flower	s in Ma	y. Best	
2 to 3 ft., B. & B	2.00	17.00	135.00	
3 to 4 ft., B. & B	3.00	25.00	200.00	
4 to 5 ft., B. & B	5.00 8.00	40.00 65.00	325.00 525.00	
5 to 6 ft., B. & B	10.50	97.50	700.00	
7 to 8 ft., B. & B	12.50	110.00	700.00	
/ 10 0 1t., B. & B	12.50	110.00		
soulangeana alba superba, 15'-18'		3.5	4.	
		aucer Ma		
White to light pink flowers; in clangeana.	other r	espects li	ke sou-	
2 to 3 ft., B. & B	3.75	31.00	250.00	
3 to 4 ft., B. & B	6.00	50.00	400.00	
4 to 5 ft., B. & B	9.00	75.00		
5 to 0 1ti, b. & b	12.50			
—alexandrina, 15'-18'	Alexa	nder Ma	agnolia	
This variety is very similar to soul				
later and slightly deeper color.				
18 to 24 in., B. & B	3.00	25.00		
2 to 3 ft., B. & B	4.00	35.00		
—lennei, 15'-18'		Lenne Ma	gnolia	
Rich, deep purple flowers in April				
2 to 3 ft., B. & B	4.00	35.00	275.00	
3 to 4 ft., B. & B	6.00	50.00	400.00	
5 to 6 ft., B. & B	9.00 13.50	75.00 1 10.00	000.00	
6 to 7 ft., B. & B	16.50			
•	3			
	_	aucer Ma	agnolia	
Hybrid variety of soulangeana. Fl	owers	rose-red.		
2 to 3 ft., B. & B	4.50	37.50		
3 to 4 ft., B. & B	6.75	55.00		
4 to 5 ft., B. & B	9.00	75.00		
5 to 6 ft., B. & B 6 to 7 ft., B. & B	11.00	95.00 110.00		
ο το γ ττ., Β. α Β	13.30	110.00		
stellata, 8'-10'		Star Ma	_	
Spreading, shrubby habit, fragra flowers appearing long before the			white	
18 to 24 in., B. & B	2.00	17.00	135.00	
2 to $2\frac{1}{2}$ ft., B. & B	2.75	22.50	175.00	
2½ to 3 ft., B. & B	4.25	35.00	275.00	
3 to 4 ft., B. & B	6.50	55.00	425.00	
4 to 5 ft., B. & B	9.75	80.00	650.00	
y το ο ττ., Β. α. Β	13.50	110.00		

REACRICATE A 1' 1	- 1		
MAGNOLIA—continued		Per 10 I	
tripetala, 30'-40'		ella Mag	
Very large leaves; flowers white, a	nd seed	d pods ar	e pink.
3 to 4 ft	1.35	11.00	90.00
4 to 5 ft	1.65	13.50	110.00
5 to 6 ft	2.00	17.00	135.00
6 to 7 ft	3.00	25.00 28.00	200.00
8 to 9 ft	3.50 3.75	31.00	
9 to 10 ft	4.50	37.50	
		77 44	
MAHONIA aquifolium, 4'-5'			
Evergreen. Shining, green leaves t			
tumn; striking in May when yo blue-black fruits. Best in half-sha	ide.	nowers a	
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.25 1.65	9.50	75.00 110.00
2 to 2½ ft., B. & B	2.25	13.50 19.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to $3\frac{1}{2}$ ft., B. & B., specimen	3.75	31.00	
$3\frac{1}{2}$ to 4 ft., B. & B., specimen	5.50		
bealei (japonica), 8'-10' Native of the Orient. Holly-like is the leaves are much larger than or a sheltered location.	n appea	arance, al	though
6 to 12 in., B. & B	1.50	12.50	
MALUS aldenhamensis, 25'-40' A variety popular in Europe. Redo Fine tree for the border screen.	dish cas	st to the	foliage.
5 to 6 ft	2.25		
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.50	28.00	
arnoldiana, 8'-10'		Arnol	d Crab
White flowers. Compact habit.			
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.00		
atrosanguinea, 10'-15'		Carmin	e Crab
Single, red flowers freely borne.			
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.00	17.00	
8 to 9 ft	3.00		
baccata, 20'-25'		Siberia	n Crab
Very hardy; one of the earliest blossoms in great profusion, folloor red fruit.			
3 to 4 ft	1.00	8.00	70.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90	15.00	125.00
6 to 8 ft	2.50	20.00 28.00	175.00
0 10 10 11	3.50	20.00	,


MALUS—continued	Each	Per 10	Per 100
coronaria, 15'-20'		Vild Swe	
Fragrant, blush-pink flowers in ea	ırly spr	ing. Doub	ole.
4 to 5 ft	1.50	12.50	
5 to 6 ft	1.90 2.50	15.00 20.00	
8 to 10 ft	4.50		
dekoni echtermeyer, 10'-15'			
4 to 5 ft	2.00	17.00	
5 to 6 ft	3.00 3.50	25.00	
floribunda, 10'-15' Japa	anese l	Flowerin	g Crab
Literally covered with single, early spring. Yellow fruits.	rose-col	lored flo	wers in
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00 12.50	75.00 100.00
6 to 7 ft	2.00	17.00	
purpurea, 10'-15'		Purpl	e Crab
· A very attractive, purple-foliaged	d type	of the ab	ove.
3 to 4 ft	.90	7.50	
4 to 5 ft 5 to 6 ft	1.20	9.00 12.50	100.00
6 to 8 ft	2.00	17.00	135.00
8 to 10 ft	3.00	25.00	
10 to 12 ft	4.50	37.50	
——eleyii, 10'-15'	Ely l	Flowerin	g Crab
A free-blossoming Crab with red	idish f	olinge W	100000110
	141511 1	onage. v	igorous
grower.		onage. v	igorous
6 to 7 ft	1.65	——————————————————————————————————————	
		——————————————————————————————————————	
6 to 7 ft	1.65 2.25	Parkman	<u> </u>
6 to 7 ft	1.65 2.25 3.00	Parkma	n Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft.	1.65 2.25 3.00 ong ste	Parkman	n Crab d, com-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft.	1.65 2.25 3.00 ong sterly. .90 1.35	Parkman ms; good	Crab d, com- 60.00 90.00
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft.	1.65 2.25 3.00 ong ste	Parkman	n Crab d, com-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on log pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25	Parkman ms; good 7.50 12.00	60.00 90.00
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new,	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red 1	Parkman 7.50 12.00 15.00 19.00 Flowerin	60.00 90.00 125.00 g Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on logact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Hopa Bright, rose-red, double flowers inside and out, making this new, tremely attractive.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I	Parkman 7.50 12.00 15.00 19.00 Flowerin	60.00 90.00 125.00 g Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on logact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red 1	Parkman 7.50 12.00 15.00 19.00 Flowerin fusion. Fr	60.00 90.00 125.00 g Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on logact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red 1 in profivery h	Parkman 7.50 12.00 15.00 19.00 Flowerin fusion. Fr ardy vari	60.00 90.00 125.00 g Crab ruit red ety ex-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00	60.00 90.00 125.00 g Crab ruit red ety ex-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers in inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15'	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I in prof very h	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte	Crab d, com- 60.00 90.00 125.00 g Crab ruit red ety ex- 125.00 150.00 225.00 1 Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red 1 in profesory h	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte noticeab	Crab d, com- 60.00 90.00 125.00 g Crab ruit red ety ex- 125.00 150.00 225.00 1 Crab
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I in profesory h	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte noticeab	60.00 90.00 125.00 g Crab ruit red ety ex- 125.00 150.00 225.00 1 Crab de fra-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft. 3 to 4 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I in prof very h	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte noticeab	Crab d, com- 60.00 90.00 125.00 g Crab uit red ety ex- 125.00 150.00 225.00 1 Crab le fra- 37.50 52.50
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on lo pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Bright, rose-red, double flowers inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red 1 in profivery h 1.50 2.00 2.25 3.50 s with flower .55 .80 1.20	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte noticeab 4.70 6.50 9.00	60.00 90.00 125.00 g Crab ruit red ety ex- 125.00 150.00 225.00 1 Crab de fra-
6 to 7 ft. 7 to 8 ft. 8 to 9 ft. halliana parkmani, 10'-15' Semi-double pink; flowers on log pact habit, and grows rather slow 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. hoppi, 12'-15' Hopa Bright, rose-red, double flowers in inside and out, making this new, tremely attractive. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. ioensis plena, 10'-15' Large, double, pure pink flower grance; vigorous growers—last to 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.65 2.25 3.00 ong sterly. .90 1.35 2.00 2.25 Red I in prof very h	Parkman 7.50 12.00 15.00 19.00 Flowerin usion. Fr ardy vari 12.00 14.50 19.00 28.00 Bechte noticeab	60.00 90.00 125.00 g Crab ruit red ety ex- 125.00 150.00 225.00 1 Crab le fra- 37.50 52.50 75.00

MALUS—continued micromalus, 15'	Each	Per 10	Per 100
Upright growing tree; deep pink of red fruit.	flowers	s; large	clusters
6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	3.00 4.50 6.00	25.00 37.50 50.00	
neidzwetzkyana, 15'-25' The twigs, flowers and fruits of reddish hue. Free-growing type.	f this		n Crab have a
4 to 5 ft	1.20 1.50 1.90 3.00	9.00 12.50 15.00 25.00	75.00 100.00 125.00
New Red, 10'-15' Double flowers of deep crimson. La	arge fr	uits.	
5 to 6 ft	3.50 3.75 4.50	28.00 31.00 37.50	
Oekonomierat Echtermeyer, 10'-1	_		
Carmine-rose flowers. Dark brown form of Crab.			Veeping
3 to 4 ft	1.3 <i>5</i> 2.00	11.00 15.00	
5 to 6 ft	2.25	19.00	
6 to 8 ft	3.00	25.00	
pumila pendula, 10'-15' Flowering Crab of weeping or dro	oping h	Weepin abit.	g Crab
2 to 3 ft	1.25	10.00	
3 to 4 ft	2.00	13.50 17.00	
		•	A Cook
sargenti, 6'-8' Low growing form with rigid spiflowering.	reading	_	es. Free
2 to 3 ft	.90 1.35	7.50 11.00	90.00
scheideckeri, 10'-15'	Scl	neidecke	r Crab
Lasting, double, pink flowers in har yellow fruits.	ndsome	clusters	. Large,
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00 12.50	75.00 100.00
6 to 8 ft	1.90	15.00	125.00
8 to 9 ft	3.00	25.00	
spectabilis, 10'-15' Beautiful, double pink flowers; sv		lowerin	g Crab
4 to 5 ft	1.10		
5 to 6 ft	1.50	12.50	
6 to 8 ft	2.00	17.00	
theifera, 15'-20'	h wa w a b		a Crab
Sturdy, spreading tree with entire flowers which are white or tinted of the finest.			
3 to 4 ft	2.00	17.00	
4 to 5 ft	3.00	25.00 28.00	
3 to 0 1t	3.50	26.00	

	Each	Per 10	Per 100
MITCHELLA repens		Partrid	geberry
2-in. pots	. 35	3.00	22.50
MORUS alba, 35'-50'	V	Vhite M	ulberry
The Mulberry cultivated in China	for the	silk wo	rm. Usu-
ally thick-topped, rapid-growing are fruits attractive to birds.			
6 to 8 ft	1.25		
8 to 10 ft		13.50	110.00
10 to 12 ft	2.25		
12 to 14 ft	3.00	25.00	
—pendula, 8'-10' Tea	as We	eping M	ulberry
The most popular, small "weeping	g" tree	: .	
2 year heads	1.35	11.00	90.00
3 year heads	1.90	17.00	125.00
4 year heads	2.75	, 22.50	175.00
—tartarica, 35'-50'	Rı	ıssian M	ulberry
Rather spreading tree with fruit creamy-white to almost black.	it that	varies	from a
5 to 6 ft	.70	5.50	
6 to 8 ft	.90	7.50	
MYRICA carolinensis, 4'-5'	Nor	thern B	ayberry
Does well in poor, gravelly soil			
berries, and glossy, green foliage			
15 to 18 in		3.75	
18 to 24 in	.70 .90	5.50	
2 to 2½ ft	-	7.50 9.50	
3 to 4 ft		12.50	



ALEXANDER HALL, PRINCETON THEOLOGICAL SEMINARY
The Seminary, which has no corporate relation with the University, is the oldest and largest theological seminary in the country



	Each	Per 10	Per 100
NANDINA domestica, 4'-6'			landina
Evergreen. One of the handsome greens in the South. Foliage is lifted fall coloring. Has large trusses of	ght in	effect. B	
6 to 9 in., 4 ¹ / ₂ in. pots	•55	4.50	
9 to 12 in., 5 in. pots 12 to 15 in., 6 in. pots	.7 <i>5</i> .90	6.00 7.50	
NEMOPANTHUS mucronata, 10'	M	ountain	Holly
Deciduous shrub. Handsome glossy bluish-pink berries during the fall			
2 to 3 ft	.7 5		
3 to 4 ft	1.00	8.50	
*NYSSA sylvatica, 40'-60'			urgum
One of our finest, ornamental tree age, assuming brilliant autumn ti places. Also called Tupelo.			
2 to 3 ft	1.50	12.50	90.00
3 to 4 ft	2.00	15.00	125.00
4 to 5 ft 5 to 6 ft	2.2 <i>5</i> 3.00	20.00	
6 to 7 ft	3.50		
OSMANTHUS aquifolium, 3'-4'	 Hol	ly Osm	anthus
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like 1	eaves,	•	
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like l glossy. Suitable for protected locat	eaves, c	dark gre	en and
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like 1	eaves, cions.	•	
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like l glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3 ¹ / ₂ in. pots OSTRYA virginiana, 25'-30'	eaves, 6 tions. 1.10 1.35	dark gre 9.00 11.00 Hophor	75.00 ———
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like l glossy. Suitable for protected located to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots	eaves, or tions. 1.10 1.35 handsor mooth,	g.00 11.00 Hophor	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like l glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Su hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations.	g.00 11.00 Hophor: ne, bee	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. So hop-like fruits. Useful for dry locate 4 to 6 ft	handsor mooth, ations.	9.00 11.00 Hophorime, beechlue-gra	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like l glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Su hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations.	g.00 11.00 Hophor: ne, bee	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locat 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. So hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations. 2.00	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00	75.00 ———————————————————————————————————
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. So hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00	nbeam ech-like y bark,
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Su hop-like fruits. Useful for dry locate 4 to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B.	handsor mooth, ations. 2.00 2.25 3.00 3.50	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00	rwood leath-
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3'/2 in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. So hop-like fruits. Useful for dry locate 4 to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	handson mooth, ations. 2.00 2.25 3.00 3.50 4. Augus	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00 Sou	rwood leath- 60.00 90.00
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locat 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3 in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Si hop-like fruits. Useful for dry locat to 6 ft. 6 to 8 ft 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	handson mooth, ations. 2.00 2.25 3.00 3.50 4. Augus .90 1.35 2.00	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00 Sou	rwood leath- 60.00 90.00 125.00
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. So hop-like fruits. Useful for dry locate 4 to 6 ft	handson mooth, ations. 2.00 2.25 3.00 3.50 3.50	9.00 11.00 Hophorine, beelblue-gra 15.00 20.00 25.00 28.00 Sou st. Good 7.50 11.00 15.00	rwood leath- 60.00 90.00 125.00
OSMANTHUS aquifolium, 3'-4' Evergreen shrub, with holly-like I glossy. Suitable for protected locate 6 to 9 in., own roots, 3 in. pots 9 to 12 in., own roots, 3½ in. pots OSTRYA virginiana, 25'-30' Slender, spreading branches; foliage, clear yellow in autumn. Su hop-like fruits. Useful for dry locate 4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. OXYDENDRUM arboreum, 25'-30' Graceful clusters of white flowers ery foliage. Fine autumn coloring. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	handson mooth, ations. 2.00 2.25 3.00 3.50 4. Augus .90 1.35 2.00	9.00 11.00 Hophorine, bee blue-gra 15.00 20.00 25.00 28.00 Sou	rwood leath- 60.00 90.00 125.00

——— P ≫	••		
PACHISTIMA canbyi, 1'		Per 10 1by Pac	
Native of the Alleghanies. A low- ground-cover with tiny dark-gree plant for wall crevices.	spreadi en leave	ng everg	green or xcellent
1 year, 2 in. pots		3.75	20.00
PACHYSANDRA terminalis, 6"-8 Evergreen. One of the best bed			
effect in shady places.			
2 in. pot grown	1.35	11.00	90.00
PERIPLOCA graeca, 25'-40' Ornamental vine. Vigorous. Hand by stems. Fragrant flowers followed seed-pods.	dsome f d by con	oliage. ' spicuous	slender
2 to 2 ft	Each		Per 100
2 to 3 ft	.60	3.7 <i>5</i> 5.00	37.50
4 to 5 ft	.80	6.50	
PHELLODENDRON chinense, 2		inese C	orktree
A rapid-growing, tropical-appearing	_		
4 to 6 ft	1.65		110.00
6 to 8 ft	3.00	19.00 25.00	150.00
10 to 12 ft	3.50	28.00	225.00
sacchalinense, 40'-50'	Sal	chalin C	orktree
The most handsome tree of this ge with wide-spreading branches for head. Has compound foliage.			
6 to 8 ft	3.50	28.00	225.00
8 to 10 ft	4.50 5.50	37.50 47.00	300.00
PHILADELPHUS coronarius, 9'-	10'		
, ,		et Mocl	corange
White, fragrant flowers profusely		-	_
2 to 3 ft	.2 <i>5</i> -3 <i>5</i>	2.2 <i>5</i> 3.00	
4 to 5 ft	.45	3.7 <i>5</i>	
5 to 6 ft	·55	4.75	
6 to 7 ft	.70	5.50	45.00
		af Mocl	korange
Dwarf, compact form. Yellow lea	ves. .22	2.00	15.00
15 to 18 in	.25	2.25	18.00
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.40	3.00	25.00
$2\frac{1}{2}$ to 3 ft	.55 .70	4.7 <i>5</i> 5.50	37.50 45.00
		ss Mock	•••
Large flowers lacking fragrance.			
2 to 3 ft	.25	2.25	18.00
3 to 4 ft	•3 <i>5</i> •4 <i>5</i>	3.00 3.75	22.50 30.00
5 to 6 ft	•43 •55	4.75	37.50
6 to 7 ft	.70	5.50	

PHILADELPHUS—continued sericanthus		Per 10 se Mocko	
Late-flowering variety—large leastly large.	aves and	flowers	unusu-
4 to 5 ft	•55 .80	4.7 <i>5</i> 6.50	
PHILADELPHUS HYBRIDS atlas Tall variety with enormous flower	a. 49 C		
4 to 5 ft	•55 .80	4.7 <i>5</i> 6. <i>5</i> 0	
avalanche, 4'-5' Graceful, arching habit.	Dwar	f Mocke	orange
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.25 •35 •45 •55	2.25 3.00 3.75 4.75	18.00 22.50 30.00
banniere, 7'-8' New, early, semi-double, pure wh	nite.		
2 to 3 ft	.35 .45 .55 .80	3.00 3.75 4.75 6.50	
bouquet blanc, 4'-5' Whit Low, dense habit. Blooms freely.	May-Jun	e.	
18 to 24 in	•3 <i>5</i>	3.00	18.00
3 to 4 ft enchantment, 7'-8'	45	3.75	30.00
Double white flowers in thick pa	nicles sim	ilar to B	ouquet
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	•35 •45 •55	3.00 3.75 4.75	
girandole, 7'-8' Strikingly handsome variety, pr	ofuse in	flower.	
18 to 24 in	.2 <i>5</i> ⋅3 <i>5</i>	2.2 <i>5</i> 3.00	
laxus, 7'-8'	Droopin	~	
Similar to Grandiflora in flower. 4 to 5 ft	1.25	9.00	·
lemoine, 7'-8'		e Mocko	orange
Good, compact habit. Flowers sw 18 to 24 in	.25	2.25 3.00 3.75	18.00 22.50 30.00 37.50
maximus, 7'-8'			
Large-flowered variety. 4 to 5 ft	.55 .80 1.25	4.75 6.50 9.00	

PHILADELPHUS HYBRIDS—	continu	ed	
rosace, 7'-8'	Each	Per 10	Per 100
New French introduction.			
3 to 4 ft	.45	3 .75	
4 to 5 ft	.55	4.75	
5 to 6 ft	.80	6.50	
voie lactee, 7'-8'			
Large, single, white flowers, pure	white.		
2 to 3 ft	·3 <i>5</i>		
3 to 4 ft	.45	3.75	
4 to 5 ft	·5 <i>5</i>	4.75	
virginalis, 7'-8'	Virgin	al Mock	orange
Beautiful, semi-double flowers p			
all summer.			
18 to 24 in	.22	2.00	15.00
2 to 3 ft	. 30	2.50	20.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.55	4.70	37.50
PHOTINIA subumbellata, 10'			
Slender branched shrub. Simila			t more
shrubby in character. Attractive so			
2 to 3 ft	.70	5.50	45.00 60.00
3 to 4 ft	.90 1.20	7.50 9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 7 ft	2.00	17.50	135.00
7 to 8 ft	3.00	25.00	200.00
8 to 9 ft	4.00	35.00	
villosa, 12'-15'	Redb	erried P	hotinia
Flowers white, June. Rich scarlet in autumn. Splendid foliage for c			
4 to 5 ft	1.25	9.50	75.00
5 to 6 ft	1.50		• •
6 to 7 ft	2.00	•	135.00
7 to 8 ft	3.00	25.00	
PHYSOCARPUS opulifolius, 9'-10	o'	Ni	nebark
Creamy-white, June. Vigorous. G		shade.	
2 to 3 ft	.25	2.25	18.00
3 to 4 ft	·3 <i>5</i>	2.70	22.50
4 to 5 ft	.45	3.70	-
5 to 6 ft	•55	4.70	37.50
—aureus, 9'-10'	Gol	dleaf Ni	nebark
Golden-leaved variety; white flo	wers in	early Jui	ne.
2 to 3 ft		2.25	
3 to 4 ft		2.70 3.70	
PICEA alcockiana, 75'-100'		Alcock	
			Spruce
Introduction from Japan. Pyra			h:æ
spreading or ascending branches serves wider recognition.	ımidal	tree wit	h stiff, ver. De-
serves wider recognition. 18 to 24 in., B. & B	ımidal	tree wit	h stiff, ver. De-
serves wider recognition.	imidal s. Vigor	tree wit	h stiff, ver. De-

PICEA—continued	Each	Per 10	Per 100
canadensis (alba), 50'-60'		White	Spruce
Evergreen. Silvery foliage; develomen of close texture.	ops int	o shapel	y speci-
15 to 18 in., B. & B	.80	6.50	52.50
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft. B. & B	1.50	12.50	100.00
2½ to 3 ft., B. & B	2.25	19.00 28.00	150.00
3 to 4 ft., B. & B	3.50		225.00
5 to 6 ft., B. & B	4.50 5.50	37.50 47.50	300.00
canadensis glauca conica, 4'-6'			Spruce
Narrow pyramid. Slow of growt branches. Bright green leaves. Use:			
9 to 12 in., B. & B	1.35	11.00	90.00
12 to 15 in., B. & B	_	15.00	
15 to 18 in., B. & B	2.25	19.00	150.00
Foliage bluish-green to steel-blue tree.	. Han		
	6.75	55.00	
4 to 5 ft., B. & B	8.00	65.00	
	10.00	85.00	
6 to 7 ft., B. & B	12.50		
excelsa, 80'-100'	1	Vorway	Spruce
Evergreen. Has dark green foliage Makes a good windbreak, and als trimmed hedges. SPECIAL NOTE—Our Norway Spruce are	o lend	ls itself	well to
symmetrical plants as they are shaped upare these plants with those grown by the	p every	year. Do	not com-
15 to 18 in., B. & B	•55	4.50	37.50
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.50	12.00	97.50
4 to 5 ft., B. & B	2.2 <i>5</i> 3.7 <i>5</i>	19.00 31.00	150.00 250.00
5 to 6 ft., B. & B	3·/3 5.50	47.00	375.00
6 to 7 ft., B. & B	7.50	62.50	
7 to 8 ft., B. & B	9.00	75.00	
-conica, 12'-15' Arrow		Norway :	Spruce
Compact-growing, cone-shaped pyr			
6 to 9 in., B. & B	1.75	13.50	
9 to 12 in., B. & B	2.25	15.00	125.00
12 to 15 in., B. & B	2.50	20.00	
erecta, 15'-20'		Dwarf S	Spruce
A dwarf form of excelsa with disti	nct upi	right hab	it.
8 to 10 in., B. & B	1.75	13.50	
	• 5	00	
—inverta, 3'-5' Densely-branched pendulous form.			
9 to 12 in., B. & B	1.75		
12 to 15 in., B. & B	3.00		
15 to 18 in., B. & B	0.50		
	3.50		
—maxwelli, 3'-5'		[axwell !	Spruce
—maxwelli, 3'-5' Low, rounded, dense form, Leaves 1	M	[axwell :	Spruce
Low, rounded, dense form. Leaves	M bright		Spruce

PICEA—continued	Each	Per 10	Per 100
excelsa pumula			
Compact, dwarf habit. Splendid foliage.	for ro	ckery. H	as dark
4 to 6 in., B. & B	1.75 3.00		
—pyramidalis, 35'-50' Pyran	nidal N	Jorway	Spruce
Narrow, pyramid type with bran			
9 to 12 in., B. & B	1.75	13.50	
12 to 15 in., B. & B	2.25	20.00	
15 to 18 in., B. & B	2.75	22.50	
18 to 24 in., B. & B	3.50	28.00	
koyamai, 40'-50'		oyamai	_
Narrowly pyramidal. Most attracti ing possibilities in landscape plan		ige. Has i	nterest-
9 to 12 in		13.50	110.00
12 to 15 in	3.00	25.00	
omorika, 40'-50'		Serbian	_
A rapid-growing, narrow, compa			
duced from Southeastern Europe. men tree.	Good a	iccent an	d speci-
9 to 12 in., B. & B	1.75	13.50	
12 to 15 in., B. & B	3.00 3.50	25.00 30.00	
18 to 24 in., B. & B	4.00	35.00	
10 to 24 mi, b. a. b	4.00	33.00	
orientalis, 75'-100'	·	Oriental	Spruce
orientalis, 75'-100' Graceful. Dark, glossy foliage. Si	over (Oriental owing. H	olds its
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing.	over (Oriental owing. H	olds its
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro it a ch	Oriental owing. H oice lawn	olds its n speci- 250.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro it a ch 3.75 4.50	Oriental owing. H oice lawn 31.00 37.50	olds its n speci-
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro it a ch 3.75 4.50 5.25	Oriental owing. H oice lawn 31.00 37.50 45.00	olds its n speci- 250.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B	low gro it a ch 3.75 4.50	Oriental owing. H oice lawn 31.00 37.50	olds its n speci- 250.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice lawn 31.00 37.50 45.00	250.00 300.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid lea	low gro it a ch 3.75 4.50 5.25 6.75 9.00	Oriental owing. H oice lawn 31.00 37.50 45.00 55.00 ——	olds its a speci- 250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. Stanches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti	Oriental owing. H oice lawn 31.00 37.50 45.00 55.00 ger-tail stout lim	olds its a speci- 250.00 300.00 ——— Spruce bs, pre-
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 ger-tail stout lim	250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. Stanches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti	Oriental owing. H oice lawn 31.00 37.50 45.00 55.00 ger-tail stout lim	olds its a speci- 250.00 300.00 ——— Spruce bs, pre-
orientalis, 75'-100' Graceful. Dark, glossy foliage. Stanches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 ger-tail stout lim	olds its a speci- 250.00 300.00 ——— Spruce bs, pre- 90.00 110.00 ———
orientalis, 75'-100' Graceful. Dark, glossy foliage. Stanches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. pungens, 60'-80'	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 ger-tail stout lim 11.25 13.50 clorado	olds its a speci- 250.00 300.00 ——— Spruce bs, pre- 90.00 110.00 —— Spruce
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25	Oriental owing. H oice laws 31.00 37.50 45.00 55.00 ger-tail stout lim 11.25 13.50 clorado	olds its a speci- 250.00 300.00 ——— Spruce bs, pre- 90.00 110.00 —— Spruce
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25	oriental owing. H oice laws 31.00 37.50 45.00 55.00 ger-tail stout lim 11.25 13.50 clorado forming	olds its a speci- 250.00 300.00 ————————————————————————————
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25	oriental owing. H oice laws 31.00 37.50 45.00 55.00 —— ger-tail stout lim 11.25 13.50 —— olorado forming 5.50 7.50	olds its a speci- 250.00 300.00 Spruce bs, pre- 90.00 110.00 Spruce g hand- 45.00 60.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25 Co whorls,	oriental owing. Hoice laws 31.00 37.50 45.00 55.00 Ger-tail stout lime 11.25 13.50 Germing 5.50 7.50 9.30	olds its a speci- 250.00 300.00 Spruce bs, pre- 90.00 110.00 Spruce g hand- 45.00 60.00 75.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	low groat a chick a ch	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 Spruce bs, pre- 90.00 110.00 Spruce g hand- 45.00 60.00 75.00 125.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	low gro it a ch 3.75 4.50 5.25 6.75 9.00 Ti ves on 1.35 1.65 2.25 Co whorls, .65 .90 1.10 1.90 2.75	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	olds its a speci- 250.00 300.00 Spruce bs, pre- 90.00 110.00 Spruce g hand- 45.00 60.00 75.00 125.00 175.00
orientalis, 75'-100' Graceful. Dark, glossy foliage. Sibranches to the ground making men. Stands close shearing. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. polita, 60'-75' Very distinct species. Has rigid leasenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	low groat a children a	Oriental owing. Hoice laws 31.00 37.50 45.00 55.00 —————————————————————————————	250.00 300.00 300.00 Spruce bs, pre- 90.00 110.00 Spruce g hand- 45.00 60.00 75.00 125.00

PICEA—continued	Each	Per 10	Per 100
pungens glauca, 60'-80'	Blue C	olorado	Spruce
Similar to above, but of a please plants.	sing blu	e color.	Selected
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.75 2.75 4.00 5.50 7.50 9.00	13.50 22.50 35.00 47.50 65.00	110.00 175.00 275.00 375.00 500.00
—kosteri, 60'-80'			Same
Our own stock now offered in unusually good. It was carefully every plant is well shaped.	limited		and is
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	2.50 3.50 5.25 6.75 8.25 10.00 13.50 16.50 20.00 25.00	20.00 28.00 45.00 55.00 67.50 80.00 110.00 140.00 170.00 200.00	175.00 225.00 350.00 450.00 550.00
—specki, 60'-80' Bluish-white foliage. 15 to 18 in., B. & B	4.00 5.50 7.50	35.00 47.50 65.00	
PIERIS floribunda, 4'	Mount	ain Andı	romeda
Evergreen. Waxy-white flowers in foliage, best in half-shady place	n May. (Good, dee	
12 to 15 in., B. & B	2.25 3.50		150.00
18 to 24 in., B. & B	4.50		225.00
japonica, 5'-6'	_		225.00 300.00
	Japan turning , white	37.50 ese Andi bronze flowers	225.00 300.00 romeda in win- open in
japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small	Japan turning , white t, partia 1.65 2.25	37.50 ese Andi bronze flowers of lly shade 13.50 19.00 28.00	225.00 300.00 romeda in win- open in d place. 110.00 150.00
japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small May. Grows slowly. Best in mois 12 to 15 in., B. & B	Japan turning , white t, partia 1.65 2.25 3.50	37.50 ese Andr bronze flowers of lly shade 13.50 19.00 28.00 37.50	225.00 300.00 romeda in win- open in d place. 110.00 150.00
japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small May. Grows slowly. Best in mois 12 to 15 in., B. & B	Japan turning , white t, partia 1.65 2.25 3.50	37.50 ese Andr bronze flowers of lly shade 13.50 19.00 28.00 37.50	225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00
japonica, 5'-6' Evergreen. Thick, shiny leaves, ter. Drooping clusters of small May. Grows slowly. Best in mois 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. mariana, 5'-6' Waxy-white flowers, May-June. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	Japan turning , white t, partia 1.65 2.25 3.50 4.50	37.50 ese Andi bronze flowers of lly shade 13.50 19.00 28.00 37.50 Stagg 11.00 13.50 19.00 25.00 Jac ardy. Use	225.00 300.00 romeda in win- open in d place. 110.00 150.00 225.00 —— gerbush 90.00 110.00 —— ck Pine

PINUS—continued	Each	Per 10	Per 100
bungeana, 80'-100'		Laceba	rk Pine
An unusually hardy slow growing	r tree · h		
bark which peels off showing a Very desirable for collections.			
6 to 9 in., 3 in. pots	1.50	12.50	100.00
18 to 24 in., 7 in. pots	6.75		
• • •			
cembra, 35'-50'	Sv	viss Sto	ne Pine
Very slow growing. Makes a ne	at symm	etrical p	yramid
with dense, compact growth. Stan 18 to 24 in., B. & B	ds close	shearing	ş.
2 to 2½ ft., B. & B	6.00		
$2\frac{1}{2}$ to 3 ft., B. & B	7.00		
3 to $3\frac{1}{2}$ ft., B. & B	9.00		
$3\frac{1}{2}$ to 4 ft., B. & B	11.00		
densiflora, 60'-80'	Japa	nese Re	ed Pine
Evergreen. Foliage dark green. A	good, d	esirable	variety.
18 to 24 in., B. & B	.80	6.50	52.50
2 to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.25	28.00	225.00
5 to 6 ft., B. & B		37.50	300.00
6 to 7 ft., B. & B		55.00	450.00
7 to 8 ft., B. & B	9.00	• -	
8 to 9 ft., B. & B	11.00	92.50	
-umbraculifera (tanyosho) Ja	panese	Umbrel	la Pine
Odd shape, short, stocky stems, wi			
light green. Handsome and usef			
12 to 15 in., B. & B	1.35	11.00	90.00
15 to 18 in., B. & B	1.90	15.00	125.00
18 to 24 in., B. & B	2.25	20.00	150.00
2 to $2\frac{1}{2}$ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	5.25	45.00	
excelsa, 30'-60'	H	imalaya	n Pine
Silvery, gray-green needles. Gra	aceful h	abit sin	nilar to
white pine. A very handsome var			
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	6.75	55.00	450.00
5 to 6 ft., B. & B	9.00	75.00	600.00
6 to 7 ft., B. & B	11.00	92.50	
flexilis, 30'-40'			er Pine
Evergreen. Dark, bluish-green fol		-	
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B	5.50	47.50	375.00
4 to 5 ft., B. & B	7.25	60.00	475.00
5 to 6 ft., B. & B	9.75 12.50	80.00	
	_		. n.
montana, 10'		Mounta	
Similar in habit to Pinus mugh and more open in form.	o but o	f faster	growth
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 3½ ft., B. & B	6.00	50.00	
$3\frac{1}{2}$ to 4 ft., B. & B	7.50	65.00	

DINITIO (* 1	1		
PINUS—continued	Each	Per 10	
montana mughus, 3'-4'	1 1		o Pine
Evergreen. Forms a round-topp rock planting and foundation we	oed clui	np. Use	ful for
12 to 15 in., B. & B	1.35	11.00	90.00
15 to 18 in., B. & B	1.90	17.00	135.00
18 to 24 in., B. & B	2.75	22.50	175.00
2 to 2½ ft., B. & B	3.75	30.00	250.00
$2\frac{1}{2}$ to 3 ft., B. & B 3 to $3\frac{1}{2}$ ft., B. & B	5.25	45.00	
3 to 372 ft., B. & B	7.00		
nigra, 60'-70'			in Pine
Evergreen. Rich, dark green. V			grower.
Good for background. Thrives at 18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	7.75	65.00	525.00
6 to 7 ft., B. & B	10.00 12.50	85.00	
		37 - 11 -	D!
ponderosa, 100'-150'		n Yello	w Pine
Rugged picturesque outline when 18 to 24 in., B. & B	old. 2.25	19.00	
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	3.75	31.00	
4 to 5 ft., B. & B	5.25	45.00	
5 to 6 ft., B. & B	6.75	55.00	
6 to 7 ft., B. & B	8.25	70.00	
	10.00		
resinosa, 60'-70'		Re	d Pine
Dark green, stiff needles, vigorous 18 to 24 in., B. & B		11.00	00.00
2 to 3 ft., B. & B	1.35 2.25	20.00	90.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	7.75	65.00	525.00
6 to 7 ft., B. & B	10.00	85.00	
strobus, 80'-100'			te Pine
Evergreen. Probably our most ada	aptable a	and usef	ul pine.
Very picturesque when old. 18 to 24 in., B. & B	1.10	9.00	75.00
2 to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	2.25	20.00	150.00
4 to 5 ft., B. & B	4.25	35.00	275.00
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B	8.00	65.00 80.00	525.00
8 to 10 ft., B. & B	12.50	100.00	
			h Pine
sylvestris, 25'-30' Evergreen. A rapid-growing, has	ndsome		
when young. Good for windbreak		tree, es	pecially
18 to 24 in., B. & B	.80	6.50	52.00
2 to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.50 6.75	37.50 55.00	300.00
7 to 8 ft., B. & B	9.00	75.00	600.00
8 to 9 ft., B. & B	11.00	95.00	750.00
9 to 10 ft., B. & B	15.00	120.00	—
10 to 12 ft., B. & B	19.00	145.00	

PINUS—continued	Each	Per 10	Per 100
thunbergi, 80'-100'		ese Blac	
Evergreen. A large growing tree	_		
foliage and long needles; good for			
18 to 24 in	1.65	13.50	110.00
2 to 3 ft	3.00		200.00
3 to 4 ft	3.75	31.00	
PLATANUS occidentalis, 75'-100'			
American Planetree or			amore
6 to 8 ft	1.10	9.00	
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.50 2.00	12.50 17.00	
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	
orientalis, 70'-80'	Euro	pe an Pl a	netree
A good tree for park and street uly; withstands smoky city condition		ws rather	r quick-
6 to 8 ft	1.10	8.50	70.00
8 to 10 ft	1.35	11.00	90.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.90	17.00	135.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft., $1\frac{3}{4}$ to 2 in	2.25 3.00	20.00 25.00	150.00 200.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	3.75	31.00	250.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.00	40.00	325.00
$2\frac{1}{2}$ to 3 in	8.00	65.00	525.00
3 to $3\frac{1}{2}$ in	11.00	93.50 125.00	
POLYGONUM auberti, 25'	Cł	ina Fle	ecevine
Climbing plant of vigorous gr			
foamy sprays of white flowers d			
2 year strong	.80	6.50	52.50
POPULUS bolleana, 50'-60'	В	olleana	Poplar
Leaves white underneath; similar Lombardy Poplar.	r colum	nar char	acter to
8 to 10 ft	1.35	11.00	
8 to 10 ft., 1½ to 1½ in	1.65	13.50	110.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.90	17.00	135.00
13/4 to 2 in	3.00	25.00	200.00
2 to $2\frac{1}{2}$ in	4.00 5.25	35.00 45.00	275.00 350.00
3 to $3\frac{1}{2}$ in	6.75	55.00	
eugenie, 75'-90'	C	Carolina	Poplar
A rapid grower; succeeds even seashore.	in dry	places as	nd near
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.35	11.00	
10 to 12 ft., $1\frac{1}{2}$ to 2 in	1.90 2.50	15.00 20.00	
14 to 16 ft., $2\frac{1}{2}$ to 3 in	3.50	28.00	
nigra italica, 60'-80' Tall spire-like character; valued screens.		mbardy dscape w	_
8 to 10 ft	1.10	9.30	75.00
10 to 12 ft., 1¼ to 1½ in	1.35	11.00	90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.80	15.00	120.00
12 to 14 ft., $1\frac{3}{4}$ to 2 in	2.2 <i>5</i> 3.00	20.00 25.00	150.00 200.00
16 to 18 ft., 2½ to 3 in		30.00	
, , -	5.5		

POPULUS—continued	Each	Per 10	Per 100
simoni, 25'-30'		Simon I	Poplar
Hardy, small, fastigate tree with	good fo		. оргаг
12 to 14 ft	2.50	28.00	
14 to 16 ft	3.50		
POTENTILLA fruticosa, 3'-4'		•	_
Blooms profusely, yellow, June- able and useful shrub.	Septemi		
12 to 18 in	·3 <i>5</i>	2.50	22.50
18 to 24 in	•45 •55	3.50 4.50	30.00 37.50
—veitchi, 3'-4'	Ve	itch Cinc	quefoil
Hardy variety from China havin flowering from June till frost.			_
12 to 18 in	.45		
PRUNUS americana, 10'-12'	P	American	Plum
Bushy growth and has abundance April-May.	of show	wy white	flowers
3 to 4 ft	•3 <i>5</i> •50	3.00 4.00	
cerasifera pissardi, 12'-15'	P	urplelea	f Plum
Valued chiefly because of purpl	ish fol	iage; sho	uld be
pruned every year for best color	effect.		
4 to 5 ft	.65		
5 to 6 ft	.90	7.50	
10 to 12 ft	1.10 2.25	9.00 19.00	
—othello, 12'-15'	-	urpleleaf	Dlum
A variety of the above, somewha		-	
larger leaves.	t stron	ger grow	ci and
3 to 4 ft	.45	3.50	*************
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	6
			60.00
6 to 8 ft	1.35	11.00	90.00
			90.00
6 to 8 ft glandulosa, 5'-6' Flowers double, May; very show	Flov	11.00 vering A	90.00 lmond
6 to 8 ft glandulosa, 5'-6' Flowers double, May; very show White varieties.	Flow	11.00 vering A re are Pi	90.00 lmond nk and
6 to 8 ft	Flow	11.00 vering A re are Pi	90.00 lmond nk and 37.50
6 to 8 ft	Flow	11.00 vering A re are Pi 4.75 6.50	90.00 Ilmond nk and 37.50 50.00
6 to 8 ft. glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30'	Flow vy; the •55 •75	vering A re are Pind 4.75 6.50	90.00 Ilmond nk and 37.50 50.00
6 to 8 ft	Flow vy; the .55 .75 wide-s	vering A re are Pi 4.75 6.50 Hitoye (pread br	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called	Flow vy; the .55 .75 wide-s Oshimo	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry.	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft.	Flow vy; the .55 .75 wide-s Oshimo 3.00	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry.	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft.	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75 5.00	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft.	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75 5.00	11.00 vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00	90.00 Ilmond nk and 37.50 50.00
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. maritima, 9'-10' Small white flowers, April. Fruit	Flow y; the .55 .75 wide-s Oshimo 3.00 3.75 5.00 6.50	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00 Beach	90.00 Ilmond nk and 37.50 50.00 Cherry anches, ————————————————————————————————————
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. maritima, 9'-10' Small white flowers, April. Fruit subject for sandy soils or near s	Flow y; the .55 .75 wide-s Oshimo 3.00 3.75 5.00 6.50	vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00 Beach	90.00 Ilmond nk and 37.50 50.00 Cherry anches, ————————————————————————————————————
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. maritima, 9'-10' Small white flowers, April. Frui subject for sandy soils or near s 12 to 18 in.	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75 5.00 6.50	11.00 vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00 Beach ourple. Sp	90.00 Ilmond nk and 37.50 50.00 Cherry anches, ————————————————————————————————————
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. maritima, 9'-10' Small white flowers, April. Fruit subject for sandy soils or near s 12 to 18 in. 18 to 24 in.	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75 5.00 6.50 ts are peashore.	11.00 vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00 Beach ourple. Sp	90.00 Ilmond nk and 37.50 50.00 Cherry anches, Plum olendid 30.00 37.50
glandulosa, 5'-6' Flowers double, May; very show White varieties. 18 to 24 in. 2 to 3 ft. lannesiana, 20'-30' Rather fast-growing tree with single white flowers. Also called 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. maritima, 9'-10' Small white flowers, April. Frui subject for sandy soils or near s 12 to 18 in.	Flow vy; the .55 .75 wide-s Oshimo 3.00 3.75 5.00 6.50	11.00 vering A re are Pi 4.75 6.50 Hitoye (pread br Cherry. 25.00 31.00 42.50 55.00 Beach ourple. Sp	90.00 Ilmond nk and 37.50 50.00 Cherry anches, ————————————————————————————————————

PRUNUS—continued	Each	Per 10	Per 100
padus, 30'-40'	Europea	n Bird	Cherry
Decorative flowering tree; has lowers, black fruit.	ong droc	oping rad	cemes of
5 to 6 ft	.80	6.50	
6 to 8 ft	1.00	8.50	
8 to 10 ft	1.35	11.00	
10 to 12 ft	1.65	13.50	
pennsylvanicum, 10'-12'		Pin	Cherry
Small shrubby tree; very show flowers April-May. Grows well is	vy; cove n poor s	ered wit	h white
3 to 4 ft	·35	3.00	
4 to 5 ft	.50	4.00	
persica (See Amygdalus Persica	a)		
serotina, 75'-100'		Black	Cherry
Largest of native Cherries. Makes Quick growing. Stands severe exp Coast. Thrives in sandy fields.	_		
8 to 10 ft	1.35		
10 to 12 ft	2. 25		
12 to 14 ft	3.25		
serrulata, 40'-60'	C	Oriental	Cherry
One of the species of wild flow large strong tree with wealth of soms in early spring. Foliage large to brilliant shades of yellow and	white, sege, deep	emi-dout green, c	ole blos-
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.00	25.00	200.00
10 to 12 ft., 2 to $2\frac{1}{4}$ in	4.50	37.50	300.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.50	47.50	
—sacchalinensis sargenti, 40'-60'		Yama	Cherry
Largest and hardiest of Oriental soms, fading to white. An ideal latree.			
6 to 8 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	35.00	
8 to 10 ft., 13/4 to 2 in	5.50	47.00	
10 to 12 ft., 2 to 2 ¹ / ₄ in	7.25	60.00	4
subhirtella, 25'-30'		Higan	Cherry
Round topped shrub-like tree. De to white when fully open. One flowering Cherries.			
6 to 8 ft	4.00	35.00	
8 to 10 ft., 1 ³ / ₄ to 2 in	5.50	47.00	
10 to 12 ft., 2 to 2½ in	8.00		
-autumnalis, 25'-30' Autumn Flo	owering	Higan	Cherry
Small tree. Semi-double pink bloss or early spring.	0	omin a in	Ostohom
or court printing	oms now	ering in	October
_		ering in	October -
6 to 8 ft	4.00 5.75		——

PRUNUS—continued	Each	Per 10	Per 100
subhirtella pendula, 12'-15'	Weeping	Japan	Cherry
A most beautiful and graceful blossoms in early spring.			
4 to 5 ft. stems, 1 yr. heads	2.25	19.00	
5 to 6 ft. stems, 2 yr. heads	9 9	28.00	
5 to 6 ft. stems, 3 yr. heads 4 to 6 ft. stems, 5 yr. heads,	4.50	37.50	300.00
2 to $2\frac{1}{2}$ in	9.00	75.00	600.00
2½ to 3 in	11.00	92.50	750.00
3 to 3½ in	13.50	112.50	
——flore plena, 12'-15' Doubl	le Flg. W	eeping	Cherry
Similar to the above with larger			
3 year heads		37.50	
tomentosa, 6'-7'	N	anking	Cherry
Fruits are light red. Flowers where Very showy.	nite, befor	e leaves	appear.
2 to 3 ft	·3 <i>5</i>	3.00	25.00
3 to 4 ft	.45	3.75	30.00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.00	8.50	67.50
6 to 7 ft	1.35	11.00	90.00
triloba plena, 7'-8' Double pink flowers, April-May	Doubleff		
			isciui.
2 to 3 ft	.55 .80	4.7 <i>5</i> 6.50	
5 to 4 It	•00	0.50	

JAPANESE CHERRIES

We offer the following list of the choicest imported varieties. These are of upright habit and very desirable for landscape work. In addition to the list named we have lesser quantities of several other varieties as well as some larger sizes which we will be glad to quote on request.


NOTE

All of our cherries are eastern grown. They are heavy, well branched, well rooted specimens not to be compared with light one or two year whips.

Amayodori, 25'-35'			
Flowers double white.			
5 to 6 ft	3.50	27.50	
6 to 8 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25	45.00	
Ichiyo (hisakura), 25'-35'			
Flowers double pink.			
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.25	45.00	
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	55.00	
10 to 12 ft., 13/4 to 2 in	9.00	75.00	
J. H. Veitch (fugenzo), 30'			
Flowers double pink.			
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	2.25	19.00	
5 to 6 ft	3.50	27.50	
6 to 8 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	45.00	350.00
8 to 10 ft., 13/4 to 2 in	6.75	55.00	


PRUNUS—continued	Each	Per 10	Per 100
Kanzan, 40'			
One of the best—flowers deep pin			
3 to 4 ft	1.50 2.25	12.50 19.00	100.00
4 to 5 ft	5.25	_	-
8 to 10 ft., 2 to 2 ¹ / ₄ in	6.75		
10 to 12 ft., 2½ to 2½ in	9.00		
Ojochin, 25'			
Large tree with light pink, semi-			
5 to 6 ft	3.50 5.25	27.50 45.00	350.00
8 to 10 ft., 1½ to 1¾ in	6.75		
Paul Wohlert, 25'-30' Double, deep pink flowers—semi-c	lwarf f	orm	
5 to 6 ft		27.50	
3 10 0 11	3.50	27.30	
Rosea superba, 30'			
Flowers double rose.			
6 to 8 ft., 1½ to 1¾ in	5.25	45.00	4 50 00
8 to 10 ft., $1\frac{3}{4}$ to 2 in	6.7 <i>5</i> 9.00	55.00 75.00	450.00
10 to 12 it., 2 to 2/2 iii	9.00	75.00	
Shirofugen, 25'-35'			
Light pink buds opening to white-	—doubl	.e.	
5 to 6 ft	3.50		
6 to 8 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		45.00	
8 to 10 ft., 1½ to 1¾ in	6.7 <i>5</i> 9.00		450.00
10 to 12 ft., 1¾ to 2 in	9.00	75.00	
Watereri, 30'			
Showy, double pink flowers.			
6 to 8 ft., 1½ to 1¾ in	5.25	45.00	
8 to 10 ft., 2 to 2 ¹ / ₄ in	6.75	55.00	
Yedoensis (yoshino cherry), 35'			
Single, pale pink.			
6 to 8 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	45.00	350.00
8 to 10 ft., 13/4 to 2 in	6.75	55.00	450.00
10 to 12 ft., 2 to $2^{\frac{1}{2}}$ in	9.00	75.00	
PSEUDOTSUGA douglasi, 70'-80	,	Dou	glas-fi r
Evergreen. Very hardy; dark blui			_
fers well drained situation.			
18 to 24 in., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65 2.00	13.50 17.00	110.00
3 to 4 ft., B. & B	2.75	22.50	175.00
4 to 5 ft., B. & B	4.00	35.00	275.00
5 to 6 ft., B. & B	5.00	40.00	
6 to 7 ft., B. & B	7.50	65.00	
7 to 8 ft., B. & B., specimen	15.00	122.00	
8 to 9 ft., B. & B., specimen	19.00	150.00	
—glauca		lue D o ug	
A selected strain of the Colorado D	ouglas	Fir with	charac-
teristic blue and silvery foliage. 18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	2.75	22.50	175.00
2½ to 3 ft., B. & B	3.75	30.00	250.00
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	5.25	45.00	

PTELEA trifoliata, 10'-12' Has clusters of fruit that look and 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	Each .90 1.25 1.50 2.00		optree
PUERARIA thunbergiana, 60'		Kudz	u-bean
One of the fastest growing vines purple flowers.	in culti	vation; f	ragrant
1 year, strong	.20	1.70	13.50
PYRACANTHA coccinea lalandi, Evergreen. A beautiful broad-leav clusters of orange berries in the f	La ed ever		h large
18 to 24 in., 6 in. pots	1.65	13.50	110.00
2 to 3 ft., 7 in. pots	2.75	22.50	175.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.00	75.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.25	20.00	150.00 250.00
3 to 4 ft., B. & B	3·7 <i>5</i>	30.00	250.00
PYRUS calleryana, 20'		Caller	y Pear
Tall growing Japanese Pear value very showy flowers.	ed for i	ts abund	ance of
6 to 8 ft	2.50 3.00	20.00 25.00	



Morven

The home of Richard Stockton, a signer of the Declaration of Independence. Here many notables were entertained in Revolutionary days



NURSERY GROWN OAKS

Our Specialty

The following list of Oaks is (we are told) one of the finest lots grown in America. For years we have been painstakingly building up a select lot of shade trees and have been convinced that Oaks would be finally recognized as one of the best shade tree groups. The increased popularity and demand have justified our conviction.

Our Oaks are straight stemmed with good heads and well defined leaders and have been transplanted several times so that the root systems are of the best.

They are especially adapted to highway and park planting and are available in quantity. We have over 100,000 including all sizes.

We handle our trees carefully, avoid exposure and take every precaution to insure safe transplanting.

QUERCUS alba, 100'	Each		Per 100 ite Oak
Best planted in spring. The most in growth but makes magnificent		oak of a	ll, slow
4 to 5 ft	2.00	17.00	135.00
5 to 6 ft	3.00	25.00	200.00
6 to 8 ft	4.00	35.00	275.00
8 to 10 ft	5.25	45.00	350.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.75	55.00	450.00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	8.00	65.00	525.00
13/4 to 2 in	10.00	80.00	
2 to 2 ¹ / ₄ in	12.50	100.00	
bicolor, 50'-60'	Swa	mp Whi	te Oak
Large tree with round, somewhat bark.	t open h	ead. Gra	y, scaly
6 to 8 ft	3.75		
8 to 10 ft	4.50		
10 to 12 ft., 1½ to 1¾ in	5.50		
coccinea, 75'-90'		Scarl	et Oak
Most striking autumn colors; tall cut leaves.	l, stately	grower,	deeply
6 to 8 ft	3 . 7 <i>5</i>	30.00	250.00
8 to 10 ft	4.75	40.00	325.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	50.00	400.00
10 to 12 ft., 1½ to 1¾ in	7.50	65.00	500.00
10 to 12 ft., 13/4 to 2 in	9.00	75.00	
12 to 14 ft., 2 to 2 ¹ / ₄ in	11.00	90.00	
12 to 14 ft., 2½ to 2½ in	13.50	110.00	
14 ft., 2½ to 3 in	16.50		
lyrata, 60'-75'		Overci	ıp Oak
Enjoys a moist soil and associ Liquidambar, River Birch, etc.	iates we	ell with	Nyssa,
4 to 5 ft	3.00	25.00	200.00
5 to 6 ft	3.50	28.00	
6 to 8 ft	5.50	47.50	

QUERCUS—continued	Each	Per 10	Per 100
macrocarpa, 75'-80'		Mossyc	up Oak
Vigorous grower of picturesque corky branches.	appeara	-	
5 to 6 ft	1.90	15.00	125.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3.75	30.00	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in			300.00
10 to 12 ft., 1½ to 1¾ in	4.50	37.50	-
	5.50	47.50	375.00
12 to 14 ft., 13/4 to 2 in	6.50	55.00	
2 to 2 ¹ / ₄ in	7.50	65.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	75.00	
$2\frac{1}{2}$ to 3 in	10.00	85.00	
3 to 3½ in	12.50	100.00	
palustris, 75'-90'			in Oak
Takes most kindly to cultivation			
is very adaptable. Particularly good autumn effects.	fitting a	is a stre	et tree;
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	2.00	17.00	135.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	200 00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00	250.00
9 to 11 ft., 13/4 to 2 in	4.50	37.50	300.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	6.00	50.00	400.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	8.00	65.00	525.00
$2\frac{1}{2}$ to 3 in	9.25	77.50	625.00
3 to 3½ in	12.00	90.00	
$3^{1/2}$ to 4 in	15.00	125.00	
$4 \text{ to } 4^{\frac{1}{2}} \text{ in}$	20.00	170.00	
Also larger sizes. Prices on applic		170.00	
Also larger sizes. Frices on appric	Lation.		
phellos, 50'-60'		Willo	w Oak
Narrow willow-like leaves; disti	nct fron	n other v	arieties
of oak.			
6 to 8 ft	3.50	28.00	225.00
8 to 10 ft	4.50	37.50	300.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	47.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50	55.00	
10 to 12 ft., 13/4 to 2 in	8.00	65.00	
12 to 14 ft. 2 to 2 ¹ / ₄ in	9.00		
robur fastigiata, 35'-50'	yramida	al Engli	sh Oak
Narrowly columnar. Makes a dep	endable	long liv	ed tree.
Effective when used as an accent ment or for heavy formal effects.		ate garde	n treat-
3 to 4 ft	3.50	28.00	225.00
4 to 5 ft	5.50	47.00	
5 to 6 ft	6.50	55.00	
10 to 11 ft., 1½ to 1¾ in	13.50	110.00	
12 to 14 ft., 2½ to 3 in., B. & B.			
12 to 14 ft., 3 to 3½ in., B. & B.			
3½ to 4 in. B. & B.			
		ъ	101
rubra, 75'-90' Comparatively quick growth; ri		nmon R ımn colo	
greens and reds.			
5 to 6 ft	1.65	13.50	110.00
6 to 8 ft	2.75	22.50	175.00
8 to 10 ft	3.75	30.00	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	37.50	300 .0 0
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	50.00	400.00
13/4 to 2 in	7.50	65.00	500.00
2 to 2 ¹ / ₄ in		_	
— / T	9.00	75.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00 11.00	75.00 90.00	

QUERCUS—continued

Each Per 10 Per 100

velutina, 75'-90'

Black Oak

Inhabits poor soils of dry and gravelly uplands. Deep green foliage turning yellowish or reddish-brown in autumn.

4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	_		
6 to 8 ft			
8 to 10 ft	3.75	30.00	



THE NASSAU INN

The oldest hotel in Princeton. The original portion of the building was erected in 1757, of brick imported from Holland

Each Per 10 Per 100 RETINOSPORA (See CHAMAECYPARIS) Carolina Buckthorn RHAMNUS caroliniana, 30' Has red fruit, turning black when ripe. 3 to 4 ft. 4.75 37.50 .80 4 to 5 ft. 6.50 52.50 to 6 ft. 1.10 9.00 70.00 6 to 8 ft. 1.65 13.50 3.50 28.00 10 to 12 ft. 4.50 37.50 Common Buckthorn cathartica, 9'-10' Dark green leaves, black berries. Valuable background 3 to 4 ft. 2.80 22.50 -35 4 to 5 ft.45 3.75 30.00 5 to 6 ft. 5.00 40.00 .60 6 to 7 ft.90 7.50 60.00 Glossy Buckthorn frangula, 8'-9' Berries red, changing to black. 3 to 4 ft. 2.80 -35 4 to 5 ft. 45 30.00 3.7*5* .60 5.00 40.00 60.00 .90 7.50 RHODODENDRON carolinanum, 4'-6' Carolina Rhododendron These plants are nursery grown and exceptionally fine. They are all well budded and so bushy that the breadth and height are about equal. This variety has bright pink flowers in May or June and is one of the best for planting in open places. 15 to 18 in., B. & B. 19.00 150.00 2.25 18 to 24 in., B. & B. 28.00 3.50 225.00 2 to 2½ ft., B. & B. 4.50 37.50 White Carolina Rhododendron –album White blooming variety of the above. 12 to 15 in., B. & B. 20.00 3.00 25.00 18 to 24 in., B. & B. 3.7*5* 30.00 Catawba Rhododendron catawbiense, 6'-9' Nursery grown stock, perfectly shaped, and all broad bushy specimens. This variety has large rosy-purple flowers in May or June and prefers half-shade. 15 to 18 in., B. & B. 2.00 17.00 135.00 18 to 24 in., B. & B. 3.00 25.00 200.00 2 to $2\frac{1}{2}$ ft., B. & B. 4.50 37.50 300.00 6.00 50.00 400.00

Nursery Grown. Raised from seed. Evergreen. Beautiful light pink flowers freely produced in May-June. Large, handsome foliage; most effective in

maximum, 8'-12'

7.50

65.00

Rosebay Rhododendron

15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B	6.50	55.00	450.00

RHODODENDRON—continued	Each	Per 10	Per 100
maximum			
Collected Clumps, Grown in Nur	*		
2 to 3 ft., B. & B		31.00 47.00	250.00 375.00
mucronulatum, 6'	Korean	Rhodod	lendron
Violet-pink flowers very early. leaves in fall.	Handsor	ne scarle	et-tinted
12 to 15 in., B. & B	3.00 4.00 5.00	25.00 35.00 40.00	
Strong growing varieties. Album elegans—Blush-pink. Catawbiense grandiflora—Rosy- Everestianum—Rosy-lilac. President Lincoln—Pink. Roseum elegans—Rich pink.			
12 to 15 in., B. & B	2.75 3.50 5.00 6.75 8.50 10.00	22.50 28.00 40.00 55.00 70.00 80.00	175.00 225.00 325.00 450.00
Medium growing varieties. Amphion—Rose-pink. Candidissima—White. Caractacus—Red. Dr. Dresselhuis—Bright red. General Grant—Rosy-scarlet. Ignatius Sargent—Deep pink. Mrs. C. S. Sargent—Rich crimsof Purpureum grandiflorum—Large Roseum superbum—Deep pink.		ed purpl	le. Late.
12 to 15 in., B. & B	3.50 4.50 6.00	27.50 37.50 50.00	
Boule de Neige—White.			
12 to 15 in., B. & B	4.25 5.25 6.75	57.50	
HYBRID seedlings, mixed colors.	•		
15 to 18 in., B. & B	2.00 3.00 4.00 6.00	17.00 25.00 35.00 50.00	
RHODOTYPOS kerrioides, 4'-5'		White	Kerria
Fresh green foliage, pure white ing, black, bead-like berries all bead.	flowers, winter.	May-Jur Also cal	ne. Shin- led Jet-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.22 .30 .35 .55 .80	2.00 2.50 3.00 4.70 6.50	15.00 20.00 25.00 37.50

	Ench	Per 10	Dom 100
DITIES 1 (
RHUS canadensis (aromatica), 4'-			
Clusters of small yellow flowers, tive in June when covered with			
stands drought. Aromatic foliage.		ca mants	• ** 1011-
18 to 24 in	-35	2.80	22.50
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.10	9.00	
copallina, 12'-13'		Shining	Sumac
Showy crimson fruits; good at	ıtumn	coloring.	Makes
show in poor arid situations; goo			
15 to 18 in	·3 <i>5</i>	2.80	22.50
18 to 24 in	-45	3 . 7 <i>5</i>	30.00
2 to 3 ft	.55	4.70	37.50
3 to 4 ft	.80	6.50	52.50
*cotinus, 10'-12'	Comn	non Smo	ketree
Also called Purple Fringe.			
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	1.00	8.50	67.50
4 to 5 ft	1.35	11.00	
5 to 6 ft	1.80	15.00	
6 to 8 ft	2.50	20.00	
—purpurea, 10'-12'	Pu	rple Smo	oketree
Purple leaved form of the type.			
18 to 24 in	.80		
2 to 3 ft	1.00		
3 to 4 ft	1.35		
glabra, 10'-12'		Smooth	Sumac
Crimson fruits in bunches; rich a	utumn d	coloring;	thrives
in poor soils.			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.45	3.75	30.00
4 to 5 ft	.55	4.75	37.50
5 to 6 ft	.65 1.10	5.50 9.00	45.00 75.00
6 to 8 ft	2.00	13.50	110.00
0 to 10 it	2.00	20.50	
—laciniata, 10'-12' Cutl	leaved	Smooth	Sumac
Cutleaved form of the type.			
18 to 24 in	.80	6.50	
4hina	S	taghorn	Sumac
typhina, 15'-18' Picturesque habit; brilliant autun		Ŭ	Sumac
·		2.50	20.00
2 to 3 ft	.30 .3 <i>5</i>	3.00	25.00
4 to 5 ft	·35 ·45	3.75	30.00
5 to 6 ft	.60	5.00	40.00
		_	
6 to 8 ft	.80	6.50	52.50
8 to 10 ft		_	

RHUS-continued	Each	Per 10	Per 100
typhina laciniata, 14'-15'	S	hredded :	Sumac
Leaves are finely cut, giving attra	active :	feathery a	ppear-
2 to 3 ft	-45	3 . 75	30.00
3 to 4 ft	-55	4.70 6.00	37.50
4 to 5 ft	•7 <i>5</i> •90	7.50	
6 to 8 ft	1.10	9.00	
ROBINIA hispida, 5'-6'			acacia
Rosy pink, attractive flowers, Mainto a mass.	a y- June	e. Soon de	
18 to 24 in	.45	3.75	30.00
2 to 3 ft	.65 .90	5.50 7.50	45.00 60.00
4 to 5 ft	1.10	9.00	75.00
—standard			
3 to 4 ft	1.65	13.50	
pseudoacacia, 60'-80'		ommon	Locust
Has fragrant white flowers in Ma 6 to 8 ft		8.00	
8 to 10 ft	1.00	12.00	
10 to 12 ft	2.00	17.00	
Also larger sizes. Prices on applic	ation.		
ROSA blanda, 4'-5' Pink, May. Almost thornless; red	dish b	Meadov	v Rose
18 to 24 in	.45	3.75	30.00
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.80	6.50	52.50
		Rose of	
A very desirable border rose with flowers.	very	attractive	yellow
2 to 3 ft	.80	6.50	52.50
humilis, 2'-3'		Pastur	e Rose
The common wild rose of the past	ures.		
12 to 18 in	•45 •55	3.7 <i>5</i> 4.70	
lucida, 5'-6'		Virgini	a Rose
Useful for the shrub border or Thrives under neglect. Pink flowe			masses.
10 to 12 in	-35	2.80	22.50
12 to 15 in	.40	3.50	27.50
15 to 18 in	.45 .60	3.75 5.00	30.00 40.00
multiflora, 9'-10'	.00	Japanes	
White, June. Vigorous, free-flower	ring an	• •	
2 to 3 ft	·3 <i>5</i>	3.00	25.00
3 to 4 ft	·35 ·45	3.75	30.00
4 to 5 ft	.60	5.00	40.00

	Each	Per 10	Per 100
nitida, 3'-4'		Brist	ly Rose
Deep pink, June. Good for hold mass planting; good autumn color		nks and	general
10 to 12 in	-3 5	2.80	22.50
12 to 15 in	.40	3.50	27.50
15 to 18 in	.45	3.75	
palustris (carolina), 6'-8' Prefers moist situation. Pink flower	ers 'Inn		p Rose
12 to 18 in	.35	3.00	25.00
18 to 24 in	·35 ·45	3.75	
2 to 3 ft	.55	4.75	
rubiginosa, 5'-6'		Swe	eetbrier
Bright pink flowers, June. Good odor.	foliag	e with a	romatic
12 to 18 in	·3 <i>5</i>	3.00	25.00
18 to 24 in	·4 <i>5</i>	3 . 7 <i>5</i>	30.00
2 to 3 ft	•55	4.75	37.50
3 to 4 ft	.65	5.75	45.00
4 to 5 ft	.80	6.50 8.50	52.50 67.50
5 to 6 ft	1.00	0.50	07.30
rubrifolia (ferruginea), 5'-6'			f Rose
Has distinct purplish-red leaves a subject.		rk; good	winter
18 to 24 in		3.75	07.50
	•55	4.75	37.50
rugosa, 4'-5'		d Rugos	
Handsome shrub, large pink flo Rich green foliage and large red			
shrubbery border or as hedge.		uscrui i	n eitner
	.30	2.50	20.00
shrubbery border or as hedge. 12 to 18 in	.30 ·35	2.50 3.00	20.00 25.00
shrubbery border or as hedge. 12 to 18 in	.30	2.50	20.00 25.00
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5'	.30 .35 .45	2.50 3.00	20.00 25.00 30.00
shrubbery border or as hedge. 12 to 18 in	.30 .35 .45	2.50 3.00 3.75	20.00 25.00 30.00
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in.	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos	20.00 25.00 30.00 sa Rose
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September.	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos	20.00 25.00 30.00 sa Rose
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12'	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 sa Rose
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 sa Rose 25.00 30.00
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12'	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 sa Rose
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in.	.30 .35 .45 Whit	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 sa Rose 25.00 30.00
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in. 2 to 3 ft.	.30 .35 .45 Whit .35 .45 flower .45 .55	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 30.00 30.00 30.00 37.50
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in. 2 to 3 ft. —F. J. Grootendorst, 4'-6' Small bright red flowers produce	.30 .35 .45 Whit .35 .45 flower .45 .55	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 30.00 30.00 30.00 37.50
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in. 2 to 3 ft. —F. J. Grootendorst, 4'-6' Small bright red flowers produce season. Vigorous plants — often use 18 to 24 in.	.30 .35 .45 Whit .35 .45 flower .45 .55	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 30.00 30.00 30.00 37.50
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in. 2 to 3 ft. —F. J. Grootendorst, 4'-6' Small bright red flowers produce season. Vigorous plants — often use 18 to 24 in. —Lady Duncan, 3'-4'	.30 .35 .45 Whit .35 .45 flower .45 .55	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 30.00 30.00 30.00 37.50
shrubbery border or as hedge. 12 to 18 in. 18 to 24 in. 2 to 3 ft. —alba, 4'-5' White flowers. May-September. 12 to 18 in. 18 to 24 in. —Agnes, 10'-12' Hardy rugosa hybrid with yellow 18 to 24 in. 2 to 3 ft. —F. J. Grootendorst, 4'-6' Small bright red flowers produce season. Vigorous plants — often use 18 to 24 in.	.30 .35 .45 Whit .35 .45 flower .45 .55	2.50 3.00 3.75 e Rugos 3.00 3.75	20.00 25.00 30.00 30.00 30.00 30.00 37.50

ROSA—continued				
18 to 24 in	ROSA—continued	Each	Per 10	Per 100
setigera, 5'-6'	rugosa Pink Grootendorst, 4'-6'			
setigera, 5'-6'	-	45	3.75	30.00
Setigera, 5'-6'	•		9 . •	_
Deep rose flower, June-July. Vigorous grower. 18 to 24 in	•			
Deep rose flower, June-July. Vigorous grower. 18 to 24 in	setigera, 5'-6'		Prairi	e Rose
18 to 24 in		ous gro	ower.	
2 to 3 ft				20.00
spinossissima, 4' Scotch Rose Dwarf spreading rose, with small leaves and showy white to pinkish flowers. 15 to 18 in				_
spinossissima, 4' Dwarf spreading rose, with small leaves and showy white to pinkish flowers. 15 to 18 in				
Dwarf spreading rose, with small leaves and showy white to pinkish flowers. 15 to 18 in				
to pinkish flowers. 15 to 18 in	- · · · · · · · · · · · · · · · · · · ·			
15 to 18 in		eaves a	nd show	y white
—altaica, 4' —altaica, 6' —alta				
—altaica, 4' Altai Rose Stronger grower than the above; has larger creamy white flowers. 15 to 18 in				
Stronger grower than the above; has larger creamy white flowers. 15 to 18 in	10 to 24 m	•15	0.50	50.00
Stronger grower than the above; has larger creamy white flowers. 15 to 18 in	—altaica 4'		A 1ts	i Rose
flowers. 15 to 18 in		as large		
wichuraiana, white, 10'-12' Wichurian Rose Trailing plant with evergreen shining foliage. Pure white flowers. Blooms rather late in the season. 18 to 24 in., 1 year		s	, Cr Carre	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
wichuraiana, white, 10'-12' Wichurian Rose Trailing plant with evergreen shining foliage. Pure white flowers. Blooms rather late in the season. 18 to 24 in., 1 year	15 to 18 in	.70	5.50	45.00
Trailing plant with evergreen shining foliage. Pure white flowers. Blooms rather late in the season. 18 to 24 in., 1 year	18 to 24 in	.90	7.50	60.00
Trailing plant with evergreen shining foliage. Pure white flowers. Blooms rather late in the season. 18 to 24 in., 1 year				_
flowers. Blooms rather late in the season. 18 to 24 in., 1 year				
18 to 24 in., 1 year			age. Pur	e white
CLIMBING ROSES or RAMBLERS Heavy, 2 yr		eason.		
CLIMBING ROSES or RAMBLERS Heavy, 2 yr	•			
Heavy, 2 yr	2 to 3 it., 2 year	.45	3.75	30.00
Heavy, 2 yr				
Albertine. Semi-double, pale pink. American Beauty Climbing. Red. Aviateur Bleriot. Yellow. Christine Wright. Wild rose-pink. Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers 80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	CLIMBING ROSES or R	AMBI	ERS	
Albertine. Semi-double, pale pink. American Beauty Climbing. Red. Aviateur Bleriot. Yellow. Christine Wright. Wild rose-pink. Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers80 6.50 Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	Heavy, 2 yr		_	
American Beauty Climbing. Red. Aviateur Bleriot. Yellow. Christine Wright. Wild rose-pink. Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers 80 6.50 Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in			t where	noted.
Aviateur Bleriot. Yellow. Christine Wright. Wild rose-pink. Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers 80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	,			
Christine Wright. Wild rose-pink. Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	•			
Dr. Van Fleet. Shell-pink. Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in				
Emily Gray. Semi-double, golden-buff. Max Graf. Trailing sort with glossy foliage and attractive pink flowers80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	_			
Max Graf. Trailing sort with glossy foliage and attractive pink flowers80 6.50 — Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	*	• ~		
Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in				
Mary Wallace. Semi-double, clear rose-pink. Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in				attrac-
Pauls Scarlet. Vivid scarlet. Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Flowering Raspberry Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in			_	
Silver Moon. Yellowish-white. Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in		rosc-pi	IIIX.	
Dorothy Perkins. White. Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	-			
Excelsa. Red. Tausendschon. Soft pink. RUBUS odoratus, 6' Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in				
Tausendschon. Soft pink. RUBUS odoratus, 6' Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	•			
RUBUS odoratus, 6' Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in				
Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	zaasonasonom bort pinik.			
Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	RIIRIIS odoratus 6'	Cloweri	ng Ras	nherry
fers moisture at roots. Rosy-purple flowers, June-September. 18 to 24 in	·			
tember. 18 to 24 in				
2 to 3 ft			, , ,	F
2 to 3 ft	18 to 24 in	.45	3.75	30.00
3 to 4 it	2 to 3 ft	.55	4.70	37.50
	3 to 4 ft	.05	5.50	45.00

——≼ S ≽——

—————————————————————————————————————	•		
SALISBURIA adiantifolia (See	GINKG	0)	
SALIX babylonica, 50'-60' Bal	ovlon W	eeping	Willow
Particularly appropriate for wa long pendulous branches.	_		
	Each	Per 10	Per 100
4 to 6 ft	1.10	9.00	75.00
6 to 8 ft	2.00 3.00		
	amon W	eeping	Willow
Similar to the above but less ascending branches and pendulou	pendulo	us. A tr	
6 to 8 ft	1.35		90.00
8 to 10 ft	1.75	14.00	120.00
10 to 12 ft		19.00	
12 to 14 ft	3.50		
caprea (bush form), 15'-20'	Goa		ropean Willow
Very desirable for spring effects	. Will do	well or	n dry as
well as wet places.			
2 to 3 ft 3 to 4 ft	·3 <i>5</i>	3.00	25.00
4 to 5 ft	·45 ·55	3.7 <i>5</i> 4.70	30.00 37.50
10 to 12 ft	3.00	25.00	
12 to 14 ft	4.50	37.50	
discolor, 20' A: Similar to the above.	merican	Pussy	Willow
5 to 6 ft	.90	7.50	
elegantissima, 60'-70' Thu	ırlow W	eeping	Willow
Vigorous upright grower; best f			
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.75	14.00	120.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		19.00 25.00	
12 to 14 ft., 2 to 2½ in	3.50		
incana (rosmarinifolia), 8'-10'			Willow
An attractive, slow-growing Wil			
greatly resembling Sagebrush or ance.	Russian-	olive in	appear-
2 to 3 ft	-4 5	3·7 <i>5</i>	30.00
3 to 4 ft		4.75	
4 to 5 ft 5 to 6 ft	.05 .90	5.50 7.50	45.00 60.00
	_		
pentandra, 20'-30'		Laurel	
Shining, rich, dark green leaves background; valuable for seasho			tnwniie
		4.00	30.00
5 to 6 ft	.65		45.00
8 to 10 ft., 13/4 to 2 in	1.35 1.75		
vitellina aurea, 30'-40' R			Willow
Weeping to semi-weeping tree. I			
4 to 6 ft	1.00		
6 to 8 ft	1.50		
8 to 10 ft	2.00		

SALIX—continued	Each	Per 10	Per 100
-britzensis, 20'-25'	Bronze	Golden V	Villow
Particularly good when used wit			
3 to 4 ft		4.70	
4 to 5 ft		5.50	
5 to 6 ft	.90		
6 to 8 ft	1.35		
—pendula, 25'-30' W Weeping tree similar to Salix bal		Golden V	
branches.			J
10 to 12 ft., 1½ to 2 in	3.25		
10 to 12 ft., 2 to 2½ in	4.50		
SAMBUCUS canadensis, 8'-9' Useful for swampy places; fragr		American vers, June-	
18 to 24 in		2.00	-
2 to 3 ft		2.75	-
3 to 4 ft	-45	3.75	30.00
canadensis acutiloba, 7'-9'			
Deeply cut and fern-like foliage and effect. Has same general character	ristics as	s Americar	Elder.
2 to 3 ft			
3 to 4 ft	·3 <i>5</i>	3.00	25.00
—aurea, 10'-12' G Has conspicuous yellow foliage.	olden A	American	Elder
	.25	2.25	18.00
3 to 4 ft	.30	2.80	22.50
4 to 5 ft	·55	4.70	37.50
SASSAFRAS variifolium, 30'-60'	Cor	nmon Sas	ssafras
Beautiful orange foliage in fall green with fragrant leaves.			
2 to 3 ft	.55	4.70	37.50
3 to 4 ft	.80	6.50	
4 to 5 ft	1.00	8.50	
5 to 6 ft	1.35	11.00	
6 to 8 ft	1.65	13.50	
SCHIZOPHRAGMA hydrangeoi	des, 25 anese I	<mark>'-30'</mark> Tydrange	a-Vine
Beautiful climbing sort. More a		•	
Hydrangea petiolaris but less vi	gorous i	n growth.	
3 in. pots	.90		
SCIADOPITYS verticillata, 50'-75	5′	Umbrell	la Pine
Distinctive ornamental evergree	en of	dense pyr	amidal
habit. Slow growing. Shining specimen tree. Useful for heavy	green f formal e	oliage—ar effects.	n ideal
12 to 15 in., B. & B	3.50		
15 to 18 in., B. & B	4.50		
18 to 24 in., B. & B	6.7 <i>5</i> 9.00		
SHEPHERDIA argentea, 4'-6'		Buffal	oberry
Showy silvery foliage and edible	fruits.		
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.50	

	Each	Per 10	Per 100
SOPHORA japonica, 30'-40'	Chine	se Scho	lartree
White flowers in late summer; n winter. Also called Pagoda Tree.	oticeabl	e green 1	bark in
2 to 3 ft	1.00	9.00	75.00
3 to 4 ft	1.65	13.50 25.00	110.00
4 to 5 ft	2.75 3.25	28.00	225.00
6 to 7 ft	5.00	42.50	
7 to 8 ft	6.00	50.00	
viciifolia, 6'-8'		chleaf So	_
Dwarf form with compound foliag pea-shaped blossoms. Prefers a we	ll-drain	ed situat	
18 to 24 in	1.00	9.00	-
2 to 3 ft	1.65 2.25	13.50	
4 to 5 ft	3.00		
SORBARIA aitchisoni, 4'-5'			_
Graceful, compound foliage; flow September.	ers crea	my-white	e, July-
18 to 24 in	.25	2.25	18.00
2 to 3 ft	.30	2.80	22.50
3 to 4 ft	.55 .65	4.70 5.50	37.50 45.00
5 to 6 ft	.90	7.50	45.00
	**		
sorbifolia, 4'-5' Fluffy heads of white flowers, Ju		al False ust.	-spirea
2 to 3 ft	·3 <i>5</i> ·4 <i>5</i>	3.00 3.7 <i>5</i>	25.00 30.00
SORBUS americana, 30' Ar	nerican	Mounta	ain-ash
Attractive small tree with bright clusters.			
4 to 6 ft	1.65		
6 to 8 ft	2.25	19.00	
8 to 10 ft	3.00		
aucuparia, 25'-30' Eu	ropean	Mounta	ain-ash
A valuable tree on a small lawn quite striking.	; the sc	arlet ber	ries are
6 to 8 ft	2.00	17.00	135.00
8 to 10 ft	2.75	22.50	175.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft., $1\frac{3}{4}$ to 2 in	4.00	35.00 45.00	
2 to 2 ¹ / ₄ in	5.25 6.75	55.00	
-pendula Weeping Eu With long and slender pendulous	_		
tree. 1½ in. cal., 4 to 6 year heads	5.50		Manage of the State of the Stat
quercifolia, 20'-25'	Oakleat	Mount	ain-ash
A hybrid form similar to type in with larger leaves resembling that	n genera	ıl charac	
5 to 6 ft	1.35	11.00	
6 to 8 ft., 1¼ to 1½ in	1.65	13.50	
8 to 10 ft., 1½ to 1¾ in	3.00	25.00	
8 to 10 ft., 13/4 to 2 in	3.50	28.00	Charles and


	Each	Per 10	Per 100
SPIRAEA arguta, 5'-6'		Garland	Spirea
Small light green leaves; very free lar to, but more vigorous than thu			y. Simi-
15 to 18 in	.1 <i>5</i> . 2 0		10.00
billiardi, 5'-6'		Billiard	Spirea
Bright pink, fluffy flower spikes, for dry places.	July - O	ctober. V	aluable
2 to 3 ft	.25	_	18.00
3 to 4 ft	·3 <i>5</i>		
4 to 5 ft 5 to 6 ft	.45 .65	3.7 <i>5</i> 5.50	30.00 45.00
5 10 0 14	•05	J•J∘	43.00
bumalda, 3'		Bumalda	
Light pink flower, July-Septem "facing" shrub.	ber. A	A good,	
15 to 18 in	.25	2.25	
18 to 24 in	•3 <i>5</i>	3.00	25.00
2 to 2½ ft	. 45	3 .7 5	
—anthony waterer, 3' Anti	hony '	Waterer	Spirea
Deeper rose pink than preceding; summer.	very f	ree-flowe	ring all
12 to 15 in	.18	1.50	12.00
15 to 18 in	.25	2.25	
18 to 24 in	•3 <i>5</i>	3.00	25.00
2 to 2½ ft	45	3.75	
japonica (callosa alba), 3'	_	apanese	_
White, June-July. Purplish-green f			
12 to 15 in		1.50	
15 to 18 in		2.25	
18 to 24 in		3.00	
2 to 2½ ft	.45	3.7 <i>5</i>	30.00
latifolia (salicifolia), 4'-5' White flowers.		Meadow	Spirea
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	_	
3 to 4 ft	·3 <i>5</i>	3.00	25.00
4 to 5 ft	.45	3.7 <i>5</i>	30.00
margaritae, 4'-5' Very handsome shrub with bright		largarita Iowers.	Spirea
18 to 24 in	_	2.25	18.00
2 to 3 ft		3.00	
3 to 4 ft		3.75	
nipponica rotundifolia, 6'-7'	Big	Nippon	Spirea
Vigorous shrub with white flower foliage until late fall.			_
3 to 4 ft	.65	2 2	
4 to 5 ft	.80	6.50	
opulifolia (See PHYSOCARPUS	opuli	ifolia)	

SPIRAEA—continued	Each	Per 10	Per 100
prunifolia, 7'-8'		Bridal	wreath
White, May. Free-flowering; hands ing foliage, turning orange in au		lark greei	n, shin-
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	∙4 <i>5</i> ∙5 <i>5</i>	3.7 <i>5</i> 4.7 <i>5</i>	30.00 37.50
5 to 6 ft	.80	6.50	52.50
reevesiana, 7'-8'		Reeves	
Pure white, May-June. Graceful, leaves until late. Single or double	variet	ies.	
18 to 24 in	.25	2.25	18.00
2 to 3 ft	∙3 <i>5</i> •4 <i>5</i>	2.7 <i>5</i> 3.7 <i>5</i>	22.50
4 to 5 ft	·45 •55	4.75	
—fl. pl., 7'-8'	Dh1	. Reeves	Spirea
Arching shrub similar in characte			_
to Spirea vanhouttei. 18 to 24 in	·35	2.75	22.50
2 to 3 ft	•33 •45	3.75	30.00
sorbifolia (See SORBARIA sorb			
thunbergi, 4'-5'	\mathbf{T}^{1}	hunberg	Spirea
Slender, arching branches clothed			
ers, April-May. Small, feathery, ligable for seaside planting.	ght gre	en leaves	. Valu-
18 to 24 in	.22	1.90	15.00
2 to 2½ ft	.30	2.50	20.00
2½ to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	.45 .65	3.7 <i>5</i> 5.50	30.00 45.00
	.03		
tomentosa, 3'-4'	1		rdhack
Woolly, rose-pink flowers, July-Ser ish underside. Good in masses for			brown-
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	.45	3.7 <i>5</i>	30.00
trichocarpa, 5'-6' White flowers in June.		Korean	Spirea
18 to 24 in	.25	2.25	18.00
2 to 3 ft	.45	3.75	
vanhouttei, 8'-9'	V	anhoutte	Snirea
White, May-June. Graceful habit. ing and very adaptable.			_
18 to 24 in	1.5	1.10	9.00
2 to 3 ft	.1 <i>5</i> .20	1.50	12.00
3 to 4 ft	.30	2.50	18.00
4 to 5 ft	.40	3.00	25.00
5 to 6 ft	-55	4.75	37.50
veitchi, 10'-12'		Veitch	Spirea
Tallest growing Spirea. Useful pla	int for		-
of the shrub border. Flowers heav	ily.		Bround
4 to 5 ft	1.10	9.00	
y 10 0 10	1.50	12.00	

	Each	n Per 10	Per 100
STAPHYLEA colchica, 10'-12'	Co1	chis Blad	dernut
Flowers white, May-June. Fragrant	. Dec	orative see	d pods.
18 to 24 in	.70		
2 to 3 ft	.90	7.50	
STEPHANANDRA flexuosa, 5'-6'	744100	af Stepha	nondro
Graceful, compact habit; handsom			nandra
18 to 24 in	.25	2.25	18.00
2 to 3 ft	•35	2.75	
3 to 4 ft	.45 .60		30.00 40.00
tanakae, 6'	Yedo	lo Stepha:	nandra
More vigorous than the variety flex and flower clusters.	uosa.	Has larger	· leaves
18 to 24 in	-55		
2 to 3 ft	.7 <i>5</i> .80	6.00	
3 to 4 ft	1.10	6.50 9.00	52.50
STEWARTIA pentagyna, 6'-15'		ıntain Ste	mortio
Handsome shrubs with large showy			
and orange red anthers.	110 W	CIO, WIIICC	, tailiells
5 to 6 ft	7.50		
STRANVAESIA davidiana, 12'-15'			
Evergreen shrub. Attractive red fru		11.00	00.00
	1.35	11.00	90.00
undulata, 12'-15' Tender woody evergreen shrub foliage and attractive red fruits.	with	handsome	shiny
18 to 24 in	2.00		
STYRAX japonica, 12'-15'	_	panese Sn	
White, bell-shaped, pendant flower handsome specimen.	rs, Ju	ne-July. N	lakes a
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.3 <i>5</i> 3.50	11.00 28.00	225.00
8 to 10 ft., specimen	5.00		325.00
10 to 12 ft., specimen	7.50	65.00	
obassia, 20'-30'	Fra	agrant Sn	owbell
Shapely specimen small tree with bell-shaped flowers.	large	leaves and	l white
4 to 5 ft., B. & B	4.50 5.50		
SYMPHORICARPOS chenaulti, 6		ault Snov	whe rrv
This is a very beautiful hybrid ori Arboretum.			•
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·35	3.00 3.75	25.00 30.00
		ding Snov	
A more profuse berry producer as	_	•	_
mosus.			
3 to 4 ft	-55	4.75	

SYMPHORICARPOS—continued	Each	Per 10	Per 100	
racemosus, 5'-6'		Sno	wberry	
Conspicuous, white berries, attractive foliage. Most adaptable, but best in half-shady, moist locations.				
18 to 24 in	.18	1.50	12.00	
2 to 3 ft	.25	2.25	18.00	
3 to 4 ft	•35	2.75	22.50	
4 to 5 ft	-45	3·7 <i>5</i>	30.00	
vulgaris, 4'-5'			alberry	
Coral-red berries persisting thr for shade, and bank planting. Currant.	Also kr	nown as	Indian	
18 to 24 in	.18	1.50	12.00	
2 to 3 ft	.25	2.25	18.00	
3 to 4 ft	·3 <i>5</i>	2.75	22.50	
SYMPLOCUS paniculata, 25'-40'		Sw	eetleaf	
Deciduous shrub with slender sprewhite fragrant flowers.	ading b	ranches.	Hardy;	
15 to 18 in	.80	6.50		
18 to 24 in	1.10			
SYRINGA chinensis (rothomager	nsis), 8′	-9' Chinese	T :10 -	
Clanden been shown and of 1 1 11.	*** 1 .			
Slender branches, graceful habit. Free-flowering.	Violet	Howers 1	n May.	
2 to 3 ft	·3 <i>5</i>	2.75	22.50	
3 to 4 ft	·45	3.75	30.00	
4 to 5 ft	.65	5.50	45.00	
chinensis saugeana, 8'-9' Deep purple flowers.	Purple	c Chinese	e Lilac	
2 to 3 ft	·3 <i>5</i>	2.75	22.50	
3 to 4 ft	.45	3.75	30.00	
4 to 5 ft	.65	5.50	45.00	
5 to 6 ft	.90	7.50	60.00	
6 to 7 ft	1.10	9.00		
japonica, 18'-20'	Tapan	ese Tree	e Lilac	
Loose bunches creamy-white flow some foliage; grows into well-sha	vers, Ju	ine-July.		
3 to 4 ft	.65	5.50	45.00	
4 to 5 ft	.90	7.50	60.00	
5 to 6 ft	1.10	9.50	75.00	
6 to 7 ft	1.50	12.50	100.00	
7 to 8 ft	2.00	17.00		
8 to 9 ft	3.00	25.00		
josikaea, g'-10' Violet flowers. June. Good, shining		ungariar		
· · · · · · · · · · · · · · · · · · ·		_	_	
2 to 3 ft 3 to 4 ft	·3 <i>5</i> ·4 <i>5</i>	2.75 3.75	22.50 30.00	
4 to 5 ft	•43 •55	3·13 4·75	37.50	
5 to 6 ft	.80	6.50	52.50	
6 to 7 ft	1.00	8.50		

SYRINGA—continued Each Per 10 Per sian Lilac Blooms freely, lilac, May-June. 2 to 3 ft. 45 3.75 30.00 3 to 4 ft. .55 4.75 37.50 —alba, 5'-6' White Persian Lilac Fragrant white flowers in May or June. 2 to 3 ft. .55 4.75 37.50 3 to 4 ft. .80 6.50 52.50 reflexa, 10'-12' Nodding Lilac Strong rugged grower. Flowers deep rose in compact clusters. 2 to 3 ft. .80 — — — 3 to 4 ft. .10 — 4 4 to 5 ft. .10 — — 4 to 5 ft. .1.65 —				
Blooms freely, lilac, May-June. 2 to 3 ft	SYRINGA—continued	Each	Per 10	Per 100
Blooms freely, lilac, May-June. 2 to 3 ft	persica, 9'-10'		Persia	n Lilac
alba, 5'-6' White Persian Lilac Fragrant white flowers in May or June. 2 to 3 ft				
-alba, 5'-6' Fragrant white flowers in May or June. 2 to 3 ft	2 to 3 ft	-45	3.75	30.00
Fragrant white flowers in May or June. 2 to 3 ft	3 to 4 ft	-55	4.75	37.50
Fragrant white flowers in May or June. 2 to 3 ft	—alba, 5'-6'	Whi	te Per <mark>si</mark> a	ın Lilac
2 to 3 ft		r June.		
reflexa, 10'-12' Strong rugged grower. Flowers deep rose in compact clusters. 2 to 3 ft		_	4.75	37.50
Strong rugged grower. Flowers deep rose in compact clusters. 2 to 3 ft			6.50	52.50
clusters. 2 to 3 ft	reflexa, 10'-12'		Noddin	g Lilac
2 to 3 ft		s deep	rose in	compact
3 to 4 ft. 1.10 — — 4 to 5 ft. 1.65 — — villosa, 7'-8' Late Lilac Pale pinkish-lilac, June. Fragrant; bushy, compact habit. 2 to 3 ft. .35 2.75 22.50 3 to 4 ft. .45 3.75 30.00 4 to 5 ft. .65 5.50 45.00 5 to 6 ft. 1.10 9.00 70.00 6 to 7 ft. 1.65 13.50 — vulgaris, 12'-15' Common Purple Lilac Blooms in early May. 18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 — —alba, 12'-15' Common White Lilac White form of the common lilac.	2 to 3 ft	.80		
villosa, 7'-8' Late Lilac Pale pinkish-lilac, June. Fragrant; bushy, compact habit. 2 to 3 ft. .35 2.75 22.50 3 to 4 ft. .45 3.75 30.00 4 to 5 ft. .65 5.50 45.00 5 to 6 ft. 1.10 9.00 70.00 6 to 7 ft. 1.65 13.50 — vulgaris, 12'-15' Common Purple Lilac Blooms in early May. 18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 — —alba, 12'-15' Common White Lilac White form of the common lilac.		1.10		
Pale pinkish-lilac, June. Fragrant; bushy, compact habit. 2 to 3 ft	4 to 5 ft	1.65		
2 to 3 ft	villosa, 7'-8'		La	te Lilac
3 to 4 ft	Pale pinkish-lilac, June. Fragran	t; bush	y, compa	ct habit.
4 to 5 ft	2 to 3 ft	•3 <i>5</i>	2.75	22.50
5 to 6 ft. 1.10 9.00 70.00 6 to 7 ft. 1.65 13.50 — vulgaris, 12'-15' Common Purple Lilac Blooms in early May. 18 to 24 in. .18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 —alba, 12'-15' Common White Lilac White form of the common lilac.				30.00
6 to 7 ft. 1.65 13.50 — vulgaris, 12'-15' Common Purple Lilac Blooms in early May. 18 to 24 in. .18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 — —alba, 12'-15' Common White Lilac White form of the common lilac.		_		
vulgaris, 12'-15' Common Purple Lilac Blooms in early May. .18 to 24 in. .18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 —alba, 12'-15' Common White Lilac White form of the common lilac.				70.00
Blooms in early May. 18 to 24 in		1.05	13.50	
18 to 24 in. .18 1.50 12.00 2 to 3 ft. .22 1.90 15.00 3 to 4 ft. .35 2.75 22.50 4 to 5 ft. .45 3.75 30.00 5 to 6 ft. .55 4.75 37.50 6 to 7 ft. .80 6.50 — —alba, 12'-15' Common White Lilac White form of the common lilac.		Commo	on Purpl	le Lilac
2 to 3 ft		0		
3 to 4 ft	<u>.</u>		_	
4 to 5 ft			_	
5 to 6 ft				_
6 to 7 ft	5 to 6 ft			
White form of the common lilac.		.80		
			on Whit	te Lilac
18 to 24 in				
	· · · · · · · · · · · · · · · · · · ·	.30	2.50	20.00
2 to 3 ft			_	_
3 to 4 ft				
5 to 6 ft 1.00 8.50 67.50		_		
6 to 7 ft 1.35 11.00 —			_	



Located in the country about a mile to the north of Princeton, Tusculum was built in 1773 by John Witherspoon and here he frequently entertained Washington and other notables

SYRINGA—continued

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

These are all grown from cuttings and are on their OWN ROOTS, which is the best method of propagation. The resulting plant is more permanent than the grafted stock commonly offered. We specialize in named Lilacs and are able to offer these superior grown plants at prices that compare favorably with inferior grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

WE CAN OFFER THE FOLLOWING VARIETIES IN QUANTITY AT EXCEPTIONALLY ATTRACTIVE PRICES.

Alphonse Lavalle, light purple, double.

Charles Joly, red-mauve, semi-double.

Charles The Tenth, reddish-purple, single.

Ludwig Spaeth, reddish-purple, single.

Marie LeGray, white, single.

Michel Buchner, lilac, double.

Mme. Casimir Perrier, white, double.

Pres. Grevy, blue, double.

Rubra de Marly, light blue, single.

Wm. Robinson, violet-pink, double.

	Each	Per 10	Per 100
18 to 24 in	.45	3.75	30.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.10	9.50	75.00

THE FOLLOWING VARIETIES WE HAVE IN LIMITED QUANTITY AT PRICES THAT COMPARE FAVORABLY WITH OTHERS.

Belle de Nancy, light violet-red, double.

Boussingault, light purple, double.

Captain Perrault, rosy-mauve, double.

Florent Stepman, white, single.

Hugo Koster, pale lilac, single.

Lamartine, light violet, single.

Louvain, light purple, single.

Leon Simon, medium violet-red, double.

Mme. F. Morel, light mauve, single.

Marechal Lannes, light violet, double.

Mons. T. de Messmaker, light violet-red, single.

President Loubet, medium violet, double.

President Poincare, violet, double.

Reaumur, reddish-purple, single.

Vestale, white, single.

18 to 24 in	.70	5.50	
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.65	13.50	

——— ₹ T >>---

TAMARIX africana, 12'-14'		Per 10	
			amama
Pink, April-May. Has feathery gray Very effective near water; thrives			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	
gallica, 8'-9'		ench T	
Light pink, May-June, blue-green			
2 to 3 ft		2.50	20.00
3 to 4 ft	.35	3.00	
4 to 5 ft	.45	3.80	30.00
odessana, 5'-6'	Οċ	lessa T	amarix
Characteristic bluish-green foliage August.	with p	pink flor	wers in
2 to 3 ft	·3 <i>5</i>	2.80	
3 to 4 ft	.45	3.80	
parviflora			
Slender and spreading growth. I Dark purple bark. Likes very dry o			April.
2 to 3 ft	.30	-	20.00
3 to 4 ft	·35 ·45	3.00 3.80	
		•	J
TAXODIUM distichum, 75'-100' (Tall, pyramidal, symmetrical decid			
foliage. Distinct in appearance.	uous tre	e with I	calliciy
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	_	225.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.50	
TAXUS baccata, 15'-20' Broad-based, pyramidal tree with	h danle	Englis	
brown fruits.	ii uaik	green .	ionage,
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	2.75	22.50	
2½ to 3 ft., B. & B	4.00 6.00	35.00 50.00	
		J 0.0 0	
—compacta (adpressa erecta), 12'-15 Upright Sl) nortleaf	Englis	h Yew
Slow growth and of neat compact leaves.			
12 to 15 in., B. & B	1.35	11.00	90.00
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.00	25.00 30.00	200.00 250.00
3 to 4 ft., B. & B	6.00	50.00	400.00
3 to 4 ft., B. & B., specimen	10.00	85.00	·
4 to 5 ft., B. & B	8.00	65.00	
	15.00	.1	7.
-erecta aurea, 12'-15' Golden Uprigl			_
Bushy form with slender upright be slightly golden.	ranches.	Tips of	romage
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00	35.00	
10 to 24 m, D. & D	5.75	50.00	

			
TAXUS—continued	Each	Per 10	Per 100
baccata erecta lutea, 10'-12'	Yello	w Fruite	ed Yew
18 to 24 in., B. & B	3.00		
2 to 2½ ft., B. & B	4.50		
$2\frac{1}{2}$ to 3 ft., B. & B	6.75		
3 to 3½ ft., B. & B	10.00		
—fastigiata (hibernica), 10'		Iris	h Yew
Columnar form with dense comp	act gro	wth.	
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00		
18 to 24 in., B. & B	5.75		
-repandens, 18"-24" SI	oreadin	g Englis	h Yew
Evergreen. Spreading, horizonta		hes, dar	k blue-
green leaves. Valuable for low pl			
15 to 18 in., B. & B		13.50	
18 to 24 in., B. & B	2.00	17.00	
2 to 2½ ft., B. & B	3.00	•	190.00
2½ to 3 ft., B. & B	4.00		250.00
-Washingtoni, 4'-5'		ashingto	
A form of wide spreading habit wi		en yellow	leaves.
12 to 15 in., B. & B	1.65	17.50	
15 to 18 in., B. & B	2.00 3.00	17.50 25.00	
	3.00		1. 37
canadensis, 2'-2½'	in		la Yew
Evergreen. Spreading habit. Bro shade; good for underplanting.	nzy m	winter.	Prefers
15 to 18 in., B. & B	2.25	20.00	
18 to 24 in., B. & B	3.00	25.00	
2 to 2½ ft., B. & B	4.00	35.00	
3 to 4 ft., B. & B	6.75	55.00	
cuspidata, 10'-15'	eading	Japanes	se Yew
Evergreen. Rich, deep green le		-	
habit. Valuable in foundation p	olanting	s. Excep	tionally
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	1.90	15.00	125.00
2 to 2½ ft., B. & B	2.75	22.50	175.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.7 <i>5</i> 6.00	30.00 50.00	250.00 400.00
3½ to 4 ft., B. & B	9.00	75.00	600.00
4 to 5 ft., B. & B	13.50	115.00	
5 to 6 ft., B. & B	19.00	150.00	
6 to 7 ft., B. & B	25.00	200.00	
—capitata, 25'-40'	Jpright	Japanes	se Yew
Evergreen. The upright type of T			
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	1.90	15.00	125.00
2 to 2½ ft., B. & B	2.70 4.50	22.50 37.50	175.00 300.00
3 to 3½ ft., B. & B	5.75	47.50	375.00
3½ to 4 ft., B. & B	8.00	65.00	
4 to 5 ft., B. & B	10.00	85.00	
—hicksi, 20'-25'		Hick	s' Yew
Distinctly columnar form with up	pright b	ranches.	
15 to 18 in., B. & B	1.90	15.00	125.00
18 to 24 in., B. & B	2.25	19.00	
2 to 2½ ft., B. & B	3.50	28.00	300.00
2½ to 3 ft., B. & B	4.7 <i>5</i> 8.00	37.50 65.00	525.00
3 to 3/2 It., D. & D	3.00	0,100	<i>y</i> = <i>y</i> .00

TAXUS—continued	Each	Per 10	Per 100
cuspidata nana (brevifolia), 2'-3'	Dwarf	Japanes	se Yew
Evergreen. Broad, thick leaves, bla ing and irregular, spreading hab			
12 to 15 in., B. & B	1.65	13.50	110.00
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	5.75	47.50	375.00
2½ to 3 ft., B. & B	8.00	65.00 95.00	525.00
		af Engli	ih Yew
Low tree of irregular habit with l Distinct form.	ong spre	eading br	anches.
15 to 18 in., B. & B	3.00	25.00	
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	4.50	37.50	300.00
$2\frac{1}{2}$ to 3 ft., B. & B	5.75	47.50	
3 to $3\frac{1}{2}$ ft., B. & B	6.75	57.50	
—thayeri, 6'-8'		•	rs Yew
Low, wide spreading form distinct 18 to 24 in., B. & B			
2 to 2½ ft., B. & B	4.00 6.00	35.00 50.00	
2½ to 3 ft., B. & B	9.00	75.00	
intermedia, 12'-15'		_	id Yew
Hybrid between Taxus baccata an			ta.
9 to 12 in., B. & B	.90	7.50	
12 to 15 in., B. & B	1.65	13.50	
15 to 18 in., B. & B	3.00	25.00	
10 to 24 m., b. & b	4.00	35.00	
THUJA occidentalis, 15'-30'			
Evergreen. Slender pyramid wi			
winter coloring. Good accent plant 2 to 3 ft., B. & B			
3 to 4 ft., B. & B	.90 1.50	7.50 12.00	60.00 97.50
4 to 5 ft., B. & B	2.25	19.00	150.00
5 to 6 ft., B. & B	3.7 <i>5</i>	30.00	250.00
6 to 8 ft., B. & B	5.7 <i>5</i>	47.50	375.00
8 to 10 ft., B. & B	8.00	65.00	525.00
10 to 12 ft., B. & B	11.50	95.00	
Extra broad specimens 25% extra			
—compacta, 2 ¹ / ₂ '-4'	Parse	ons Arb	orvitae
Evergreen. Almost globe-shaped.	Bright	green. U	seful in
formal or foundation planting.			
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	115.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 3½ ft., B. & B	3.00	25.00	
-douglasi aurea, 10'-15' Dougl	las Gol	den Arb	orvitae
A broad pyramid with golden-gre			
2 to 2½ ft., B. & B	.90	7.50	60.00
$2\frac{1}{2}$ to 3 ft., B. & B	1.35	11.00	90.00
3 to 4 ft., B. & B	2.00	17.50	135.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3.50	28.00	
6 to 7 ft., B. & B	4.50	37.50	

THUJA-continued	Each	Per 10	Per 100
occidentalis elegantissima, 10'-15'			
		ped Arb	
Evergreen. Branches tipped with green.	yellow	. Rich, I	ustrous
2 to 2½ ft., B. & B	.90	7.50	60.00
2½ to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	1.65	13.50	110.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3.50 4.50	27.50 37.50	225.00 300.00
-ellwangeriana, 4'-6'	om Thu	ımb Arb	orvitae
Evergreen. Has heather-like leav	es; de	nse habi	t; soft,
close texture. Forms low, broad purple winter coloring.	l, blunt	pyrami	d. Rich
15 to 18 in., B. & B	1.00	8.50	67.50
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.00	17.50	
2½ to 3 ft., B. & B	3.00	25.00	
—ericoides, 5'		th Retin	_
Dwarf globose form with dull gro	een heat	th-like fo	liage.
15 to 18 in., B. & B	1.10	9.00	
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	2.25	20.00	
—globosa, 3'-4'	G1	obe Arb	orvitae
Evergreen. Useful in formal washaped.	vork. N	aturally	globe.
12 to 15 in., B. & B	.65	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	65.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.00	17.50	
—hoveyi, 3'-4'		vey Arb	
Evergreen. Oval in shape, near Bright green foliage.	:ly as	broad a	s high.
12 to 15 in., B. & B	. 65	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	65.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.00	17.50	135.00
3 to 3½ ft., B. & B	3.00	25.00	
-Little Gem, 1½' to 2' Dwarf dark green form, broader the		em Arb	orvitae
9 to 12 in., B. & B	1.00	8.50	
12 to 15 in., B. & B	1.35	11.00	
15 to 18 in., B. & B	2.25	20.00	
lutea, 10'-15' Georg	e Peah	ody Arb	orvitae
•		-	
Evergreen. Conspicuous, golden-youtline.			
2 to 2½ ft., B. & B	.80	6.50	52.50
2½ to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	1.65	13.50	110.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3.50	27.50	225.00

THUJA—continued	Each	Per 10	Per 100
occidentalis plicata, 10'-12'	M	oss Arb	orvitae
Evergreen. Rich, deep blue-gree branchlets give pleasing effect in			
pyramid.	0.0	= 10	60.00
2 to 3 ft., B. & B	.90 1.50	7.50 12.00	60.00 97.50
4 to 5 ft., B. & B	2.25	19.00	150.00
5 to 6 ft., B. & B	3.75	30.00	250.00
6 to 7 ft., B. & B	5.75	47.50	375.00
7 to 8 ft., B. & B	7.50	65.00	500.00
—pyramidalis, 15'-30'	Pyrami	dal Arb	orvitae
Evergreen. Retains bright green co			
ter. Narrow columnar shape; sp formal planting.			
2 to 2½ ft., B. & B	1.10 1.50	9.00 12.50	75.00
3 to 4 ft., B. & B	2.00	17.50	135.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.00	35.00	250.00
6 to 7 ft., B. & B	5.25	45.00	350.00
7 to 8 ft., B. & B	6.00	50.00	400.00
8 to 9 ft., B. & B	7.00	57.50	475.00
9 to 10 ft., B. & B	9.00 10.00	75.00 85.00	600.00
10 to 11 1t., b. & b	10.00	03.00	
-Reidi, 4'-5' Broad dwarf low-growing formal		Reid Arb	orvitae
2 to 2½ ft., B. & B	1.65	13.50	
$2\frac{1}{2}$ to 3 ft., B. & B	2.00	17.00	
3 to $3\frac{1}{2}$ ft., B. & B	3.00	25.00	
	_	25.00 hal Arb	orvitae
	Rosent	hal Arb	
-rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B	Rosent	hal Arb	
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B	Rosent nar for 1.10 1.50	hal Arb m. Slow 9.00 12.50	grower. 75.00 100.00
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Rosent nar for 1.10 1.50 2.00	hal Arb m. Slow 9.00 12.50 17.00	grower. 75.00 100.00 135.00
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00	hal Arb m. Slow 9.00 12.50 17.00 25.00	grower. 75.00 100.00 135.00
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00	grower. 75.00 100.00 135.00
rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3'	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 ———
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 ———
-rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbren-shaped	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb	grower. 75.00 100.00 135.00 200.00 —— oorvitae
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w	grower. 75.00 100.00 135.00 200.00 —— orvitae vith rich 90.00
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w	grower. 75.00 100.00 135.00 200.00 corvitae vith rich
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w	grower. 75.00 100.00 135.00 200.00 —— orvitae rith rich 90.00 125.00
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. vervaeneana, 8'-12'	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00	grower. 75.00 100.00 135.00 200.00 corvitae vith rich 90.00 125.00 corvitae
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. vervaeneana, 8'-12' Evergreen. Variegated with a	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00	grower. 75.00 100.00 135.00 200.00 corvitae vith rich 90.00 125.00 corvitae
rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyrama 2 to 2½ ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00	grower. 75.00 100.00 135.00 200.00 corvitae vith rich 90.00 125.00 corvitae
rosenthali, 6'-10' Evergreen. Dense, rugged, colum 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroon green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal.	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00
rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00 100.00 135.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00 100.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00 3.75	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00	grower. 75.00 100.00 135.00 200.00 orvitae rith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00 3.75	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00	grower. 75.00 100.00 135.00 200.00 orvitae rith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with generated bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to 2½ ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00 3.75	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00 100.00 135.00 200.00 corvitae
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to 2½ ft., B. & B. aurea, 8'-12' Golden Golden leaved form of the type. 2 to 2½ ft., B. & B.	Rosent nar form 1.10 1.50 2.00 3.75 5.50 Umbren-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00 3.75 Verva 1.10 1.65	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00 100.00 135.00 200.00 corvitae
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with generated bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. aurea, 8'-12' Golden leaved form of the type. 2 to 2½ ft., B. & B. 5 to 3 ft., B. & B. 5 to 4 ft., B. & B. aurea, 8'-12' Golden leaved form of the type. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	Rosent nar for 1.10 1.50 2.00 3.00 3.75 5.50 Umbre n-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.75 Verva	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb l form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 orvitae ith rich 90.00 125.00 orvitae foliage, 75.00 100.00 135.00 200.00 orvitae
-rosenthali, 6'-10' Evergreen. Dense, rugged, column 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -umbraculifera, 2'-3' Particularly good, low, mushroom green foliage. Very hardy. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. -vervaeneana, 8'-12' Evergreen. Variegated with a bronzy in winter. Broadly pyram 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Golden leaved form of the type. 2 to 2½ ft., B. & B. aurea, 8'-12' Golden Golden leaved form of the type. 2 to 2½ ft., B. & B.	Rosent nar form 1.10 1.50 2.00 3.75 5.50 Umbren-shaped 1.35 2.00 2.25 Verva greenish nidal. 1.10 1.50 2.00 3.00 3.75 Verva 1.10 1.65	hal Arb m. Slow 9.00 12.50 17.00 25.00 35.00 47.50 ella Arb form w 11.00 15.00 20.00 ene Arb -yellow 9.00 12.50 17.50 25.00 35.00 ene Arb	grower. 75.00 100.00 135.00 200.00 corvitae rith rich 90.00 125.00 corvitae foliage, 75.00 100.00 135.00 200.00 corvitae

THUJA—continued	Each	Per 10	Der 100
occidentalis wareana, 12'-15'		ian Arb	
Evergreen. Light green, fleshy	foliage.	Broadly	pyram-
idal, rugged in appearance.			
18 to 24 in., B. & B	.80	6.50	52.50
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	2.25	20.00	150.00
4 to 5 ft., B. & B	3.50	27.50	130.00
4 00 9 100, 20 00 20 00 00 00 00 00 00 00 00 00 00	3.50	27.50	
orientalis (biota), 20'-25'	Orion	. 4 o 1 . A . a 1	
		ital Arb	
Evergreen. Rather stiff, column			t green
foliage, bronze in winter; a good	i accent I	plant.	
2½ to 3 ft., B. & B	.90	7.50	67.50
3 to 4 ft., B. & B	1.35	11.00	90.00
4 to 5 ft., B. & B	2.00	17.00	135.00
5 to 6 ft., B. & B	3.00	25.00	200.00
6 to 7 ft., B. & B	3.7 <i>5</i>	30.00	250.00
7 to 8 ft., B. & B	5.50	45.00	375.00
8 to 9 ft., B. & B	6.75	55.00	3/3.00
9 to 10 ft., B. & B	8.00		
10 to 11 ft D & D		65.00	
10 to 11 ft., B. & B	9.00	75.00	
	C 11	• A 1.	•4
—aurea conspicua (biota), 7'-8'	Goldsp	oire Arb	orvitae
Golden-yellow in spring, bronz	e-yellow	in wint	er. Dis-
tinctive.	•		
2 to 2½ ft., B. & B	165	10.50	
21/ to 2 ft D & D	1.65	13.50	200.00
2½ to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	5.50	45.00	375.00
5 to 6 ft., B. & B	6.75	55.00	450.00
6 to 7 ft., B. & B	7.50	65.00	
	C - 1	1 A 1	
——nana (biota), 2½'-3' Berckm			
A gem for dwarf planting; co	mpact, 1	oundish	shape;
warm golden-yellow foliage. Esp	pe cially §	good for	formal
work and edging.			
9 to 12 in., B. & B	. 75	6.50	55.00
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 21 in., B. & B	-	20.00	
	2.25		150.00
21 to 24 in., B. & B	3.50	27.50	
2 to 2½ ft., B. & B	5.25	45.00	
2½ to 3 ft., B. & B	6.00	50.00	
3 to 3½ ft., B. & B	7.50	65.00	
. 4: . >	C' 1	.11 A I	
—compacta (biota), 3'-4'	Sieb	old Arb	orvitae
Forms a compact oval-shaped sp			
fresh green color, with beautifu	l winter	shading.	•
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	3.7 <i>5</i>	30.00	
3 to 4 ft., B. & B	5.50	45.00	375.00
4 to 5 ft., B. & B	7.50	65.00	
4 to 3 rt., D. & D	7.30	03.00	
—Daily Nana (biota), 5'-6'			
Dwarf Com	pact Gr	een Arb	orvitae
Dwarf form. Bright green. Compa			
2½ to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	3.75	30.00	

THUJA—continued	Each	Per 10	Per 10
orientalis elegantissima (biota), Yello	, 7'-8' ow Colui	mn Arb	orvita
Assumes a rich, deep golden-bropact, columnar.	nze color	in winte	er. Com
18 to 24 in., B. & B	1.10	9.00	75.0
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.00	25.00	200.0
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.50	375.0
6 to 7 ft., B. & B	6.50	55.00	425.0
—pyramidalis aurea (biota), 7'-8' Golden	ı Pyrami	dal Arb	orvita
Somewhat similar to elegantissin	ıa.		
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	6.00		•,
—semperaurescens (biota), 8'-10'			orvita
Rich golden hue constant throu	_	year.	
4 to 5 ft., B. & B	3.75		
5 to 6 ft., B. & B	5.50	<u> </u>	
6 to 7 ft., B. & B	7.50	62.50	
7 to 8 ft., B. & B	9.00	75.00	
plicata atrovirens (lobbi), 100'		ant Arb	orvita
Rich, shining, deep green, fleshy			
2 to 3 ft., B. & B	1.35	11.00	
3 to 4 ft., B. & B	2.00	17.50	
4 to 5 ft., B. & B	3.00	25.00	
5 to 6 ft., B. & B	4.00 6.00	35.00 50.00	400.00
standishi, 25'-40'		ish Arb	
Hardy evergreen of broad pyrar			oorvita
2 to 2½ ft., B. & B		12.50	100.00
2½ to 3 ft., B. & B	1.50 2.00	17.50	135.00
3 to 4 ft., B. & B	2.75	22.50	175.00
4 to 5 ft., B. & B	3.50	28.00	225.00
5 to 6 ft., B. & B	4.50	37.50	300.0
6 to 7 ft., B. & B	6.75	55.00	
TILIA americana, 75'-90'	An	nerican	Linder
Grows rather quickly, forming	an open	head. I	Has fra
grant yellow flowers.	un open		200 200
6 to 8 ft	1.10	9.00	75.00
8 to 10 ft	1.65	13.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	17.50	135.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	225.00
10 to 12 ft., 13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	5.50	47.50	375.00
2½ to 2½ in	6.75	55.00	450.00
2½ to 3 in	8.00	65.00	550.0
3 to 3½ in	9.00	75.00	
cordata, 70' Litt	leleaf Eu	ropean	Linder
Very small leaves and desirable	habit of	growth.	
5 to 6 ft	1.65	13.50	110.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3.7 <i>5</i>	30.00	250.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.50	47.50	
8 to 10 ft., 1½ to 1¾ in	7.50	62.50	

PTT TA continued		h D	D 100
FILIA—continued	Eac	h Per 10	
euchlora, 70'-80'		Crimean	Linden
Fair size tree; yellow branchlets	and	shiny dan	k green
foliage.		J,	B
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00		
10 to 12 ft., 13/4 to 2 in	5.00		
2 to 2 ¹ / ₄ in	6.00		
2 (0 274 111			
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.00		
maglacta fol my		Cana	Tindon
neglecta, 60'-75'		_	Linden
Similar to the American Linden	but]	has gravis	h green
foliage.			0
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	30.00	
10 to 12 ft., 13/4 to 2 in	4.75	40.00	
2 to 2 ¹ / ₄ in	5.75	47.50	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.75	55.00	
2½ to 3 in	8.00	65.00	
3 to 3½ in	9.00	75.00	
	9.00	75.00	
petiolaris, 40'-60'		Weeping	Linden
Large tree with dense growth, silv	ery i	orrage and	r droop-
ing branchlets.			
6 to 8 ft	3.50	27.50	225.00
8 to 10 ft	4.50		300.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	47.50	375.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	55.00	450.00
			4,0.00
13/4 to 2 in	7.50		
2 to $2\frac{1}{4}$ in	9.00	75.00	
platrophyllog ma' Digital	of T		Tindon
platyphyllos, 70' Bigle			
Large leaved European Linden—fi	rst of	ne to bloo	m. Sym-
metrical tree. Excellent lawn specia	men.	Satisfactor	rv street
tree.			.,
6 to 8 ft	2.00	17.50	135.00
8 to 10 ft	3.00	25.00	200.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.50	28.00	225.00
			_
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	37.50	300.CO
8 to 10 ft., $1\frac{3}{4}$ to 2 in	5.50	47.50	
10 to 12 ft., 2 to 2 ¹ / ₄ in	6.75	55.00	
	• •-	33.00	
10 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	7.50		
-rubra, 70 ' Redbranch	hed I	European	Linden
With same characteristics as the typ	pec	unering of	nry with
red branchlets.			
6 to 8 ft., 1 to 1 ¹ / ₄ in	3.00	25.00	
	_		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	30.00	
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25		
		C = = = 41=	T : 1
Spaethi, 70'		-	Linden
Similar to the type in compact habit	and	growth, bu	it larger
leaves. Symmetrical specimen.		·	Ü
•			
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50		
10 to 11 ft., 13/4 to 2 in	4.50	37.50	
10 to 11 ft., 2 to 2 ¹ / ₄ in	5.50		
		47.50	
11 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.75	55.00	
12 ft., 2½ to 3 in	9.00	75.00	
	_		
tomentosa (argentea), 40'-60'	11.00	~	~
tomontoba (argontoa), 40 or	11.00	Silver	Linden
Handsome, dense-headed tree tha	t wil	ll withsta	nd heat
Handsome, dense-headed tree that and drought. Leaves green above;	t wil	ll withstance beneath	nd heat
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil	ll withsta	nd heat
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50	ll withstance beneath 27.50	nd heat • 225.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50	ll withstar te beneath 27.50 37.50	225.00 300.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50 5.50	ll withstar te beneath 27.50 37.50 47.50	225.00 300.00 375.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50	ll withstarte beneath 27.50 37.50 47.50 55.00	225.00 300.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50 5.50 6.75	ll withstarte beneath 27.50 37.50 47.50 55.00	225.00 300.00 375.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50 5.50 6.75 7.50	ll withstar te beneath 27.50 37.50 47.50 55.00 65.00	225.00 300.00 375.00 450.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in	t wil whit 3.50 4.50 5.50 6.75 7.50 9.00	ll withstar te beneath 27.50 37.50 47.50 55.00 65.00 75.00	225.00 300.00 375.00 450.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft	t wil whit 3.50 4.50 5.50 6.75 7.50 9.00	ll withstar te beneath 27.50 37.50 47.50 55.00 65.00 75.00 95.00	225.00 300.00 375.00 450.00
Handsome, dense-headed tree that and drought. Leaves green above; 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in	t wil whit 3.50 4.50 5.50 6.75 7.50 9.00	ll withstar te beneath 27.50 37.50 47.50 55.00 65.00 75.00	225.00 300.00 375.00 450.00

TILIA—continued	Each	Per 10	Per 100
vulgaris, 70'-90'	Ευ	ropean	Linden
In late June the fragrant flower symmetrical and compact.	s are n	oticeable	; grows
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 12 ft., 1¾ to 2 in. 2 to 2¼ in. 2¼ to 2½ in. 2½ to 3 in.	2.25 3.50 4.50 5.50 7.00 8.75 10.00 13.50	20.00 27.50 37.50 47.50 57.50 72.50 85.00 110.00	150.00 225.00 300.00 375.00 475.00 575.00 675.00
*TRIPTERYGIUM regeli, 3'-4'			
Low growing shrub with angled branches and greenish white flow fruit.			
12 to 18 in	1.00		
18 to 24 in	1.50		
2 to 2½ ft	2.00		
TSUGA canadensis, 75'-90'	Ca	anada H	emlock
Evergreen. Most graceful and a	_	_	
horizontal branches making effect ful as either clipped hedge or inf		olanting.	ets. Use-
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.50	12.50 20.00	100.00
2½ to 3 ft., B. & B	2.2 <i>5</i> 3.50	28.00	150.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	8.25	67.50	550.00
6 to 7 ft., B. & B	10.00	85.00	675.00
7 to 8 ft., B. & B	15.00	125.00	
8 to 9 ft., B. & B	20.00		
—microphylla (gracilis), 40'-50' Small-leave			emlock
Slow growing form with very sma	ll leave	S.	
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	3.7 <i>5</i>	31.00	
18 to 24 in., B. & B	5.50		
—pendula, 7'-8' Sargen Dwarf flat-topped weeping form v		eping H	
12 to 15 in., B. & B	2.50	20.00	
15 to 18 in., B. & B	3.50	27.50	
18 to 24 in., B. & B	4.50	37.50	
caroliniana, 50'-60' Evergreen. One of our choicest na		olina H	
in growth than above.		orgi com	, ozovi oz
18 to 24 in., B. & B	1.80	15.00	120.00
2 to 2½ ft., B. & B	2.50	20.00	175.00
2½ to 3 ft., B. & B	3.7 <i>5</i>	30.00 40.00	250.00
3 to 4 ft., B. & B	5.00 25.00	225.00	
9 to 19 ft., B. & B., specimens	30.00	250.00	
10 to 11 ft., B. & B., specimens	35.00	275.00	

——≼ U >>---

ULMUS americana, 80'-100'		America	an Elm
Stateliness and dignity are here e	xemplif	ied. Fairl	y rapid
in growth, this typical American			
proportions and commands res			
upon it.			
	Each	Per 10	Per 100
6 to 8 ft	.65	5.50	45.00
8 to 10 ft	1.10	9.00	75.00
		_	
8 to 10 ft., 1½ to 1½ in	1.35	11.00	90.00
9 to 11 ft., 1½ to 1¾ in	1.65	13.50	110.00
10 to 12 ft., 134 to 2 in	2.25	20.00	150.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	3.50	27.50	225.00
12 to 14 ft., 2½ to 2½ in	4.50	37.50	300.00
2½ to 3 in	6.00	50.00	400.00
3 to 3½ in	8.25	70.00	
$3\frac{1}{2}$ to 4 in	11.00	95.00	
4 to $4\frac{1}{2}$ in	16.50	135.00	
$4\frac{1}{2}$ to 5 in	20.00	170.00	
-Moline, 80'-100'		Malie	ie Elm
	-t		
A remarkable new variety of example and large, handsome, deeply gra			
sirable.	aiiicu i	ollage. V	cry uc-
	1.00	0	6- 40
6 to 8 ft	1.00	8.50	67.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.35	11.00	90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	17.00	135.00
10 to 12 ft., 13/4 to 2 in	3.00	25.00 31.00	200.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	3.75 5.50	47.00	
		4.	
2½ to 2½ in	7.50	62.50	
		4.	_
2½ to 2½ in	7.50 9.00	4.	
2½ to 2½ in	7.50 9.00	62.50 —— Princeto	n Elm
2½ to 2½ in	7.50 9.00	62.50 —— Princetoudded sto	on Elm
2½ to 2½ in	7.50 9.00	62.50 —— Princetoudded sto	on Elm
2½ to 2½ in 2½ to 3 in —"Princeton", 80′-100′ A selected strain of American Elm the young stage, a type similar to a a slightly more spreading top.	7.50 9.00 n (all b	62.50 Princeto udded ste	on Elm ock). In out with
2½ to 2½ in 2½ to 3 in —"Princeton", 80′-100′ A selected strain of American Elmonthe young stage, a type similar to a slightly more spreading top. 6 to 8 ft	7.50 9.00 n (all b the Moli	62.50 Princeto udded sto ne Elm b	on Elm ock). In out with
2½ to 2½ in 2½ to 3 in —"Princeton", 80′-100′ A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft	7.50 9.00 a (all b the Moli	62.50 Princeto udded sto ine Elm b	on Elm ock). In out with
2½ to 2½ in	7.50 9.00 n (all bethe Moli	62.50 Princeto udded ste ne Elm b 12.50 17.00 25.00	on Elm ock). In out with
2½ to 2½ in	7.50 9.00 a (all b) the Moli 1.50 2.00 3.00 3.75	62.50 Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00	on Elm ock). In out with
2½ to 2½ in	7.50 9.00 n (all bethe Moli	62.50 Princeto udded ste ne Elm b 12.50 17.00 25.00	on Elm ock). In out with 100.00 135.00 200.00 250.00
2½ to 2½ in	7.50 9.00 a (all b the Moli 1.50 2.00 3.00 3.75 4.50 5.25	62.50 Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00 37.50 45.00	on Elm ock). In out with 100.00 135.00 200.00 250.00
2½ to 2½ in	7.50 9.00 a (all bethe Moli 1.50 2.00 3.00 3.75 4.50 5.25 Shaped	62.50 —— Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm
2½ to 2½ in	7.50 9.00 1.50 2.00 3.75 4.50 5.25 Shaped which h	62.50 Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected
2½ to 2½ in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which h	62.50 Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to 2½ in 2½ to 3 in -"Princeton", 80'-100' A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in -Vase shape, 60'-75' Vase Stage of the typical spreading elm for its splendid characteristics: clean stem, quick growth and unit	7.50 9.00 n (all brithe Moli 1.50 2.00 3.75 4.50 5.25 Shaped which harge faformity	Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00 37.50 45.00 Americanas been foliage, s	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to 2½ in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00	Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to ½ in	7.50 9.00 1.50 2.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00	62.50 Princeto udded ste ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to ½ in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75	62.50 —— Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to 3 in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50	62.50 Princeto udded sto ine Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00 37.50	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to 2½ in 2½ to 3 in —"Princeton", 80′-100′ A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 2 to 2¼ in 12 to 14 ft., 2 to 2¼ in —Vase shape, 60′-75′ Vase SThis is the typical spreading elm for its splendid characteristics: clean stem, quick growth and united to 12 ft., 1¼ to 1½ in 10 to 12 ft., 1¼ to 1¼ in 10 to 12 ft., 1¾ to 2 in 11 to 12 ft., 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in	7.50 9.00 1.50 2.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50 7.50	62.50 —— Princeto udded ste ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00 37.50 62.50	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight,
2½ to 3 in -"Princeton", 80'-100' A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft 8 to 10 ft 10 to 12 ft., 1½ to 1½ in 12 to 14 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in -Vase shape, 60'-75' Vase S This is the typical spreading elm for its splendid characteristics: clean stem, quick growth and unit 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1¼ to 1½ in 10 to 12 ft., 1¼ to 1½ in 10 to 12 ft., 1¾ to 2 in 11 to 12 ft., 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in 2¼ to 2½ in 2¼ to 2½ in 2½ to 3 in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50	62.50 —— Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America as been foliage, s of shap 17.00 25.00 31.00 37.50 62.50 75.00	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight, e.
2½ to 2½ in 2½ to 3 in —"Princeton", 80′-100′ A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 2 to 2¼ in 12 to 14 ft., 2 to 2¼ in —Vase shape, 60′-75′ Vase SThis is the typical spreading elm for its splendid characteristics: clean stem, quick growth and united to 12 ft., 1¼ to 1½ in 10 to 12 ft., 1¼ to 1¼ in 10 to 12 ft., 1¾ to 2 in 11 to 12 ft., 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in	7.50 9.00 1.50 2.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50 7.50	62.50 —— Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00 37.50 62.50 75.00 Englis	on Elm ock). In out with 100.00 135.00 200.00 300.00 an Elm selected straight, e. ——————————————————————————————————
2½ to 3 in -"Princeton", 80'-100' A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in -Vase shape, 60'-75' Vase S This is the typical spreading elm for its splendid characteristics: clean stem, quick growth and unit 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 11 to 12 ft., 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in 2½ to 3 in campestris, 80'-100' Smooth barked tree with somew	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50 7.50 9.00	62.50 —— Princeto udded sto ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00 37.50 62.50 75.00 Englis	on Elm ock). In out with 100.00 135.00 200.00 250.00 300.00 an Elm selected traight, e.
2½ to 3 in	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50 7.50 9.00	62.50 —— Princeto udded ste ne Elm b 12.50 17.00 25.00 30.00 37.50 45.00 America nas been foliage, s of shap 17.00 25.00 31.00 37.50 62.50 75.00 Englis 1 green 37.50	on Elm ock). In out with 100.00 135.00 200.00 300.00 an Elm selected straight, e. ——————————————————————————————————
2½ to 3 in -"Princeton", 80'-100' A selected strain of American Elm the young stage, a type similar to a slightly more spreading top. 6 to 8 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in -Vase shape, 60'-75' Vase S This is the typical spreading elm for its splendid characteristics: clean stem, quick growth and unit 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 11 to 12 ft., 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in 2½ to 3 in campestris, 80'-100' Smooth barked tree with somew	7.50 9.00 1.50 2.00 3.00 3.75 4.50 5.25 Shaped which harge formity 2.00 3.00 3.75 4.50 7.50 9.00	62.50 ————————————————————————————————————	on Elm ock). In out with 100.00 135.00 200.00 300.00 an Elm selected straight, e. ——————————————————————————————————

ULMUS—continued	Each	Per 10	Per 100
numila rotari		Chine	se Elm
pumila, 50'-75' Forms symmetrical head. Has sma	all alab		
gularly free from disease. Acclim	nates its	elf well	to con-
5 to 6 ft	.90	7.50	60.00
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.65	13.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	19.00	150.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	200.00
13/4 to 2 in	3.75	31.00	
2 to 2½ in	5.50	47.00	
——— ⟨V ⟩>	• • • • • • • • • • • • • • • • • • • •		
*VACCINIUM corymbosum, 5'-6'	High	bush Bli	ıeberry
One of the best native shrubs. Flow	wers and	d fruit be	autiful.
Wonderful autumn coloration. Pro			
18 to 24 in	.80	6.50	-
2 to 3 ft	1.10	9.00	
3 to 4 ft	1.65	13.50	
VIBURNUM acerifolium, 4'-5' M	fanlele:	afed Vil	nirniim
White, May-June. Black fruits, m			
purple in autumn; good for dry			
planting in woodland.	onady p	races are	under-
18 to 24 in	1 5	275	
2 to 3 ft	•43 •55	3.7 <i>5</i> 4.70	
2 10 9 111	•33	4.70	
americanum (oxycoccos), 8'-9'			
Aır	rerican	Cranber	rrybush
Bright scarlet berries in large winter.	bunche	s, persis	ting all
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·35	3.00	25.00
3 to 4 ft	-55	4.50	35.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.00	75.00
carlesi, 4'-6'	Frag	rant Vi	burnum
One of the most desirable, semi-	dwarf,	flowering	shrubs
with wonderfully fragrant flo- shaded with pink. Foliage nice gr	wer cli		
12 to 15 in., pot gr	.65	5.50	45.00
15 to 18 in., B. & B	.75	6.50	50.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 3 ft., B. & B	2.00	17.00	135.00
cassinoides, 5'-6'		Wi	the-rod
White, June-July. Berries pink	changin	g to da	rk blue.
Rich autumn coloring; splendid			
water.			
18 to 24 in	·3 <i>5</i>	2.80	22.00
2 to 3 ft	.55	4.70	37.00
3 to 4 ft	.80	6.50	52.00
4 to 5 ft	1.00	8.50	67.00
5 to 6 ft	1.35	11.00	90.00

VIBURNUM—continued	Each	Per 10	Per 100
dentatum, 10'-12'			wwood
White, May-June. Berries blue-b purple and red; thrives in wet so			
2 to 3 ft		2.80	22.00
3 to 4 ft	·3 <i>5</i>	3.50	
4 to 5 ft	.45 .60	5.00	30.00 40.00
5 to 6 ft	.80	6.50	52.00
6 to 7 ft	1.00	8.50	67.00
0 10 / 11	1.00	0.50	07.00
dilatatum, 8'-9' White, May-June. Scarlet showy b some and valuable.		nden Vib ersisting	
	4 7	0. 10	20.00
18 to 24 in	.45	3.50	30.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	1.00	8.50 11.00	67.00 90.00
	1.35	15.00	125.00
5 to 6 ft	2.00	13.00	123.00
lantana, 15'-18' White, May-June. Handsome, dark Berries red, changing to black.		Wayfarii wrinkled	-
18 to 24 in	.25	2.25	18.00
2 to 3 ft	.25 .35	3.00	25.00
3 to 4 ft	•35 •45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	
0.10 / 111 11111111111111111111111111111	- 100		
-rugosum, 15'-18' Wrinkle	eleaf W	/ayfaring	g Tree
Has larger, more wrinkled leaves t flower clusters.			larger
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	
4 to 5 ft	1.10	9.50	
lentago, 18'-20' White, May-June. Handsome, shir	ning lea		yberry e -black
fruits. Splendid shrub for massing			
2 to 3 ft	•35	2.80	22.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.50	75.00
7 to 8 ft	1.35	11.00	90.00
8 to 9 ft	1.65	13.50	
molle, 10'-12' Larger, darker green leaves, but		cky Vib	
"dentatum."			
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	45	3.50	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	65.00
6 to 7 ft	1.35	11.00	
Very similar in habit of growth and		Cranberr to the An	
Cranberrybush.			
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·35	3.00	25.00
3 to 4 ft	45	3.50	30.00
4 to 5 ft		4.70	37.00
5 to 6 ft	.55 .80	6.50	

VIBURNUM—continued	Each	Per 10	Per 100
opulus nanum, 18"-24"	Dwarf	Cranber	rybush
Useful for edging or facing shrucompact.			
4 to 6 in	-3 5	2.80	22.00
6 to 9 in	. 45	3.50	30.00
9 to 12 in	•55	4.70	37.00
-sterile, 9'-10'	Con	nmon Sr	owhall
Has showy, round head of white			
18 to 24 in			18.00
2 to 3 ft	.25 .35	2.25 3.00	
3 to 4 ft	•35 •45	3.50	_
4 to 5 ft	.65		_
5 to 6 ft	.90		
		n ı	. 1.1
prunifolium, 10'-12'	nl 11.		ackhaw
Pure white flowers, April-June.		k, glauce	ous ber-
ries. Sturdy habit; handsome sh		4 70	27.00
18 to 24 in	.55	4.50	37.00
2 to 3 ft	.65	5.50	45.00 60.00
4 to 5 ft	.90 1.10	7.50 9.50	75.00
5 to 6 ft	1.50	12.50	75.00
rhytidophyllum, 6'-8'		leaf Vil	
Evergreen. Large, oblong leaves		reen abov	ve, gray
beneath; a bold, handsome shrul			
18 to 24 in., B. & B		9.50	• -
2 to 2½ ft., B. & B	1.50	12.50	95.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B. Specimen	6.25	55.00	
5 to 6 ft., B. & B. Specimen	9.00	75.00	
6 to 7 ft., B. & B., Specimen	11.00 13.50	95.00	
7 to o rei, B. ce B., Specimen	13.50		
sieboldi (japonicum), 9'-10'	Sie	bold Vil	ournum
White, May-June. Berries pink, o	changing	to black	. Hand-
some, large, dark green leaves. V	igorous.		
18 to 24 in	·3 <i>5</i>	2.80	22.00
2 to 3 ft	.45	3.50	30.00
3 to 4 ft	.65	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.25	10.00	85.00
6 to 7 ft	1.50	12.00	
tomentosum, 7'-8'	Double	efile Vil	ournum
Flat heads of white flowers, Ju			
Good foliage.			
18 to 24 in	.25	2.25	18.00
2 to 3 ft	-35	2.80	22.00
3 to 4 ft	.55	4.50	37.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	90.00
—plicatum, 7'-8'	Tana	inese Sr	owball
Showy white flowers in balls,	_		
with purple autumn coloring.	Julio, IX	11.GUOIIIC	202-086
18 to 24 in	.25	2.25	18.00
2 to 3 ft	·35	2.80	22.00
3 to 4 ft	.55	4.50	37.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.00

VIBURNUM—continued	Each	Per 10	Per 100	
wrighti, 7'-8'	Wı	right Vil	urnum	
A native of Japan. Very upright in character. Attractive scarlet fruits produced abundantly.				
18 to 24 in	.45	3.50	30.00	
2 to 3 ft	•55	4.50	37.00	
3 to 4 ft	.80	6.50	52.00	
4 to 5 ft	1.00	8.50 11.00	67.00	
y to 0 1t	1.35	11.00		
VINCA minor, 6"-8"		inkle or		
A trailing evergreen plant. Gloss in spring. Excellent ground cov shade.	rer in	full suns	hine or	
1	Per 10	Per 100	Per 1000	
3 in. pots	2.00	15.00	120.00	
VITEX agnus-castus, 4'-5'		ilac Cha		
Dainty shrub, lilac flowers. Augu green, star-shaped leaves; prefe			. Gray-	
	Each	Per 10	Per 100	
18 to 24 in	•3 <i>5</i>	2.80	22.00	
2 to 3 ft	•45	3.50	_	
3 to 4 ft	•55	4.50	37.00	
—alba, 4'-5'		nite Chas	ste-tree	
White flowered form of the above	•			
3 to 4 ft	.80	6.50		
agnus macrophylla, 3'-4' Large lea	agnus macrophylla, 3'-4' Large leaved Lilac Chaste-tree			
A great improvement on the trine				
A great improvement on the type attractive.	; fine b	lue flower	rs; very	
attractive. 12 to 18 in	·3 <i>5</i>	2.80	22.50	
attractive.			22.50	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35'	•35 •45	2.80 3.50 Summer	22.50 30.00 Grape	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine;	•35 •45 good fe	2.80 3.50 Summer or bank co	22.50 30.00 Grape	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35'	•35 •45 good fe	2.80 3.50 Summer or bank co	22.50 30.00 Grape overing.	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine;	•35 •45 good fe	2.80 3.50 Summer or bank co 2.00	22.50 30.00 Grape overing.	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine; 1 yr. transplants	.35 .45 good fe	2.80 3.50 Summer or bank co 2.00 Frost	22.50 30.00 Grape overing. 15.00 Grape	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine; 1 yr. transplants cordifolia, 30'-40' Roundish leaves; small glaucous covering and trelliswork.	.35 .45 good fe	2.80 3.50 Summer or bank co 2.00 Frost good fo	22.50 30.00 Grape overing. 15.00 Grape or bank	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine; 1 yr. transplants	.35 .45 good fe .22	2.80 3.50 Summer or bank co 2.00 Frost good fo	22.50 30.00 Grape overing. 15.00 Grape or bank	
attractive. 12 to 18 in. 18 to 24 in. VITIS aestivalis, 25'-35' Strong growing ornamental vine; 1 yr. transplants cordifolia, 30'-40' Roundish leaves; small glaucous covering and trelliswork. 1 yr. transplants	.35 .45 good fe .22 s fruit .22	2.80 3.50 Summer or bank con 2.00 Frost good for 2.00 uscadine	22.50 30.00 Grape overing. 15.00 Grape or bank 15.00 Grape	

— → W >> - · · · ·

WEIGELA amabilis, 7'-8'		Rose V	Veigela
Light Pink.	Each	Per 10	Per 100
18 to 24 in	.25	2.00	
2 to 3 ft	•3 5	2.80	22.00
3 to 4 ft	.45	3 .5 0	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	60.00
candida, 7'-8' Large, pure white flowers.	7	White V	Veigela
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.7 <i>5</i> .90	6.50 7.50	50.00 60.00
0 to / it	.90	7.50	00.00
Eva Rathke, 4'-5' Carmine, June-August. Most florif	erous.	wered V	_
18 to 24 in		2.80	
2 to 3 ft	·5 5	4.75	37.50
floribunda, 8' Upright growing shrub with crim		mson Vers.	Veig el a
2 to 3 ft		3.00	25.00
	·45		30.00
4 to 5 ft	.65	5.50	45.00
nana variegata, 6'-8' Variegated l			
growth.	0.5	2 %	22 #2
2 to 3 ft	·35	2.80	22.50 30.00
4 to 5 ft	-4 <i>5</i> .60	3.50 5.00	40.00
5 to 6 ft	.75	6.50	•
6 to 7 ft	.90	7.50	60.00
		Dinl. W	Zoimolo
rosea, 7'-8' Showy, pink flowers freely pro	oduced.	Pink V	. •
grower.		junei	1801000
18 to 24 in	.25	2.00	15.00
2 to 3 ft	-35	2.80	22.00
3 to 4 ft	· 4 5	3.50	30.00
4 to 5 ft	.5 <i>5</i> .80	4.50 6.50	37.00 52.50
5 to 6 ft	.00	0.50	32.30
venusta, 5'-6' Showy, large rose-pink flowers.	V	Tenus V	Veigela
3 to 4 ft	.45	3 . 7 <i>5</i>	30.00
WEIGELA HYBRIDS Conquerant, dark pink, reverse ca	rmine; e	arly flow	wering.
Feeri, rose colored flowers. Groenwegeni, red bud opening v Gustav Mallot, carmine. Profusion, reddish flowers.	vhite.		
Richesse, deep pink. Vaniceki, dark red flowers.			
2 to 3 ft	.45	3.75	
3 to 4 ft	.65	5.50	
4 to 5 ft	.90	7.50	
5 to 6 ft	1.10	9.00	
0 10 / 11	1.50	12.25	

	Each	Don 10	Dan 100		
WISTERIA multijuga, 35'-50'		Per 10 Juster W			
WISTERIA multijuga, 35'-50' Longcluster Wisteria Has long drooping racemes of purple flowers. Unusually					
fine to cover a trellis or pergola.					
18 to 24 in., grafts	.75	6.50			
2 to 3 ft., grafts	.90 1.10	7.50 8.50			
4 to 5 ft., grafts	1.35	11.00			
5 to 6 ft., grafts	1.65	13.50			
6 to 8 ft., grafts	2.25	19.00			
8 to 10 ft., grafts	3.50	28.00			
	hite We	eping W	ister i a		
18 to 24 in., grafts	.90	7.50	60.00		
2 to 3 ft., grafts	1.10	8.50	70.00		
3 to 4 ft., grafts	1.35 1.65	11.00 13.50			
5 to 6 ft., grafts	2.25	19.00			
6 to 8 ft., grafts	3.50	28.00			
-rosea, 35'-50'	osy We	eping W	isteria		
18 to 24 in., grafts	1.35	11.00	90.00		
2 to 3 ft., grafts	1.65				
3 to 4 ft., grafts		28.00			
4 to 5 ft., grafts	5.00	40.00			
sinensis blue, 35'-50' (grafted)					
This is by far the best stock to cause they will really bloom.	o plant	in wister	rias be-		
	4 ~	0.70			
18 to 24 in., 2 yr. grafts 2 to 3 ft., 2 yr. grafts	•4 <i>5</i> •5 <i>5</i>	3.70 4.70			
3 to 4 ft., 3 yr. grafts	.65	5.50	45.00		
4 to 5 ft., 4 yr. grafts	.90	7.50	60.00		
5 to 6 ft., 5 yr. grafts	1.25	10.00	82.00		
6 to 8 ft., 5 yr. grafts	2.00	15.00	125.00		
—alba, 35'-50'	Thite Ch	inese W	isteria		
18 to 24 in., 2 yr. grafts	.45	3.50	30.00		
2 to 3 ft., 2 yr. grafts	.55	4.50	37.00		
3 to 4 ft., 3 yr. grafts 4 to 5 ft., 2 yr. grafts	.65 .90	5.50 7.50	45.00 60.00		
5 to 6 ft., 5 yr. grafts	_	10.00	82.00		
6 to 8 ft., 5 yr. grafts	2.00				
		-			
₩ 7 S					
—————————————————————————————————————	•				
YUCCA filamentosa, 2'-3'		Adams	Moodla		
Evergreen. Long lance-like lea grows up quickly in June-July.					
ers and general appearance give					
for massing with either evergrees					
2 year	.22	2.00	15.00		
3 year	.30	2.50			
4 year	·3 <i>5</i>	2.80	22.00		
ZANTHORHIZA apiifolia, 2'-3'		Yello	owroot		
Good ground cover. Will succe					
banks, etc. Small purplish flower		_			
9 to 12 in	_	2.50	20.00		
12 to 18 in		3.00	25.00		
18 to 24 in	.45	3.75	30.00		

Planting Notes on Native Plant Materials

ANY of our friends have told us that they have used Tthe Princeton Nurseries catalogue as a planting guide and text-book. We accept this as a great compliment to have published a trade handbook which may be serving a useful purpose.

One of the yearly features of our catalogue has been the space allotted for Special Planting Lists. These planting guides have materialized as the demand has been created for a more

accurate knowledge of the use of plant materials.

In the past twenty years, due in part to extensive park developments, we have seen an increasing use of native American plant materials. Princeton Nurseries have realized this growing demand and are now able to offer in great quantities and in various sizes, over 150 varieties of hardy native woody trees, shrubs and vines.

To better appreciate the more intelligent use of native types and avoid unnatural plantings, it is quite desirable to group these native types according to the way they associate with one another in their natural environment. The various plant groups are influenced by definite environmental factors. The native plant is more or less confined to the most suitable location by its ability to adapt itself. Conditions are ever changing in the life of plants growing in the open pasture or in the virgin forest.

It might be safely stated that all plantings of native material are more harmonious and congenial if plant types are used together which are found associated together in nature.

In presenting the following types, it is well realized that if space would permit, it would be better to sub-divide each type into smaller groups. We are placing them under four general headings as follows:

> A—The Field and Pasture Type. B—The Lowland and Swamp Type. C—The Forest Type.

D-The Seaside Type.

The Field and Pasture Type

TREES

Betula populifolia

Juniperus virginiana

SHRUBS and VINES

Ampelopsis quinquefolia Celastrus scandens Cornus paniculata Corylus americana Juniperus communis Lyonia ligustrina Myrica carolinensis Potentilla fruticosa Rhus copallina Rhus glabra

Rhus typhina Robinia hispida Rosa blanda Spiraea latifolia Spiraea tomentosa Viburnum cassanoides Viburnum dentatum Viburnum lentago Viburnum prunifolium Vitis aestivalis

The Lowland and Swamp Type TREES

Acer negundo Acer rubrum Acer saccharum Celtis occidentalis

Crataegus crus-galli Fraxinus americana Juglans nigra Liquidamber styraciflua Nyssa sylvatica Ostrya virginiana Platanus occidentalis Quercus bicolor Quercus macrocarpa Quercus palustris Tilia americana Ulmus americana

SHRUBS

Alnus rugosa
Amelanchier canadensis
Ampelopsis quinquefolia
Aronia arbutifolia
Aronia melanocarpa
Azalea viscosa
Benzoin aestivale
Carpinus caroliniana
Cephalanthus occidentalis
Clethra alnifolia
Cornus amomum
Cornus stolonifera
Hamamelis virginiana
Ilex verticillata

Lyonia ligustrina
Physocarpus opulifolius
Potentilla fruticosa
Rosa lucida
Rosa palustris
Salix discolor
Sambucus canadensis
Spiraea latifolia
Spiraea tomentosa
Vaccinium corymbosum
Viburnum acerifolium
Viburnum dentatum
Viburnum lentago

C

The Forest Type

TREES

Acer pennsylvanicum
Acer saccharum
Acer spicatum
Betula lenta
Betula lutea
Cornus florida
Fagus americana
Liriodendron tulipifera
Ostrya virginiana
Pinus resinosa
Pinus rigida

Amelanchier canadensis

Ceanothus americanus

Hamamelis virginiana

Cornus alternifolia

Azalea nudiflora

Ilex verticillata

Pinus strobus
Prunus serotina
Quercus alba
Quercus coccinea
Quercus prinus
Quercus rubra
Quercus velutina
Sassafras officionale
Tilia americana
Tsuga canadensis

SHRUBS

Kalmia latifolia Rhododendron maximum Rosa setigera Rubus odoratus Viburnum acerifolium Viburnum lantana

D

The Seaside Type

TREES

Betula populifolia
Juniperus virginiana
Liquidamber styraciflua
Nyssa sylvatica
Pinus rigida
Prunus serotina
Quercus alba

Quercus coccinea Quercus phellos Quercus prinus Quercus rubra Quercus velutina Sassafras officionale

SHRUBS

Amelanchier canadensis Ampelopsis quinquefolia Aronia arbutifolia var. atropurpurea Aronia melanocarpa Ceanothus americanus Clethra alnifolia Comptonia asplenifolia Corylus americana Ilex glabra Ilex opaca Myrica carolinensis Pieris mariana Prunus maritima Rhus copallina Rosa blanda Rosa humilis

Rosa nitida Sambucus canadensis Spiraea latifolia Spiraea tomentosa

Note: The above groups are not intended to be a complete listing of all the native hardy woody plants that appear in each group. They represent some of the most important items of these groups and are obtainable in strong nursery grown material from the fields of our nursery.

What Shall I Plant—

1 "For a quick-growing planting screen?"

TREES

Acer negundo Acer dasycarpum Morus alba

Picea excelsa Pinus sylvestris Salix in variety

Populus in variety

SHRUBS

Eleagnus angustifolia Ligustrum ovalifolium Ligustrum vulgare

Lonicera fragrantissima Lonicera tartarica Rhamnus frangula

2 "For a formal clipped hedge?"

TREES

Fagus sylvatica Carpinus caroliniana Crataegus oxycantha Crataegus crus-galli

Picea excelsa Taxus cuspidata Thuja occ. pyramidalis Tsuga canadensis

SHRUBS

Berberis varieties Ilex crenata varieties Ligustrum varieties

Eleagnus angustifolia Rhamnus cathartica Rhamnus frangula

3 "For a smoky, dusty, city situation?"

TREES

Ailanthus glandulosa Carpinus betulus Crataegus crus-galli Ginkgo biloba Ilex opaca

Picea pungens Pinus nigra austriaca Pinus sylvestris Platanus orientalis Populus in variety

SHRUBS

Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ligustrum in variety

Acanthopanax pentaphyllum Lonicera fragrantissima Physocarpus opulifolius Rhodotypos kerrioides Spiraea van houttei Symphoricarpos in variety Syringa vulgaris

4 "For a partially shaded location?"

TREES

Acer pennsylvanicum Acer spicatum Amelanchier canadensis Cornus florida and Rubra

Magnolia glauca Oxydendrum arboreum Tsuga canadensis Tsuga caroliniana

SHRUBS

Abelia grandiflora Acanthopanax pentaphyllum Lonicera morrowi Aronia arbutifolia Aronia melanocarpa Berberis illicifolia Berberis julianae Berberis triacanthophora Berberis verruculosa Buxus sempervirens Diervilla trifida Hydrangea arborescens grandiflora Hydrangea quercifolia Hypericum aureum Hypericum prolificum Ilex crenata microphylla Ilex opaca Leiophyllum buxifolium

Lonicera japonica halliana Lonicera tartarica Pachysandra terminalis Pachistima canbyi Pieris floribunda Pieris japonica Potentilla fruticosa Pyracantha cocc. lalandi Rhodotypos kerrioides Rubus odoratus Stephanandra flexuosa Symphoricarpos racemosus Taxus baccata repandens Taxus canadensis Taxus cuspidata Taxus cuspidata capitata Taxus nana (brevifolia) Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium Vinca minor

5 "For a wet location?"

Ligustrum vulgare

Leucothoe cataesbaei

Ligustrum ovalifolium

Lonicera fragrantissima

Ligustrum ibota regelianum

TREES

Abies balsamea Acer rubrum Acer dasycarpum Betula nigra Carpinus caroliniana Liquidamber styraciflua Nyssa sylvatica Populus varieties

Quercus bicolor Quercus palustris Quercus rubra Quercus velutina Salix in variety Tilia americana Taxodium distichum Thuja occidentalis

SHRUBS

Alnus rugosa Amelanchier canadensis Aronia arbutifolia Azalea viscosa Benzoin aestivale Cephalanthus occidentalis Clethra alnifolia Cornus stolonifera Hypericum densiflorum Ilex glabra

Ilex verticillata Itea virginica Rosa palustris Salix in variety Sambucus canadensis Spiraea tomentosa Vaccinium corymbosum Viburnum cassinoides Viburnum dentatum Viburnum lentago

6 "For a dry location?"

TREES

Cornus mas Malus baccata Cedrus deodara Cornus florida and Rubra Robinia pseudoacacia Ouercus rubra

Pinus banksiana Pinus sylvestris Pinus ponderosa Pinus strobus Prunus maritima Juniperus virginiana

SHRUBS

Acanthopanax pentaphyllum Lonicera morrowi Baccharis halimifolia Berberis thunbergi Caragana arborescens Eleagnus angustifolia Eleagnus longipes Lespedeza formosa Ligustrum in variety

Potentilla fruticosa Rhamnus frangula Rhodotypos kerrioides Rhus canadensis Symphoricarpos vulgaris Viburnum lantana

7 "To attract the birds?"

TREES

Betula lenta Betula lutea Betula nigra Betula alba var. pendula Betula papyrifera Celtis occidentalis Cornus florida Cornus mas Crataegus coccinea Crataegus oxycantha Juniperus virginiana Malus floribunda Morus alba Nyssa sylvatica

Picea canadensis Picea polita Pinus nigra austriaca Pinus strobus Pinus resinosa Prunus mahaleb Prunus padus Prunus serotina Sassafras officionale Sorbus americana Sorbus aucuparia Tsuga canadensis Ulmus americana

SHRUBS

Ampelopsis quinquefolia Ampelopsis tricuspidata Aronia arbutifolia Aronia melanocarpa Benzoin aestivale Berberis thunbergi Cornus alba Cornus alternifolia Eleagnus angustifolia Eleagnus longipes Euonymus bungeana Euonymus europaea Hypericum prolificum Juniperus communis Ligustrum vulgare Lonicera bella albida Lonicera morrowi Lonicera ruprechtiana Lonicera tartarica

Myrica carolinensis Rhamnus cathartica Rhus canadensis Rhus copallina Rhus glabra Rhus typhina Rubus odoratus Sambucus canadensis Symphoricarpos racemosus Symphoricarpos vulgaris Vaccinium corymbosum Viburnum acerifolium Viburnum dentatum Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum tomentosum Viburnum opulus



GENERAL INDEX OF COMMON NAMES

	PAGE		PAGE
Α	22	Elsholtzia	42
Abelia, Glossy	7	Engelmann Creeper	14
Actinidia, Bower	12	Enkianthus Euonymus	42 42-44
Adam's Needle	121	Edolly III da	42-44
Akebia, Fiveleaf	13	F	
Alder	13 83		
Althea	48–49	Filbert, Purple	7-8, 86
Ampelopsis	14	Firethorn	87
Andromeda	79	Forsythia	45-46
Aralia	15 108–112	Fostergilla	46
Arrowwood	117	Franklinia (Gordonia) Fleecevine	46 82
Ash	46	ricecevine	02
Atlas Cedar	26	G	
Azalea	15–19		
В		Galax	47
		Goldenchain	32 61
Baldcypress	106	Goldflower	50
Barberry	20-21 72	Gordonia	46
Bearberry	15	Grape, ornamental	119 20
Beautyberry, Chinese	25	Groundserbush	20
Beautybush	60	**	
Beech Plum	45	H	
Benzoin	83 20	Hackberry	27
Birch	21-23	Hardhack	101
Bittersweet	27	Hawthorn	37-39
Black Haw	118	Heather	35 25
Bladder-senna	33 102	Heath Retinospora	109
Blueberry	116	Hemlock	114
Boston Ivy	14	Hercules-club	15
Boxelder	9	Holly Grape	51 60
Boxwood	23-24 101	Honeysuckle4	
Broom	39	Hophornbeam	73
Buckeye	12	Hoptree	87
Buckthorn	91	Hornbeam	25-26 12
Buffaloberry	98	Hydrangea	
Bushclover	43 61	Hydrangea Vine	49 9 8
Butterflybush	23	Hypericum	50
Buttonbush	27		
	4/	_	
	21	I	
С	21	Incense Cedar	62
Callery Pear	87	Incense CedarIndigo	52
Callery Pear	87 26	Incense Cedar	52 13
Callery Pear	87 26 57-59	Incense Cedar Indigo Indigobush Inkberry	52 13 51
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree	87 26	Incense Cedar	52 13
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering	87 26 57-59 27	Incense Cedar Indigo Indigobush Inkberry	52 13 51
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry	87 26 57-59 27 119 83-86	Incense Cedar Indigo Indigobush Inkberry Ivy	52 13 51 48
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil	87 26 57-59 27 119 83-86 15 83	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry	52 13 51 48 85–86
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea	87 26 57-59 27 119 83-86 15 83	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly	52 13 51 48
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree	87 26 57-59 27 119 83-86 15 83 32 49	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple	52 13 51 48 85-86 51 98 10-11
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry	87 26 57-59 27 119 83-86 15 83 32 49 47	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge	52 13 51 48 85-86 51 98 10-11 74
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine	52 13 51 48 85–86 51 98 10–11 74 53
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea	52 13 51 48 85-86 51 98 10-11 74
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine	52 13 51 48 85-86 51 98 10-11 74 53 26
Callery Pear Catalpa Cedar Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry	52 13 51 48 85-86 51 98 10-11 74 53 26
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry	52 13 51 48 85-86 51 98 10-11 74 53 26
Callery Pear Catalpa Cedar Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 35-37 69-71 116-118 39 28-31 56	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87
Catalpa Cedar Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 35-37 69-71 116-118 39 28-31 56 67 40 26 40-41 15 33-34 40 15	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood Leucothoe	52 13 51 48 85–86 51 98 10–11 74 53 26 13 53–58 27 47 60 87
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe E Elder	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87
Callery Pear Catalpa Cedar Cedar of Lebanon Chaste-tree Cherry, Flowering Chokeberry Cinquefoil Clematis Climbing Hydrangea Coffee-tree Coralberry Corktree Cornelian-cherry Cotoneaster Crabapple, Flowering Cranberrybush Cryptomeria Cypress Creeping Savin Cucumbertree D Daphne Deodar Deutzia Devil's Walking Stick Dogwood Dovetree Dutchman's Pipe	87 26 57-59 27 119 83-86 15 83 32 49 47 103 74 34 35-37 69-71 116-118 39 28-31 56 67	Incense Cedar Indigo Indigobush Inkberry Ivy J Japanese Cherry Japanese Holly Japanese Hydrangea Vine Japanese Maple Japanese Spurge Jasmine Jerseytea Juneberry Juniper K Katsura-tree Kentucky Coffeetree Kerria Kudzu-bean L Larch Laurel Leadplant Leatherflower Leatherleaf Leatherwood Leucothoe Lilac	52 13 51 48 85-86 51 98 10-11 74 53 26 13 53-58 27 47 60 87

	D. LOD		
M	PAGE	Smoketree	PAGE 93
		Snowball	118
Magnolia	6 7 –69	Snowbell	102
Maidenhair-tree	47	Snowberry	102-103
Maple	8–12	Snowhill Hydrangea	49
Matrimony Vine	66	Sophora	99
Mockorange	74-76 14	Sourgum	73
Mountain Ash	99	Sourwood	7 3
Mountain Holly	7 3	Spicebush	20
Mulberry	72	Spirea	76-79
Myrtle	119	Staggerbush	70-79
		Stephanandra	102
N		Stewartia	102
Nandina	73	St. Johnswort	50
Nanking Cherry	85	Stranvaesia	102
Nannyberry	117	Sumac	93-94
Ninebark	76	Summersweet	32
		Sweetbay	67
0		Sweetbrier Sweetfern	9 <i>5</i> 33
Oak	88-90	Sweetgum	63 63
Olive (Russian)	42	Sweetleaf	103
Osmanthus	73	Sweetshrub	25
	,,	Sweetspire	$5\overline{2}$
P		Sycamore	82
Pachistima	~ 4		
Partridgeberry	74 72	T	
Peach, Flowering	14	Tamarix	106
Pearlbush	44	Thorn	106 37-39
Peatree	25	Tree of Heaven	37 ⁻ 39 13
Persimmon	41	Tripterygium	114
Periwinkle	119	Trumpetcreeper	23
Photinia	7 6	Tuliptree	63
Pine	79-82		
Pinxterbloom	18	IJ	
Plum	83 83-85	•	0
Plum Yew	27	Umbrella Pine	98
Poplar	82-83	V	
Privet	62-63	*	
		Varnishtree	60
Q		Viburnum	116-119
Quince	39	Virgin Bower	32
• • • • • • • • • • • • • • • • • • • •	09	virginia Creeper	14
R		W	
Raspberry, Flowering	96		
Redbud	28	Walnut	53
Red Cedar	57-59	Weigela	117
Retinospora	29-31	White Fringetree	32
Rhododendron	91-92	White Kerria	92
Rockspray	3 6	Willow	07-98
Rose-acacia	94	Winterberry	51-52
Rose Panicle	40	Wintercreeper	43-44
Rugosa Roses	94-96	Wisteria	121
good Roots	95–96	With rod	48
S		Withe-rod	116
	,	Woodbine	47 63
Sandmyrtle	61		0,1
Sassafras	98	Y	
Shadblow	99 13	·-	
Silktree	13	Yellowrood	122
Silkvine	74		32 106-108
Silverbell	48	Yulan	67

LANDSCAPE ARCHITECTS

SPECIFY PRINCETON PRODUCTS

Discount 20%

This discount is subject to withdrawal without notice.

See Schedule Enclosed



PRINCETON NURSERIES

Princeton, New Jersey Telephone Princeton 1776

FOR YOUR CONVENIENCE

To determine quickly your net price of 20% discount from the retail catalog price, refer to the following list.

Retail price	Less 20%	Retail price	Less 20%
.10	.08	4.00	3.20
.12	.09½	4.50	3.60
.14 .15	.11 .12	4.70 4.75	3.76 3.80
.17	.13½	5.00	4.00
.1 8	141/2	5.25	4.20
.19	.151/4	5.30	4.24
.20	.16	5.50	4.40
.22 .25	.17½ .20	5.75 6.00	4.60 4.80
.27	.211/2	6.25	5.00
.30	.24	6.50	5.20
·35	.28	6.70	5.36
.36	.283/4	6.75	5.40 5.60
•37 •4 <i>5</i>	.29½ .36	7.00 7.50	5.00 6.00
.50	.40	8.00	6.40
-55	•44	8.25	6.60
.60	.48	8.50	6.80
.65 .70	.52 .56	9.00	7.20 7.48
.75 •75	.60	9.35 9.50	7.60
.80	.64	9.75	7.80
.85	.68	10.00	8.00
.90	.72 .76	10.50	8.40 8.80
.95 1.00	.70 .80	11.00 11.25	9.00
1.10	.88	11.50	9.20
1.15	.92	12.00	9.60
1.20	.96	12.25	9.80
1.25 1.30	1.00 1.04	12.50	10.00 10.80
1.35	1.08	13.50 14.00	11.20
1.40	1.12	14.25	11.40
1.45	1.16	14.50	11.60
1.50 1.65	1.20	15.00 16.00	12.00 12.80
1.70	1.32 1.36	16.50	13.20
1.75	1.40	17.00	13.60
1.90	1.52	17.50	14.00
2.00	1.60	18.00	14.40
2.20 2.25	1.76 1.80	19.00	15.20 16.00
2.50	2.00	21.00	16.80
2.60	2.08	22.00	17.60
2.70	2.16	22.50	18.00
2.75 2.80	2.20 2.24	24.00 25.00	19.20 20.00
3.00	2.40	26.00	20.80
3.10	2.48	27.50	22.00
3.25	2.60	28.00	22.40
3.40	2.72 2.80	30.00	24.00 24.80
3.50 3.70	2.96	31.00	27.20
3.75	3.00	35.00	28.00

Retail price 36.00 37.00 37.50 40.00 42.50 44.00 47.50 50.00 52.00 55.00 56.00 60.00	Less 20% 28.80 29.60 30.00 32.00 34.00 35.20 36.00 37.60 38.00 40.00 41.60 42.00 44.80 48.00	Retail price 67.50 70.00 72.00 75.00 80.00 81.00 82.00 82.50 85.00 87.50 90.00 92.50 93.50 95.00	Less 20% 54.00 56.00 57.60 60.00 64.00 64.80 65.60 66.00 70.00 72.00 74.80 76.00 77.60
55.00	44.00	93.50	74.80
56.00	44.80	95.00	76.00

QUALITY DISCOUNT

On many orders we allow a special discount based on materials wanted and size of order. Send us your lists of total requirements and we will give you our best figure.

Note: Quantity discount chart, page 3 of catalogue.

SPECIFY

PRINCETON PRODUCTS

because

PRINCETON PRICES

are right and

PRINCETON PLANTS

are the best

We have transplanted, trimmed, and cultivated to insure quality stock that will give best results and guarantee satisfaction to your clients.

Your patronage and cooperation are earnestly solicited. Write, phone, or wire if we can be of service in any way.

PRINCETON NURSERIES

DEPT. OF WM. FLEMER'S SONS, INC.

Telephone Princeton 1776-7





GATEWAY TO THE COURT OF THE PRINCETON UNIVERSITY PRESS

In whose modern printing plant this catalogue is produced

